

**NOTES ON TWO SPECIES OF *GONIODES*  
(MALLOPHAGA)**

K. C. EMERSON  
Stillwater, Oklahoma

*Goniodes submamillatus* Emerson 1950

The original description (Jour. Kans. Ent. Soc., 23:121) was based on a small series of material supposedly collected from Mearn's Quail, *Cyrtonyx montezumae mearnsi* Nelson. Since then, the author has examined numerous collections of this species obtained from Gambel's Quail. One vial of specimens recently received from the University of Arizona Collection, contained the same data as the original material except for the host. All subsequent collections have also included specimens of *Lagopus gambeli* Emerson 1949, a species commonly found on Gambel's Quail, as well as *Goniodes submamillatus* Emerson. Therefore, it is believed that the material used in the original description was mislabeled through error; and that the true host for this species is Gambel's Quail, *Lophortyx gambelii gambelii* Gambel.

*Goniodes leucurus* Emerson 1952

The original description of this species (Jour. Kans. Ent. Soc., 25:29) was without illustrations. Through the courtesy of Dr. Harry Pratt, Communicable Disease Center, United States Public Health Service, Atlanta, Georgia, Mr. Chester J. Stojanovich has furnished the author with an illustration of the genitalia of the holotype male, which is shown here with as figure 1.




FIGURE 1. Male genitalia of *Goniodes leucurus* Emerson 1952.

**A NOTE ON THE IDENTITY OF *STRIGIPHILUS*  
*BARBATUS* (Osborn)**

K. C. EMERSON  
Stillwater, Oklahoma

**NOTES ON TWO SPECIES OF *GONIODES*  
(MALLOPHAGA)**

K. C. EMERSON  
Stillwater, Oklahoma