

Bibliographical Notice.

from either the *Piratinæ* or the *Revudiinæ*. Until annexant genera are found, the subfamily *Vesciinæ* must maintain its independent status.

BIBLIOGRAPHY.

- BREDDIN, G. 1901. "Neue neotropische Wanzen und Zirpen." Soc. Ent. Zurich, xvi. pp. 59-60, 74-76, 82-84.
—. 1903. "Südamerikanische Raubwanzen." Soc. Ent. Zurich, xviii. pp. 108, 113-115.
- CHINA, W. E. and USINGER, R. L. 1949. "A New Species of *Chopardita* Villiers from the Anglo-Egyptian Sudan with notes on the subfamily *Vesciinæ* (Hemiptera-Reduviidae)." Ann. & Mag. Nat. Hist., (12), i. pp. 598-604, 8 figs.
- LENT, H. and WYGODZINSKY, P. 1948. "On Two New Genera of American Reduviinæ, with a Key and Notes on others (Reduviidae, Hemiptera)." Rev. Brasil. Biol., viii. (1), pp. 43-55, 54 figs.
- TORRE BUENO, J. R. 1914. "British Guiana Heteroptera." Ent. News, xxv. pp. 257-262.
- WYGODZINSKY, P. 1943. "Contribuição ao conhecimento da subfamília *Vesciinæ* (Hemiptera, Reduviidae)." Rev. Brasil. Biol., iii. (2), pp. 203-223, 103 figs.
- . 1946. "Sobre um novo gênero e uma nova espécie de *Chryxinæ* e considerações sobre a subfamília (Reduviidae, Hemiptera)." Rev. Brasil. Biol., vi. (2), pp. 173-180, 12 figs.
- . 1947. "Sobre um novo gênero neotrópico de *Vesciinæ*, com considerações sobre a subfamília (Reduviidae, Hemiptera)." Rev. Ent. Rio de Janeiro, xviii. (3), pp. 411-416, 20 figs.
- . 1949. "Reduvioides from New South Wales. Description of a Remarkable New Genus and Species of *Emesinae* (Reduviidae, Hemiptera)." Rev. Brasil. Biol., ix. (2), pp. 217-222, 19 figs.

BIBLIOGRAPHICAL NOTICE.

The Observer's Book of British Geology. By I. O. EVANS, F.R.G.S. $3\frac{3}{4} \times 5\frac{1}{4}$ ", boards. Pp. 1-266, 182 illustrations in colour and black and white. London : F. Warne & Co., Ltd. Price 5s. net.

In his foreword to this latest addition to the Observer's Series, Prof. Hawkins aptly remarks : "Anybody who takes an intelligent interest in anything is therefore a bit of a geologist."

This attractive little book, admittedly written for those "with an appreciative eye for the interest and beauty of the countryside", is not merely a technical addition to our geological knowledge, but a work that can be read through and enjoyed—much as one would enjoy a work of fiction.

The chapters deal with the formations and records of bedded rocks, the minerals and fossils of named areas, and the picturesqueness of mountains and valleys, cliffs and beaches, lakes and plains.

Profusely illustrated with half-tones on a good-surfaced paper and 12 coloured plates, the book is printed and produced in the publisher's usual high-class style ; it would be an attractive addition to the book-shelf or could be conveniently carried in the pocket.

[M. C. M.]

A.M.N.H. 12th V.3 1950

THE
ANNALS AND MAGAZINE
OF
NATURAL HISTORY

[TWELFTH SERIES.]

No. 28. APRIL 1950.

XXI.—*A List of the Type-hosts of the Mallophaga and the Lice described from them.** By GORDON B. THOMPSON.

[Continued from Ann. & Mag. Nat. Hist. 1948, ser. 12, vol. i. p. 368.]

Order COLUMBIFORMES.

Suborder PTEROCLETES.

Family PTEROELIDIIDÆ.

730. *Syrrhaptes tibetanus* Gould.

Syrrhaptocetus tibetanus Waterston, 1928. On *Syrrhaptes tibetanus* from Khambjong, Thibet.

731. *Syrrhaptes paradoxus* (Pallas).

Syrrhaptocetus bedfordi Waterston, 1928. On *Syrrhaptes paradoxus* Pall. from Koyssara, Tian Shan, N. Asia.

Syrrhaptocetus paradoxus (Rudow), 1869 (part ; see 732). On *Syrrhaptes paradoxa*.

732. *Pterocles alchata* (Linn.).

Syrrhaptocetus alchatæ (Rudow), 1869. On *Pterocles alchatæ*.

Syrrhaptocetus paradoxus (Rudow), 1869 (part ; see 731). On *Pterocles alchatæ*.

* It must be borne in mind when using this list that the type-hosts of the various species of Mallophaga are not fixed but only listed.

733. *Pterocles namaqua namaqua* (Gmelin).
Nec *menopon pteroclurus* Bedford, 1920. On *Pterocles namaquus* from Transvaal.
Syrrhaptæcus digonus Waterston, 1928. On *Pterocles namaquus* from Klipfontein, Little Namaqualand.
734. *Pterocles exustus erlangeri* (Neumann).
Syrrhaptæcus emahusaini Ansari, 1947. On Indian Common Sandgrouse, *Pterocles exustus erlangeri* Neum. from Lyallpur, Punjab.
735. *Pterocles exustus* subsp.
Syrrhaptæcus falcatus Waterston, 1928. On *Pterocles senegalensis* Licht. var. *orientalis* Hasselq. from Kerraï, Khartoum, Sudan.
736. *Pterocles orientalis* (Linn.).
Syrrhaptæcus pallasi Waterston, 1928. On *Eremia-lector orientalis* Linn. from nr. Fazilka, Punjab.
737. *Pterocles coronatus* Lichtenstein.
Syrrhaptæcus brevifrons Waterston, 1928. On *Eremia-lector coronatus* Licht. from Muscat.
Syrrhaptæcus mitratus Waterston, 1928. On *Eremia-lector coronatus* Licht. from Muscat.
738. *Pterocles gutturalis saturatior* Hartert.
Syrrhaptæcus uncinosus Waterston, 1928. On *Eremia-lector gutturalis* var. *saturatior* Hart., from Simba, Kenya; Lake Zwai, S. Abyssinia.
739. *Pterocles personatus* Gould.
Syrrhaptæcus obtusus Waterston, 1928. On *Eremia-lector personatus* Gould from Madagascar.
740. *Pterocles bicinctus bicinctus* Temminck.
Syrrhaptæcus declivis Waterston, 1928. On *Eremia-lector bicinctus* Temm. from Huxé, Benguella, Angola, S. Africa.
741. *Pterocles indicus* (Gmelin).
Syrrhaptæcus angulatus Waterston, 1928. On *Eremia-lector indicus* Gmel. from Gurgaon Distr. and Gambhir, India.

742. *Pterocles quadricinetus lowei* C. H. B. Grant.
Syrrhaptæcus excisus Waterston, 1928. On *Eremia-lector quadricinctus* Temm. var. *lowei* Grant, from El Obeid, Kordofan, Sudan.
- Suborder *COLUMBÆ*.
Family *Columbidæ*.
Subfamily *TRERONINÆ*.
743. *Sphenurus sieboldii sororius* (Swinhoe).
Auricotes kurodai (Uchida), 1917. On *Sphenocercus sororius* from Suisha, Distr. Nanto, Formosa.
744. *Treron vernans* (Linn.).
Coloceras fasciatum (Piaget), 1880. On *Freron* [sic] *vernans*.
745. *Treron waalia* (F. A. A. Meyer).
Coloceras (minor var.) setosus (Piaget), 1880. On *Freron* [sic] *abyssinicum*.
746. *Ptilinopus rivoli* subsp.
Auricotes candidus (Piaget), 1885. On *Ptilopus cinctus-florensis*, Leyden Museum.
747. *Megaloprepia magnifica puella* (Lesson).
Auricotes obscurus Kéler, 1939 (part; see 752). On *Ptilopus puellus*.
748. *Ducula ænea* (Linn.).
Auricotes limbatus Kéler, 1939. On *Carpophaga ænea*.
Columbicola cavifrons (Taschenberg), 1882 (part; see 753). On *Carpophaga ænea*.
749. *Ducula ænea paulina* (Bonaparte).
Oxylipeurus piageti (Taschenberg),* 1882 (*nom. nov.* for *Lipeurus longiceps* Piaget, 1880, *nec* Rudow, 1869) (part; see 750). On *Carpophaga paulina*.
750. *Dueula perspicillata* (Temminck).
Auricotes carpophagæ (Rudow), 1869. On *Carpophaga perspicillata*.
Oxylipeurus piageti (Taschenberg),* 1882 (*nom. nov.* for *Lipeurus longiceps* Piaget, 1880, *nec* Rudow, 1869) (part; see 749). On *Carpophaga perspicillata*.

* Straggler.

751. *Ducula bicolor* (Scopoli).
Auricotes lativenter Kéler, 1939. On *Carpophaga bicolor*.
752. *Ducula luctuosa* (Temminck).
Auricotes obscurus Kéler, 1939 (part; see 747). On *Carpophaga luctuosa*.
753. *Ducula badia* (Raffles).
Columbicola cavifrons (Taschenberg), 1882 (part; see 748). On *Carpophaga badia*.
754. *Ducula badia badia* (Raffles).
Columbicola longiceps sikoraæ Eichler, 1942. On *Ducula badia badia* (Raffles), Tinggi Radjah, Sumatra.
755. *Ducula pinon* (Quoy & Gaimard).
Auricotes radiatus Kéler, 1939. On *Carpophaga pinon*.
756. *Ducula rufigaster* (Quoy & Gaimard).
Auricotes affinis (Taschenberg), 1882. On *Carpophaga rufigaster*, Meyer Coll.
757. *Ducula* sp. ?
Columbicola longiceps (Rudow), 1869. On *Carpophaga perspicillata** from Java.
758. *Lopholaimus antarcticus* (Shaw).
Ancistrodes furcatus Kéler, 1939. On *Lopholaimus antarcticus* Shaw, Dr. Rey Coll.

Subfamily COLUMBINÆ.

759. *Columba rupestris turkestanica* Buturlin.
Columbicola tschulyschman Eichler, 1942. On *Columba rupestris turkestanica* Buturlin from Tschulyschman Valley, Altai.
760. *Columba livia* Gmelin.
Campanulotes compar (Burmeister), 1838. On *Columba livia*.
Columbicola filiformis (Olfers), 1816. On *Columba livia*.

* May be listed under 750.

Type-hosts of the Mallophaga.

761. *Columba livia* "domestica".
Menopon longicephalum Kellogg, 1896.* On domestic pigeon, *Columba livia*, Lawrence, Kansas. *Hohorstiella lata* (Piaget), 1880. On "un pigeon domestique". *Colpocephalum turbinatum* Denny, 1842. On "Turbet-pigeon" from England. *Coloceras ægypticus* (Kellogg & Paine), 1911. On "Blue-pigeon" from Malachal, Egyptian Sudan. *Coloceras piageti* (Johnston & Harrison), 1912 (part; see 779, 781) (*nom. nov.* for *minor* Piaget, 1880, p. 256 *nec* p. 248). On "pigeons domestiques", Leyden Museum and Rotterdam Zoo. *Campanulotes* (*compar* var.) *formosanus* (Sugimoto), 1929. On Formosan Domestic Pigeon. *Columbicola baculus* (Nitzsch), 1818 (*nom. nov.* for Redi's pl. 3, upper fig. and *Pediculus columbae* "Panzer"). On *Columba livia domestica*. *Phagopterus columbae* Freire & Duarte (1944). On *Columba livia domestica* from Rio G. do Sul, Brazil.
762. *Columba œnas* Linn.
Hohorstiella gigantea (Denny), 1842. On *Columba œnas* from England. *Columbicola claviformis* (Denny), 1842 (part; see 763). On *Columba œnas* from England. *Columbicola columbae* (Linn.), 1758. On *Columba œnas*.
763. *Columba palumbus* Linn.
Coloceras damicornis (Nitzsch), 1866. On *Columba palumbus* from Germany. *Campanulotes bidentatus* (Scopoli), 1763. On *Columba palumbus* from Carniola, Yugoslavia. *Columbicola claviformis* (Denny), 1842 (part; see 762). On *Columba palumbus* from England.
764. *Columba troeaz bollii* Godman.
Columbicola columbae stresemanni Eichler, 1942. On *Columba troeaz bollii* Godman.
765. *Columba pulchricollis* Blyth.
Nitzschiella (*lativentris* var.) *major* (Uchida), 1916 (*nec* Piaget, 1880). On *Columba pulchricollis* from Formosa.

* Straggler from *Gallus domesticus*.

766. *Columba iriditorques* Cassin.

Colpocephalum aculeatum Piaget, 1885. On *Columba iriditorques*, Leyden Museum.

767. *Turacœna manadensis* (Quoy & Gaimard).

Hohorstiella menadensis (Piaget), 1880. On *Macropygia (Columba) menadensis*, Leyden Museum.
Coloceras taschenbergi Kéler, 1939. On *Macropygia menadensis*.

Nitzschia menadensis (Piaget), 1880. On *Macropygia menadensis*, Leyden Museum.

768. *Reinwardtœna reinwardtsi* (Temminck).

Nitzschia museihalensis Kéler, 1939. On *Macropygia reinwardti*, Dr. Meyer Coll.

769. *Reinwardtœna reinwardtsi reinwardtsi* (Temminck).

Columbicola taschenbergi Eichler, 1942. On *Reinwardtœna reinwardtsi reinwardtsi* Temminck, Halle Mus.

770. *Ectopistes migratoria* (Linn.).

Columbicola extinctus (Malcolmson), 1937. On *Ectopistes migratorium* Linn. from Urbana, Illinois, U.S.A.

771. *Zenaidura macroura* (Linn.).

Campanulotes zenaiduræ (MacGregor), 1917. On *Zenaidura macroura* from S. Dakota, U.S.A.

Columbicola baculoides (Paine), 1914. On *Zenaidura macroura* from California, U.S.A.

Columbicola texanus (MacGregor), 1917. From "turtle-dove" from Uvalde, Texas, U.S.A.

772. *Zenaidura macroura carolinensis* (Linn.).

Columbicola macrouræ Wilson, 1941. On *Zenaidura macroura carolinensis* (Linn.) from New Orleans, La., U.S.A.

773. *Nesopelia galapagoensis* (Gould).

Physconelloides galapagensis (Kellogg & Kuwana), * 1902. On "Camarhynchus productus, Geospiza fuliginosa and Oceanites gracilis", from Albemarle, Narboro' and Albemarle Is., respectively.

* Listed here under its probable true host.

*Type-hosts of the Mallophaga.*774. *Streptopelia turtur turtur* (Linn.).

Columbicola baculus (Burmeister), 1838 (nec Nitzsch, 1818). On *Columba turtur*.
Columbicola bacillus (Giebel), 1866 (nom. nov. for *baculus* Burmeister).

775. *Streptopelia decaocto decaocto* (Frivaldszky).

Turturicola salimalii Clay & Meinertzhagen, 1937. On *Streptopelia d. decaocto* from Rajputana, India.

776. *Streptopelia semitorquata semitorquata* (Rüppell).

Columbicola sudanicus (Mjöberg), 1910. On *Turtur semitorquatus* from Sudan.
Coloceras hilli (Bedford), 1920. On Red-eyed Turtle Dove (*Turtur semitorquatus*) from Pietermaritzburg, Natal.

777. *Streptopelia capicola tropica* (Reichenow).

Soricella streptopelia capicolæ Clay & Meinertzhagen, 1937. On *Streptopelia capicola tropica* from Kenya.

778. *Streptopelia vinacea barbaru* Antinori.

Soricella streptopelia streptopelia Clay & Meinertzhagen, 1937. On *Streptopelia vinacea barbaru* Antin. from Uganda.

779. *Streptopelia bitorquata* (Temminck).

Coloceras piageti (Johnston & Harrison), 1912 (nom. nov. for *minor* Piaget, 1880, p. 256 nec. p. 248) (part; see 761, 781). On *Columba bitorquata* from Leyden Museum and Rotterdam Zoo.

780. *Streptopelia chinensis chinensis* (Scopoli).

Coloceras chinensis (Kellogg & Chapman), 1902. On *Turtur chinensis* from Hawaii (introduced).
Nitzschia lativentris Uchida, 1916. On *Turtur chinensis* from Kahului, Maui Island.
Turturicola turturis (Uchida), 1917. On *Turtur chinensis* from Marioka, Prov. Rikyūhū, Japan.

781. *Streptopelia chinensis tigrina* (Temminck).

Colpocephalum longicaudum Nitzsch in Giebel, 1866. On *Columba tigrina*.
Coloceras piageti (Johnston & Harrison), 1912 (nom. nov. for *minor* Piaget, 1880, p. 256 nec. p. 248) (part;

- see 761, 779). On *Columba tigrina* from Leyden Museum and Rotterdam Zoo.
781. *Columbicola baculus fulmeki* Eichler, 1942. On *Streptopelia chinensis tigrina* Temm., Fulmek Coll.
782. *Geopelia striata striata* (Linn.).
Columbicola mjöbergi Eichler, 1943. On *Geopelia s. striata* from Sumatra.
783. *Columbigallina passerina passerina* (Linn.).
Columbicola passerinæ Wilson, 1941. On *Columba gallina passerina passerina* (Linn.) from Auburn, Ala., and Slocumb, Ala., U.S.A.
784. *Columbigallina minuta minuta* (Linn.).
Physconelloides mattogrossensis (Guimarães), 1936.
On *Columbigallina minuta minuta* (L.) from Matto-Grosso, Brazil.
785. *Oena capensis capensis* (Linn.).
Soricella streptopeliae cœnæ Hopkins, 1941. On *Oena c. capensis* (Linn.) (Long-tailed Dove) from Bugungu, Bunyoro, Uganda.
786. *Henicophaps albifrons* G. R. Gray.
Coloceras procerus Taschenberg, 1882. On *Henicophaps albifrons*, Meyer Coll.
Auricotes (carpophagæ var.) robustus Taschenberg, 1882. On *Henicophaps albifrons*, Meyer Coll.
787. *Phaps chalcoptera chalcoptera* (Latham).
Columbicola angustus (Rudow), 1869. On *Phaps chalcoptera* from Tasmania.
788. *Phaps chalcoptera* (Latham).
Colpocephalum albidum Giebel, 1874. On *Phaps chalcoptera*.
Campanulotes flavus (Rudow), 1869. On *Phaps chalcoptera*.
789. *Leptotila verreauxi chaleauchenia* (Slater & Salvin).
Physconelloides ceratoceps Ewing, 1927. On *Leptotila ochroptera chlorauchevia* (sic) from Argentina.
790. *Oreopeleia linearis* (Prévost).
Campanulotes bisetosus (Piaget), 1880. On *Gastrogon linearis*.

Type-hosts of the Mallophaga.

277

791. " *Carpophaga samoensis* " = ? *Gallieolumba stairi samoënsis* (Finsch).
(?) *Hohorstiella quinqueguttata* (Rudow), 1869. On *Carpophaga samoensis*.
Colpocephalum unicolor Rudow, 1869. Same data.
792. *Otidiphaps nobilis* Gould.
Columbicola fortis (Taschenberg), 1882. On *Otidiphaps nobilis*, Meyer Coll.
793. **Unplaced hosts.**
Bonomiella insolitunguicolata Conci, 1942. On *Colombo*, Museo di Genova.
Columbicola exilicornis (Piaget), 1880. On *Sterna* sp. from Banka (see 715).
Kodocephalon (latus var.) major (Neumann), 1890.
See 804.
Physconelloides recurvatus Eichler, 1949. On "Columbina" from Paraguay.
- Subfamily GOÜRINÆ.
794. *Goüra cristata* (Pallas).
Kodocephalon latum (Piaget), 1880. On *Goura coronata* from Leyden Museum.
795. *Goüra victoria* (Fraser).
Kodocephalon suborbicularis (Piaget), 1890. On *Goura victoriae*, Trouessart Coll.
- Order PSITTACIFORMES.
- Family PSITTAEIDÆ.
- Subfamily NESTORINÆ.
796. *Nestor notabilis* Gould.
Psittacomenopon (fulvofasciatum var.) kea (Kellogg), 1907. On *Nestor notabilis* from New Zealand.
Neopsitta conirmus (circumfasciatum var.) kea (Kellogg), 1907. Same data.
- Subfamily LORIINÆ.
797. *Trichoglossus ornatus* (Linn.).
Pseudomenopon parumpilosum (Piaget), * 1880. On *Trichoglossus ornatus*.

* A straggler.

798. *Trichoglossus haematocephalus moluccanus* (Gmelin).
Eomenopon denticulatum Harrison, 1915 (part; see
800). On *Trichoglossus novae-hollandiae* from Myall
River, New South Wales.
Psittaconirmus launceloti Eichler, 1943 (*nom. nov.*
for *P. australis* Harrison, 1915, p. 405, fig. 3, pl. 27,
fig. 14 *nec* p. 403). On *Trichoglossus novae-
hollandiae* from Myall River, New South Wales.
799. *Trichoglossus rubiginosus* (Bonaparte).
Psittaconirmus harrisoni Uchida, 1918. On *Eos
rubiginosa* from Ponapé Island.
800. *Psitteuteles versicolor* (Lear).
Eomenopon denticulatum Harrison, 1915 (part; see
798). On *Ptilosclera versicolor* from New South
Wales.
801. *Pseudeos fuscata* (Blyth).
Eomenopon spinimentum (Neumann), 1891. On
Chalcopsittacus fuscatus from New Guinea.
802. *Domieella lory cyanauchen* (S. Müller).
Echinophilopterus arcunotatus (Neumann), 1891 (part;
see 851). On *Lorius cyanauchen* from New Guinea.
803. *Glossopsitta porphyrocephala* (Dietrichsen).
Psittaconirmus australis Harrison, 1915. On *Glosso-
psittacus porphyrocephalus* from Bow River,
Western Australia.

Subfamily KAKATÆINÆ.

804. *Probosciger aterrimus alecto* (Temminck).
Menopon commissum Neumann, 1890. On *Micro-
glossum alecto* from New Guinea.
Kodocephalon (*latus* var.) *major* (Neumann), * 1890
(*nec* Piaget, 1880). On *Microglossum alecto*.
805. *Probosciger aterrimus* (Gmelin).
Psittacomenopon temporale (Piaget), 1888. On *Micro-
glossum aterrimus*.
Degeeriella paraboliceps (Piaget), † 1880. On *Psittacus
aterrimus*, Zoological Gardens, Rotterdam.

* Straggler from pigeon. See 793.
† A straggler.

Type-hosts of the Mallophaga.

806. *Calyptorhynchus funereus* (Shaw).
Neopsittacaonirmus borgioli Conei, 1942. On *Calypto-
rhynchus funereus* Shaw from Australia.
807. *Kakatoe galerita triton* (Temminck).
Psittacomenopon cacatuæ (Conci), 1942. On *Cacatua
triton* Temm. from New Guinea.
808. *Kakatoe galerita* (Latham).
Neopsittacaonirmus albus (Le Souëf & Bullen), 1903.
On *Cacatua galerita*
Neopsittacaonirmus capreolus (Gervais), 1847. On
Psittacus sulphureus from "Nouvelle Hollandie".
Psittacus waterstoni (Fresca), 1923. On *Cacatua
galerita* from Australia.
809. *Kakatoe moluccensis* (Gmelin).
Psittacomenopon pallidum (Piaget), 1880. On *Picto-
lophus moluccensis* from Zoological Gardens,
Rotterdam.
810. *Kakatoe roseicapilla* (Vieillot).
Philopterus eos (Rudow), 1869. On *Cacatua eos*.
Degeeriella eos (Giebel), 1874 (*nom. nov.* for *Nirmus
tenuis* Rudow, 1870 *nec* Burmeister, 1838) On
Cacatua eos.
811. *Kakatoe* sp.
Echinophilopterus assimilis (Piaget), 1880. On
Paradisea viridis (in cage next to a cockatoo from
which specimens were also obtained).
812. *Nymphicus hollandicus* (Kerr).
Paragoniocotes fasciatus (Piaget), 1880. On *Nymphicus
novae-hollandiae* in Zoological Gardens and skin in
Leyden Museum.

Subfamily PSITTACINÆ.

813. *Ara ararauna* (Linn.).
Psittacomenopon acuticeps Piaget, 1880. On *Sittace
ararauna*, Zoological Gardens, Rotterdam.
Paragoniocotes mirabilis (Carriker), 1940. On *Ara
ararauna* from Chatarona, Dept. Beni, Bolivia.

814. *Ara macao* (Linn.).

Paragoniocotes nanus Guimarães, 1947. On *Ara macao* (L.) from Jamary, Estado do Amazonas, Brazil.

Neopsitta conirmus trinoton (Piaget), 1890. On *Macrocerus macao*.

Ibidæeus longiclypeatus (Piaget), * 1880. On *Sittace macao*, Leyden Museum.

Ibidæeus piageti (Bezzi), * 1890 (*nom. nov.* for *bisignatus* Piaget, 1885, *nec* Nitzsch, 1866). On *Sittace macao*, Leyden Museum.

815. *Ara chloroptera* G. R. Gray.

Psittacomenopon burmeisteri (Kellogg), 1906. On *Ava* [sic] *chloroptera* from Argentine.

Paragoniocotes abnormis (Kellogg), 1906. Same data.

816. *Ara* sp.

Echinophilopterus aracaræ (Coinde), 1859. On "Aracara".

817. *Aratinga acuticaudata hæmorrhous* Spix.

Paragoniocotes anomalus Guimarães, 1947. On *Psittacara acuticaudata hæmorrhous* (Spix) from Est. de Goiaz, Brazil.

818. *Aratinga holochlora brevipes* (Lawrence).

Penenirmus (californiensis var.) *quadripustulatus* (Kellogg & Mann), 1912. On *Conurus holochlorus* from Socorro Island (part; see Fringillidae).†

819. *Aratinga pertinax* (Linn.).

Psittacomenopon anduzei (Stafford), 1943. On *Aratinga pertinax* from San Felipe, E. Yaracuy.

Paragoniocotes venezolanus Stafford, 1943.‡ On "Casicus cela cela" from San Felipe.

820. *Aratinga aurea aurea* (Gmelin).

Paragoniocotes aratingæ Guimarães, 1947. On *Aratinga aurea aurea* (Gmelin) from Sant'Ana do Parnaíba, Est. de Mato-Grosso, Brazil.

* Stragglers from Ibis (see 204) and Carriker (1947, p. 115).

† *Pipilo carmani* from Socorro Island—probably correct host.

‡ This species is placed here in view of its generic position and the data. The host given is definitely not the true one.

*Type-hosts of the Mallophaga.*821. *Pyrrhura frontalis chiripepe* (Vieillot).

Paragoniocotes pyrrhuræ Guimarães, 1947. On *Pyrrhura frontalis chiripepe* from Dois Irmãos, Hamburgo Velho, Est. do Rio Grande do Sul, Brazil.

822. *Myiopsitta monachus* (Boddaert).

Paragoniocotes fulvofasciatus (Picaglia), 1885. On *Conurus monacus* from Modena, Italy.*

823. *Forpus passerinus vividus* (Ridgway).

Paragoniocotes neivai Guimarães, 1940. On *Forpus passerinus vividus* (Ridgway) from Itatiba, Est. de S. Paulo.

824. *Brotogeris versicolurus chiriri* (Vieillot).

Paragoniocotes nirmoides Guimarães, 1947. On *Tirica chiriri* (Vieillot) from Silvânia, Est. de São Paulo, Brazil.

825. *Pionopsitta pileata* (Scopoli).

Paragoniocotes limai Guimarães, 1947. On *Pionopsitta pileata* (Scopoli) from S. Paulo (Capital), Est. de S. Paulo, Brazil.

826. *Pionopsitta pyrilia* (Bonaparte).

Paragoniocotes scutula Carriker, 1947. On *Pyrilia pyrilia* from Tierra Nueva, Sierra Perijá, Colombia.

827. *Hapalopsittaca melanotos melanotos* (Lafresnaye).

Paragoniocotes acutifrons Carriker, 1947. On *Pionopsitta m. melanotos* from Iucachaca, Cochabamba, Bolivia.

828. *Pionus sordidus* (Linn.).

Paragoniocotes longulufrons † *intermedius* Carriker, 1947. On *Pionus sordidus* from Tierra Nueva, Sierra Perijá, Colombia.

829. *Pionus sordidus corallinus* Bonaparte.

Paragoniocotes longulufrons longulufrons Carriker, 1947. On *Pionus corallinus* from Samaipata, Bolivia.

* Presumably a captive bird.

† *longulus* in original—an obvious mistake for *longulufrons*.

830. *Pionus maximiliani siy* Souancé.

Paragoniocotes costalimai Guimarães, 1947. On *Pionus maximiliani siy* (Souancé) from Salobra, Est. de Mato-Grosso, Brazil.

831. *Pionus tumultuosus* (Tschudi).

Paragoniocotes longulufrons subsimilis Carriker, 1947. On *Pionus tumultuosus* from Choros, Dept. Cochabamba, Bolivia.

832. *Pionus fuscus* (P. L. S. Müller).

Paragoniocotes longulufrons gracilis Carriker, 1947. On *Pionus fuscus* from Airoca, Sierra Perijá, Colombia.

833. *Amazona albifrons* (Sparrman).

Paragoniocotes microgaster Carriker, 1947. On *Amazona albifrons* from Tres Zapotes, Vera Cruz, Mexico.

834. *Amazona pretrei tucumana* (Cabanis).

Paragoniocotes tenuigaster Carriker, 1947. On *Amazona tucumana* from Padilla, Bolivia.

835. *Amazona autumnalis autumnalis* (Linn.).

Paragoniocotes mexicanus Carriker, 1947. On *Amazona a. autumnalis* from Tres Zapotes, Vera Cruz, Mexico.

836. *Amazona dufresniana rhodocorytha* (Salvadori).

Paragoniocotes grandis Guimarães, 1947. On *Amazona rhodocorytha* (Salvadori).

837. *Amazona brasiliensis* (Linn.).

Paragoniocotes ligulatus (Neumann), 1890. On *Chrysotis brasiliensis* from Rio Negro.

838. *Amazona xanthops* (Spix).

Paragoniocotes intermedius Guimarães, 1947. On *Amazona xanthops* (Spix) from Coxim, Est. de Mato-Grosso, Brazil.

839. *Amazona aestiva aestiva* (Linn.).

Paragoniocotes cummingsi Guimarães, 1947. On *Amazona aestiva aestiva* (L.) from Est. de S. Paulo, Brazil.

Paragoniocotes heterogenitalis similis Carriker, 1947. On *Amazona aestiva aestiva* from Nueva Teutonia, Brazil (Plaumann Coll.).

840. *Amazona aestiva xanthopteryx* (Berlepsch).

Paragoniocotes heterogenitalis heterogenitalis Carriker, 1947. On *Amazona aestiva xanthopteryx* from Samaipata, Bolivia.

841. *Amazona mercenaria* (Tschudi).

Paragoniocotes mercenarius Carriker, 1947. On *Amazona mercenaria* from Mt. San Lorenzo, Sierra Nevada de Sta. Marta, Colombia.

842. *Amazona farinosa farinosa* (Boddaert).

Paragoniocotes cornutus Carriker, 1947. On *Amazona f. farinosa* from Chatarona, Rio Beni, Bolivia. Paragoniocotes rotundus Guimarães, 1947. On *Amazona farinosa farinosa* (Boddaert) from Rio S. José, Est. do Espírito Santo, Brazil.

843. *Amazona imperialis* Richmond.

Paragoniocotes gripocephalus Cummings, 1916. On *Chrysotis augusta*.*

844. *Poicephalus meyeri transvaalensis* Neumann.

Psittacomenopon (impar var.) poicephalum (Bedford), 1920. On *Poicephalus meyeri* from Transvaal.†

845. *Poicephalus rüppellii* (G. R. Gray).

Psittacomenopon waar Eichler, 1947. On *Poicephalus rüppellii* Gray. Psittacomenopon africapon Eichler, 1947. Same data.

846. *Psittacus erithacus timneh* Fraser.

Psittacomenopon crassiceps (Piaget), 1885. On *Psittacus timneh* in Leyden Museum.

Psittacomenopon impar (Piaget), 1885. Same data.

847. *Psittacus erithacus* Linn.

Psittacomenopon bifurcatum (Piaget), 1880. On *Psittacus erithacus* in Leyden Museum.

* See Hopkins, 1950, no. 75.

† Bedford (1932) gives the host as *Poicephalus meyeri damarensis* Neumann (Meyer's parrot), Rooikuil, Transvaal. I have placed it under the present host because Peters (1937) states that this subspecies occurs in the Transvaal, whereas *damarensis* does not.

- Psittacomenopon heterocephalum* (Giebel), 1874. On
Psittacus erythacus.
Psittacomenopon (impar var.) scalaris (Piaget), 1885.
Psittacomenopon in Zoological Gardens,
 On *Psittacus erythacus* in Zoological Gardens,
 Rotterdam.
Echinophilopterus gilvus (Nitzsch), 1866. On
Psittacus erythacus.
Neopsittaconirmus strepsiceros (Nitzsch), 1866. On
Psittacus erythacus.
848. *Coracopsis vasa* (Shaw).
Neopsittaconirmus albidus (Piaget), 1880. On
Coracopsis vasa in Leyden Museum.
Psittacomenopon coracopsis (Mjöberg), 1910. On
Coracopsis obscura from Madagascar.
849. *Coracopsis nigra* Linn.
Colpocephalus longipes Piaget, 1880 (part; see 852).
 On *Coracopsis nigra*.
Neopsittaconirmus albidus piageti Eichler, 1943 (*nom. nov.* for unnamed var. described by Piaget, 1880,
 p. 301, pl. 24, fig. 5 b). On *Coracopsis nigra* ssp.
850. *Psittrichas fulgidus* (Lesson).
Degeeriella ovalis (Neumann), 1890 (part; see 851).
 On *Dasyptilus pecqueti*.
Neopsittaconirmus (strepsiceros var.) anodis (Neumann), 1891. Same data. On *Dasyptilus pecqueti* from New Guinea.
851. *Lorius roratus* (P. L. S. Müller).
Degeeriella ovalis (Neumann), 1890 (part; see 850).
 On *Eclectus polychlorus*.
Echinophilopterus arcunotatus (Neumann), 1891 (part;
 see 802). On *Eclectus polychlorus* from New Guinea.
Psittaceus labidon (Neumann), 1891. No data given
 in original.
852. *Lorius roratus roratus* (P. L. S. Müller).
Colpocephalus longipes Piaget, 1880 (part; see
 849). On *Eclectus puniceus* from Zoological Gardens,
 Rotterdam.
Neopsittaconirmus interruptofasciatus (Piaget), 1880
 (part; see 853). On *Eclectus puniceus (cardinalis)*
 from Zoological Gardens, Rotterdam.

- Echinophilopterus protrusus* (Piaget), 1871 (part;
 see 853). On *Eclectus puniceus* in Leyden Museum.
853. *Lorius roratus pectoralis* (P. L. S. Müller).
Neopsittaconirmus interruptofasciatus (Piaget), 1880
 (part; see 852). On *Eclectus sinensis* in Zoological
 Gardens, Rotterdam.
Neopsittaconirmus taschenbergi Eichler, 1943 (*nom. nov.* for *L. circumfasciatus* Taschenberg, 1882, nec
 Piaget, 1880). On *Eclectus Linnei*.
Echinophilopterus protrusus (Piaget), 1871 (part;
 see 852). On *Eclectus sinensis* in Leyden Museum.
854. *Tanygnathus mulleri burbidgii* Sharpe.
Echinophilopterus tanygnathi Ewing, 1927. On
Tanygnathus burbridgei from Mt. Bud Dajo, Sulu I.,
 Philippine Is.
855. *Tanygnathus mulleri mulleri* (S. Müller).
Echinophilopterus chapini Ewing, 1927. On *Tanygnathus muelleri* from Celebes.
Neopsittaconirmus femoratus (Piaget), 1880. On
Eclectus (sp.?) from Celebes.
856. *Psittacula eupatria nepalensis* (Hodgson).
Psittaconirmus chandabani Ansari, 1947. On Indian
 Large Paroquet, *Psittacula eupatria nepalensis*
 Hodgs. from Lyallpur, Punjab.
857. *Psittacula krameri manillensis* (Bechstein).
Echinophilopterus tota Ansari, 1947. On Indian
 Rose-ringed Paroquet, *Psittacula krameri manillensis* Bechst. from Lyallpur, Punjab.
Psittaconirmus lybartota Ansari, 1947. Same data.
858. *Psittacula derbyana* (Fraser).
Neopsittaconirmus palaeornis (Eichler), 1943. On
Psittacula derbyana from Shanghai, China.
Echinophilopterus dorothae Eichler, 1943. From
 skin of *Urocissa erythrorhyncha* from Shanghai,
 China, but true host believed to be *Psittacula derbyana*.
859. *Polytelis swainsonii* (Desmarest).
Colpocephalus trimaculatum Piaget, 1880 (part; see
 865). On *Platycercus barbatus* in Zoological
 Gardens, Rotterdam.

- Echinophilopterus angustoclypeatus (Piaget), 1880.
On *Platycercus barbatus*.
Echinophilopterus forficula (Piaget), 1871 (part; see 861, 863, 864, 866). On *Platycercus barbatus*.
860. **Polytelis anthopeplus** (Lear).
Neopsittaconirmus circumfasciatus (Piaget), 1880.
On *Platycercus melanurus* in Leyden Museum.
861. **Alisterus scapularis** (Lichtenstein).
Echinophilopterus forficula (Piaget), 1871 (part; see 859, 864, 865, 867). On *Platycercus scapulatus*.
862. **Prosopeia tabuensis splendens** (Peale).
Neopsittaconirmus pallipes (Piaget), 1885. On *Platycercus splendens* from Fiji I. in Leyden Museum.
863. **Agapornis roseicollis** (Vieillot).
Psittacomenopon waara (Eichler), 1947. On *Agapornis roseicollis*.
864. **Platycercus elegans** (Gmelin).
Echinophilopterus forficula (Piaget), 1871 (part; see 859, 861, 865, 867). On *Platycercus pennanti*.
865. **Platycercus eximius** (Shaw).
Psittacomenopon psittacus (Le Souëf & Bullen), 1902.
On *Platycercus eximus*.
Psittacomenopon pteropsittacus (Harrison), 1916 (unnecessary nom. nov. for *Menopon psittacus* Le Souëf & Bullen). On *Platycercus eximus*.
Echinophilopterus forficula (Piaget), 1871 (part; see 859, 861, 864, 867). On *Platycercus eximus*.
866. **Platycercus adscitus palliceps** Lear.
Colpocephalum trimaculatum Piaget, 1880 (part; see 859). On *Platycercus palliceps* in Zoological Gardens, Rotterdam.
867. **Platycercus zonarius** (Shaw).
Echinophilopterus forficula (Piaget), 1871 (part; see 859, 861, 864, 865). On *Platycercus baueri*.
868. **Psephotus varius** Clark.
(?) *Psittaconirmus forficuloides* (Neumann), 1890,
On *Platycercus multicolor*.

869. **Described from Stragglers on other hosts.**

- Eomenopon semilunare* (Piaget), 1880. On *Cuculus orientalis*.
Psittacomenopon appendiculatum (Piaget), 1880. On *Perdix cinerea* (see 466).
Psittacomenopon pachypus (Piaget), 1890. On *Prionites brasiliensis* (see 962).
Paragoniocotes semicingulatus (Piaget), 1890. On *Strepsilas collaris*, Trouessart Coll. (see 638).
Echinophilopterus chelorrhynchus (Giebel), 1874. On *Circus aeruginosus*.
Echinophilopterus forficuloides (Piaget), 1880. On *Alcedo* sp. from Java, Leyden Museum.
Psittacopus buphthalmus (Piaget), 1885. On *Sterna* sp.

[To be continued.]

XXII.—*Haplophragmium slingeri*, sp. n., and some new species of *Zeauvigerina Finlay* from S.W. Iran. By A. N. THOMAS, M.Sc., F.R.G.S., F.G.S.

[Plate I.]

I. INTRODUCTION.

The new species of foraminifera described in this note were first found in stratigraphical collections from the foothills of Kuh-i-Khumi near Gach Saran and from Kuh-i-Asmari in Khuzistan, in S.W. Iran. *Haplophragmium slingeri*, sp. n. has since been found in strata outcropping in various stratigraphical facies for a distance of more than eight hundred miles in the Zagros range. It therefore has a great value in correlation. The species of *Zeauvigerina*, on the other hand, appear to have a more restricted geographical range, but additional occurrences of the species are constantly being recorded from S.W. Iran by the Anglo-Iranian Oil Company Limited.

The diagnoses and descriptions are based entirely on the examination of specimens in thin section. No isolated specimens have yet been found or extracted; the extremely calcareous nature of even the most marly rocks in this part of the sequence has so far prevented extraction by any of the known methods. The descriptions of these new species, therefore, remain incomplete,