

# A LIST OF LICE (INSECTA: PHTHIRAPTERA) RECORDED FROM TASMANIA

R.H. GREEN

Queen Victoria Museum and Art Gallery, Launceston, Tasmania, Australia

and

R.L. PALMA

National Museum of New Zealand, Wellington, New Zealand

*Manuscript received 5/6/90*

*Manuscript published 30/1/91*

## CONTENTS

Abstract . . . . .	1
Introduction . . . . .	3
Acknowledgements . . . . .	3
Suborder Amblycera . . . . .	4
Family Menoponidae . . . . .	4
Family Boopidae . . . . .	8
Family Laemobothriidae . . . . .	10
Family Ricinidae . . . . .	10
Suborder Ischnocera . . . . .	10
Family Philopteridae . . . . .	10
Suborder Anoplura . . . . .	20
Family Hoplopleuridae . . . . .	20
Family Polyplacidae . . . . .	21
Family Haematopinidae . . . . .	21
Family Linognathidae . . . . .	21
Host-parasite List . . . . .	22
Class Mammalia . . . . .	22
Class Aves . . . . .	24
References . . . . .	42

## ABSTRACT

Published and unpublished records of lice are listed from Tasmanian birds and mammals. These records comprise 171 lice species; a further 88 records are listed at generic level only, but all these do not necessarily represent separate species. A host-parasite list is given after the lice list.

## INTRODUCTION

The senior author started collecting ectoparasites in the 1950's, from mammals and birds killed on roads and from other available sources. These were bulk preserved in alcohol and sent to J.H. Calaby (C.S.I.R.O., Canberra) who later provided information on their identity and taxonomic status. After being appointed zoologist at the Queen Victoria Museum on 1960, the opportunity was taken to salvage a greater range of material. This came from animals donated to the museum by members of the public and from animals collected in the course of field surveys and collecting trips undertaken by museum personnel. This material was broadly sorted, preserved in alcohol and sent to relevant authorities throughout the world for inclusion in their studies. Some specimens were donated to the determiner, who in return provided mounted and named material for the Queen Victoria Museum's collection. Eventually a considerable amount of parasite-host data was accumulated on the Tasmanian fauna and this was published by Green & Munday (1971). Subsequent collecting and publications have greatly expanded the available data on Tasmanian lice (Insecta: Phthiraptera) and this paper is the result of an attempt to bring it all together.

Several specialists kindly identified samples sent to them for study. Their contribution is greatly acknowledged, and a "pers. comm." with their names appears after each host from which they examined specimens. In addition to hitherto unpublished Tasmanian material represented in the collections of the Queen Victoria and the Tasmanian Museums, other published Tasmanian records are included in the list together with the references to their authorities, which are given after each host. Records which are considered to be the result of natural straggling, or contamination by human agency have not been included.

A host-parasite list is included as a cross reference. This exposes gaps such as the apparent absence of lice on some mammalian groups like the Phalangeridae, large Dasyuridae, Monotremata and Chiroptera. Though this may be the result of inadequate collecting, as is almost certainly the case with *Perameles gunnii* and some of the rodents and introduced mammals, it also introduces the possibility that some hosts might support rare and specialised fauna, where more intensive searching might be rewarding. Emerson & Price (1981: 3-8) summarise the mammalian hosts from which lice have been collected and are convinced that Phthiraptera (as Mallophaga) will not be found to occur on many species of several groups including the Monotremata and Chiroptera. They also stress the need for further knowledge of Phthiraptera-host relationships. There are also many gaps in the avian host list and here too, a great deal more collecting is needed to facilitate systematic studies, to further expand known host-parasite ranges, and to increase the present knowledge on the Tasmanian bird-lice fauna.

The nomenclature of the birds follows that given by Green (1989).

Records from Macquarie Island are not included in this paper as they are presently under review by others.

## ACKNOWLEDGEMENTS

The authors thank Ms Nirinda Rice for her assistance in the preparation of this paper; and Miss Alison Green for the loan of specimens and for providing relevant data from the Tasmanian Museum's register of Phthiraptera.

**Class INSECTA**  
**Order PHTHIRAPTERA Haeckel, 1896**  
**Suborder AMBLYCERA Kellogg, 1896**  
**Family MENOPONIDAE Mjöberg, 1910**

Genus **Actornithophilus** Ferris, 1916

**A. grandiceps** (Piaget, 1880)

ex *Haematopus fuliginosus* (det. R.L. Palma)  
ex *Haematopus longirostris* (det. R.L. Palma)

**A. hoplopteri** (Mjöberg, 1910) sensu lato

ex *Vanellus miles*; (Green & Munday, 1971)

**A. piceus** (Denny, 1842) sensu lato

ex *Larus novaehollandiae* (pers. comm. Pilgrim)

**A. umbrinus** (Burmeister, 1838) sensu lato

ex *Calidris ruficollis* (det. R.L. Palma)

Genus **Amyrsidea** Ewing, 1927

**A. minuta** Emerson, 1961

ex *Pavo cristatus* (pers. comm. Clay)

Genus **Ancistrona** Westwood, 1874

**Ancistrona** sp.

ex *Fulmarus glacialisoides* (det. R.L. Palma)  
ex *Pterodroma macroptera* (pers. comm. Clay)  
ex *Pterodroma lessonii*; (Green & Munday, 1971)  
ex *Pachyptila desolata* (pers. comm. Clay)  
ex *Pachyptila turtur* (det. R.L. Palma)

Genus **Austromenopon** Bedford, 1939

**A. aegialitidis** (Durrant, 1906) sensu lato

ex *Vanellus miles* (pers. comm. Moreby)

**A. atrofulvum** (Piaget, 1880) sensu lato

ex *Sterna striata* (det. R.L. Palma)  
ex *Sterna bergii* (pers. comm. Pilgrim)

**A. brevifimbriatum** (Piaget, 1880)

ex *Fulmarus glacialisoides* (pers. comm. Clay)

**A. ellotti** Timmermann, 1954

ex *Pelecanoides urinatrix* (det. R.L. Palma)

- A. enigki** Timmermann, 1963  
ex *Pelagodroma marina* (det. R.L. Palma)
- A. navigans** (Kellogg, 1896)  
ex *Diomedea melanophris* (pers. comm. Clay)
- A. ossifragae** (Eichler, 1949)  
ex *Macronectes giganteus* (det. R.L. Palma)
- A. paululum** (Kellogg & Chapman, 1899)  
ex *Puffinus carneipes* (pers. comm. Pilgrim)  
ex *Puffinus tenuirostris* (pers. comm. Clay)  
ex *Puffinus gavia* (pers. comm. Clay)
- A. pinguis** (Kellogg, 1896)  
ex *Diomedea cauta* (det. R.L. Palma)
- A. popellus** (Piaget, 1890) sensu lato  
ex *Pterodroma macroptera* (pers. comm. Clay)  
ex *Pterodroma lessonii* (pers. comm. Pilgrim)  
ex *Pterodroma brevirostris* (det. R.L. Palma)
- A. stammeri** Timmermann, 1963  
ex *Halobaena caerulea* (det. R.L. Palma)  
ex *Pachyptila vittata*; (Green & Munday, 1971)  
ex *Pachyptila salvini*; (Green & Munday, 1971)  
ex *Pachyptila belcheri*; (Green & Munday, 1971)  
ex *Pachyptila turtur*; (Green & Munday, 1971)
- A. transversum** (Denny, 1842)  
ex *Larus novaehollandiae*; (Green & Munday, 1971)

#### Genus **Colpocephalum** Nitzsch, 1818

- C. berigorae** Tendeiro, 1988  
ex *Falco berigora*; (Tendeiro, 1988)
- C. eucarenum** Burmeister, 1838  
ex *Pelecanus conspicillatus* (det. R.L. Palma)
- C. fregili** (Denny, 1842)  
ex *Corvus tasmanicus*; (Green & Munday, 1971)
- C. impressum** Rudow, 1866  
ex *Aquila audax* (det. R.L. Palma)
- C. zerafae** Ansari, 1955  
ex *Accipiter novaehollandiae* (det. R.L. Palma)

#### Genus **Cuculiphilus** Uchida, 1926

- C. (Cuculiphilus) fasciatus** (Scopoli, 1763)  
ex *Cuculus pallidus* (pers. comm. Clay)

Genus **Eidmanniella** Kéler, 1938

***E. pellucida*** (Rudow, 1869)

ex *Leucocarbo fuscescens* (pers. comm. Moreby)  
ex *Phalacrocorax carbo* (pers. comm. Emerson)

***E. pustulosa*** (Nitzsch, 1866)

ex *Morus serrator*; (Green & Munday, 1971)

***E. subrotunda*** (Piaget, 1880)

ex *Phalacrocorax sulcirostris* (pers. comm. Clay)

Genus **Eomenopon** Harrison, 1915

***E. concinnae*** Price & Emerson, 1982

ex *Glossopsitta concinna*; (Price & Emerson, 1982)

***Eomenopon*** sp.

ex *Lathamus discolor* (det. R.L. Palma)

Genus **Franciscolea** Conci, 1942

***F. funerei*** Price & Beer, 1966

ex *Calyptorhynchus funereus*; (Price & Beer, 1966)

***F. pallida*** (Piaget, 1880)

ex *Cacatua galerita* (pers. comm. Emerson)

Genus **Heteromenopon** Carriker, 1954

***H. (Keamenopon) psittacum*** (Le Souëf & Bullen, 1902)

ex *Platycercus eximius*; (Price & Beer, 1967)  
ex *Platycercus caledonicus* (det. R.L. Palma)

Genus **Holomenopon** Eichler, 1941

***H. leucoxanthum*** (Burmeister, 1838)

ex *Anas platyrhynchos* (pers. comm. Kettle)

Genus **Kurodaia** Uchida, 1926

***K. cryptostigmatica*** (Nitzsch, 1861)

ex *Ninox boobook* (pers. comm. Clay)

***K. subpachygaster*** (Piaget, 1880)

ex *Tyto novaehollandiae*; (Green & Munday, 1971)

Genus **Longimenopon** Thompson, 1948

**Longimenopon** sp.

ex *Pachyptila turtur*; (Green & Munday, 1971)

Genus **Machaerilaemus** Harrison, 1915

**M. malleus** (Burmeister, 1838)

ex *Cecropis nigricans* (pers. comm. Emerson)

Genus **Menacanthus** Neumann, 1912

**M. eurysternus** (Burmeister, 1838)

ex *Pachycephala olivacea* (det. R.L. Palma)  
 ex *Colluricinclia harmonica* (pers. comm. Price)  
 ex *Phylidonyris novaehollandiae* (pers. comm. Clay)  
 ex *Sturnus vulgaris* (pers. comm. Clay)  
 ex *Turdus merula* (det. R.L. Palma)  
 ex *Melanodryas vittata* (det. R.L. Palma)  
 ex *Zosterops lateralis* (det. R.L. Palma)

**M. gonophaeus** (Burmeister, 1838)

ex *Corvus tasmanicus* (det. R.L. Palma)

**M. nelsoni** Price, 1976

ex *Artamus cyanopterus*; (Price, 1976b)

**Menacanthus** sp.

ex *Coturnix ypsilonphora*; (Green & Munday, 1971)  
 ex *Melithreptus validirostris* (pers. comm. Klockenhoff)  
 ex *Sericornis magnus* (det. R.L. Palma)

Genus **Myrsidea** Waterston, 1915

**M. australiensis** Klockenhoff, 1971

ex *Corvus tasmanicus*; (Klockenhoff, 1971)  
 ex *Corvus mellori* (pers. comm. Clay)

**M. pachycephala** Palma & Klockenhoff, 1988 sensu lato

ex *Pachycephala pectoralis*; (Palma & Klockenhoff, 1988)

**M. strangeri** Clay, 1970

ex *Malurus cyaneus*; (Green & Munday, 1971)

**Myrsidea** sp.

ex *Coracina novaehollandiae* (pers. comm. Clay)  
 ex *Zoothera dauma*; (Green & Munday, 1971)  
 ex *Pardalotus punctatus* (det. R.L. Palma)  
 ex *Pachycephala olivacea* (det. R.L. Palma)  
 ex *Colluricinclia harmonica* (pers. comm. Clay)  
 ex *Acanthiza pusilla* (pers. comm. Klockenhoff)  
 ex *Acanthiza ewingii* (pers. comm. Klockenhoff)

- ex *Manorina melanocephala* (pers. comm. Klockenhoff)  
 ex *Lichenostomus flavicollis* (det. R.L. Palma)  
 ex *Melithreptus validirostris*; (Green & Munday, 1971)  
 ex *Melithreptus affinis* (det. R.L. Palma)  
 ex *Phylidonyris novaehollandiae* (pers. comm. Clay)  
 ex *Emblema bella* (pers. comm. Moreby)  
 ex *Strepera fuliginosa*; (Green & Munday, 1971)

Genus **Nosopon** Hopkins, 1949

**N. lucidum** (Rudow, 1869)

- ex *Circus approximans*; (Green & Munday, 1971)

Genus **Pseudomenopon** Mjöberg, 1910

**P. concretum** (Piaget, 1880)

- ex *Porphyrio porphyrio*; (Green & Munday, 1971)

**P. phoenicuri** Price, 1974

- Gallinula mortierii*; (Price, 1974)

**P. pilosum** (Scopoli, 1763)

- ex *Fulica atra* (pers. comm. Emerson)

**P. scopulacorne** (Denny, 1842)

- ex *Dryolimnas pectoralis*; (Price, 1974)

**Pseudomenopon** sp.

- ex *Porzana tabuensis* (pers. comm. Moreby)

Genus **Trinoton** Nitzsch, 1818

**T. nigrum** Le Souëf, 1902

- ex *Cygnus atratus* (pers. comm. Pilgrim)

**T. querquedulae** (Linnaeus, 1758)

- ex *Anas platyrhynchos* (pers. comm. Clay)

**Trinoton** sp.

- ex *Malacorhynchus membranaceus* (pers. comm. Moreby.)

- ex *Chenonetta jubata* (det. R.L. Palma)

### Family BOOPIIDAE Mjöberg, 1910

Genus **Boopia** Piaget, 1880

**B. bettongia** Le Souëf, 1902

- ex *Isoodon obesulus* (pers. comm. Moreby)

**B. greeni** Clay, 1976

ex *Antechinus swainsonii*; (Clay, 1976)  
ex *Antechinus minimus*; (Clay, 1976)

**B. lukoschusi** Clay, 1976

ex *Sminthopsis leucopus* (pers. comm. Clay)

**B. tarsata** Piaget, 1880

ex *Vombatus ursinus*; (Green & Munday, 1971)

Genus **Heterodoxus** Le Souëf & Bullen, 1902**H. longitarsus** (Piaget, 1880)

ex *Macropus rufogriseus* (pers. comm. Clay)

**H. spiniger** (Enderlein, 1909)

ex *Canis familiaris*; (Thompson, 1940)

Genus **Latumcephalum** Le Souëf, 1902**L. greeni** Clay, 1974

ex *Macropus rufogriseus*; (Clay, 1974)

Genus **Macropophila** Mjöberg, 1919**M. clayae** Kéler, 1971

ex *Thylogale billardierii*; (Kéler, 1971)  
ex *Macropus rufogriseus* (pers. comm. Clay)

Genus **Paraheterodoxus** Harrison & Johnston, 1916**P. erinaceus** Kéler, 1971

ex *Potorous tridactylus*; (Kéler, 1971)

**Paraheterodoxus** sp.

ex *Bettongia gaimardi*; (Green & Munday, 1971)

Genus **Phacogalia** Mjöberg, 1919**P. brevispinosa** (Harrison & Johnston, 1916)

ex *Antechinus swainsonii* (pers. comm. Clay)  
ex *Antechinus minimus*; (Kéler, 1971)

**Family LAEMOBOTHRIIDAE Mjöberg, 1910**

Genus **Laemobothrion** Nitzsch, 1818

*L. maximum* (Scopoli, 1763)

ex *Circus approximans* (pers. comm. Clay)

**Family RICINIDAE Neumann, 1890**

Genus **Ricinus** De Geer, 1778

*R. mollisoni* Rheinwald, 1968

ex *Acanthiza ewingii*; (Rheinwald, 1968)

*R. mugimaki* (Uchida, 1915)

ex *Rhipidura fuliginosa*; (Green & Munday, 1971)

**Ricinus** sp.

ex *Lichenostomus flavicollis*; (Green & Munday, 1971)

ex *Petroica phoenicea* (det. R.L. Palma)

**Suborder ISCHNOCERA Kellogg, 1896****Family PHILOPTERIDAE Burmeister, 1838**

Genus **Alcedoecus** Clay & Meinertzhagen, 1939

*A. delphax* (Nitsch, 1866)

ex *Dacelo novaeguineae*; (Green & Munday, 1971)

Genus **Anaticola** Clay, 1935

*A. crassicornis* (Scopoli, 1763)

ex *Anas platyrhynchos* (pers. comm. Clay)

**Anaticola** sp.

ex *Malacorhynchus membranaceus* (pers. comm. Moreby)

ex *Aythya australis* (det. R.L. Palma)

ex *Chenonetta jubata* (det. R.L. Palma)

Genus **Anatoecus** Cummings, 1916

*A. dentatus* (Scopoli, 1763)

ex *Anas platyrhynchos* (pers. comm. Clay)

ex *Chenonetta jubata* (det. R.L. Palma)

*A. icterodes* (Nitzsch, 1818)

ex *Anas platyrhynchos* (pers. comm. Clay)

ex *Aythya australis* (det. R.L. Palma)

**Anatoecus** sp.

ex *Cygnus atratus* (pers. comm. Emerson)

ex *Malacorhynchus membranaceus* (pers. comm. Moreby)

Genus **Aquanirmus** Clay & Meinertzhagen, 1939

**Aquanirmus** sp.

ex *Poliocephalus poliocephalus* (det. R.L. Palma)

Genus **Ardeicola** Clay, 1935

**A. expallidus** Blagoveshtchensky, 1940

ex *Ardea ibis* (det. R.L. Palma)

**A. pilgrimi** Tandan, 1972

ex *Ardea novaehollandiae* (det. R.L. Palma)

**A. stellaris** (Denny, 1842)

ex *Botaurus poiciloptilus* (pers. comm. Clay)

Genus **Austrogoniodes** Harrison, 1915

**A. concii** (Kéler, 1952)

ex *Eudyptes pachyrhynchus* (pers. comm. Clay)

**A. cristati** Kéler, 1952

ex *Eudyptes chrysocome* (pers. comm. Clay)

ex *Eudyptes schlegeli* (pers. comm. Clay)

**A. hamiltoni** Harrison, 1937

ex *Eudyptes schlegeli* (det. R.L. Palma)

**A. waterstoni** (Cummings, 1914)

ex *Eudyptula minor*; (Green & Munday, 1971)

Genus **Bedfordiella** Thompson, 1937

**B. unica** Thompson, 1937

ex *Pterodroma brevirostris*; (Palma & Pilgrim, 1983)

Genus **Brueelia** Kéler, 1936

**B. daumae** (Clay, 1936)

ex *Zoothera dauma*; (Green & Munday, 1971)

**B. nebulosa** (Burmeister, 1838)

ex *Sturnus vulgaris* (pers. comm. Kettle)

***Brueelia*** sp.

- ex *Alauda arvensis* (pers. comm. Clay)
- ex *Melanodryas vittata* (pers. comm. Clay)
- ex *Pachycephala olivacea* (pers. comm. Clay)
- ex *Pachycephala pectoralis*; (Green & Munday, 1971)
- ex *Colluricinclia harmonica* (pers. comm. Clay)
- ex *Cinclosoma punctatum*; (Green & Munday, 1971)
- ex *Malurus cyaneus*; (Green & Munday, 1971)
- ex *Anthochaera paradoxa*; (Green & Munday, 1971)
- ex *Manorina melancephala* (det. R.L. Palma)
- ex *Melithreptus validirostris* (det. R.L. Palma)
- ex *Melithreptus affinis* (pers. comm. Clay)
- ex *Phylidonyris novaehollandiae* (pers. comm. Clay)
- ex *Emblema bella* (pers. comm. Moreby)
- ex *Strepera fuliginosa*; (Green & Munday, 1971)
- ex *Strepera versicolor* (pers. comm. Clay)

Genus ***Carduiceps*** Clay & Meinertzhangen, 1939***C. zonarius*** (Nitzsch, 1866) sensu lato

- ex *Calidris ruficollis* (det. R.L. Palma)

Genus ***Coloceras*** Taschenberg, 1882***C. chinense*** (Kellogg & Chapman, 1902) sensu lato

- ex *Streptopelia chinensis*; (Green & Munday, 1971)

***Coloceras*** sp.

- ex *Phaps chalcoptera*; (Green & Munday, 1971)
- ex *Phaps elegans* (pers. comm. Moreby)

Genus ***Columbicola*** Ewing, 1929***C. columbae*** (Linnaeus, 1758)

- ex *Columba livia* (pers. comm. Pilgrim)

***C. tasmaniensis*** Tendeiro, 1967

- ex *Phaps chalcoptera*; (Green & Munday, 1971)
- ex *Phaps elegans*; (Tendeiro, 1967)

Genus ***Craspedorrhynchus*** Kéler, 1938***C. haematopus*** (Scopoli, 1763)

- ex *Accipiter fasciatus* (pers. comm. Emerson)

***Craspedorrhynchus*** sp.

- ex *Accipiter cirrocephalus* (det. R.L. Palma)
- ex *Haliaeetus leucogaster*; (Green & Munday, 1971)
- ex *Aquila audax*; (Green & Munday, 1971)
- ex *Falco berigora*; (Green & Munday, 1971)

Genus **Cuclotogaster** Carriker, 1936

**C. synoicus** (Clay, 1938)

ex *Coturnix ypsilonphora*; (Green & Munday, 1971)

Genus **Cuculicola** Clay & Meinertzhangen, 1939

**Cuculicola** sp.

ex *Cuculus pallidus* (det. R.L. Palma)

ex *Chrysococcyx flabelliformis* (det. R.L. Palma)

ex *Chrysococcyx lucidus* (pers. comm. Clay)

Genus **Cuculoecus** Ewing, 1926

**Cuculoecus** sp.

ex *Cuculus pallidus* (pers. comm. Emerson)

ex *Chrysococcyx lucidus* (pers. comm. Moreby)

Genus **Degeeriella** Neumann, 1906

**D. elani** Tendeiro, 1955

ex *Elanus notatus* (pers. comm. Clay)

**D. fulva** (Giebel, 1874)

ex *Accipiter fasciatus*; (Green & Munday, 1971)

**D. fusca** (Denny, 1842)

ex *Circus approximans*; (Green & Munday, 1971)

ex *Accipiter fasciatus* (det. R.L. Palma)

**D. regalis** (Giebel, 1866)

ex *Milvus sphenurus* (pers. comm. Moreby)

**D. rufa** (Burmeister, 1838)

ex *Falco berigora*; (Green & Munday, 1971)

Genus **Docophoroides** Giglioli, 1864

**D. brevis** (Dufour, 1835)

ex *Diomedea exulans*; (Green & Munday, 1971)

ex *Diomedea epomophora* (det. R.L. Palma)

**D. harrisoni** Waterston, 1917

ex *Diomedea cauta* (pers. comm. Clay)

**D. murphyi** (Kellogg, 1914)

ex *Macronectes giganteus* (pers. comm. Pilgrim)

**D. simplex** (Waterston, 1914)

ex *Diomedea melanophrys* (pers. comm. Clay)

Genus **Falcolipeurus** Bedford, 1931

**F. suturalis** (Rudow, 1869)

ex *Aquila audax*; (Green & Munday, 1971)

Genus **Forficuloeetus** Conci, 1941

**F. forficula** (Piaget, 1871)

ex *Platycercus caledonicus* (pers. comm. Clay)  
ex *Lathamus discolor* (det. R.L. Palma)

**F. greeni** Guimarães, 1985

ex *Neophema chrysostoma*; (Guimarães, 1985)

Genus **Fulicoffula** Clay & Meinertzhangen, 1938

**F. lurida** (Nitzsch, 1818)

ex *Fulica atra* (pers. comm. Emerson.)

**Fulicoffula** sp.

ex *Porzana tabuensis* (pers. comm. Clay)  
ex *Gallinula mortierii* (pers. comm. Clay)

Genus **Goniodes** Nitzsch, 1818

**G. pavonis** (Linnaeus, 1758)

ex *Pavo cristatus* (pers. comm. Clay)

**G. retractus** Le Souëf, 1902

ex *Coturnix ypsilonphora*; (Green & Munday, 1971)

Genus **Halipeurus** Thompson, 1936

**H. (Halipeurus) diversus** (Kellogg, 1896)

ex *Puffinus tenuirostris*; (Green & Munday, 1971)

**H. (Halipeurus) falsus pacificus** Edwards, 1961

ex *Pelecanoides urinatrix*; (Green & Munday, 1971)

**H. (Synnautes) pelagicus** (Denny, 1842) sensu lato

ex *Pelagodroma marina*; (Green & Munday, 1971)

**H. (Halipeurus) procellariae** (J.C. Fabricius, 1775)

ex *Pterodroma macroptera* (det. R.L. Palma)

ex *Pterodroma lessonii*; (Green & Munday, 1971)

**H. (Halipeurus) spadix** Timmermann, 1961

ex *Puffinus gavia* (pers. comm. Pilgrim)

Genus **Harrisoniella** Bedford, 1929

**H. hopkinsi** Eichler, 1952

- ex *Diomedea exulans* (pers. comm. Clay)
- ex *Diomedea epomophora* (pers. comm. Clay)

**H. ferox** (Giebel, 1867)

- ex *Diomedea cauta*; (Palma & Pilgrim, 1984)
- ex *Diomedea melanophrys*; (Palma & Pilgrim, 1984)

Genus **Incidifrons** Ewing, 1929

**I. fulicae** (Linnaeus, 1758)

- ex *Fulica atra* (pers. comm. Emerson)

Genus **Lunaceps** Clay & Meinertzhangen, 1939

**Lunaceps** sp.

- ex *Calidris ruficollis* (det. R.L. Palma)
- ex *Calidris ferruginea* (det. R.L. Palma)

Genus **Naubates** Bedford, 1930

**N. clypeatus** (Giebel, 1874)

- ex *Halobaena caerulea*; (Green & Munday, 1971)

**N. heteroproctus** Harrison, 1937

- ex *Pterodroma macroptera* (det. R.L. Palma)

**N. prioni** (Enderlein, 1908)

- ex *Pachyptila vittata*; Green & Munday, 1971
- ex *Pachyptila salvini* (pers. comm. Clay)
- ex *Pachyptila desolata* (pers. comm. Clay)
- ex *Pachyptila belcheri*; Green & Munday
- ex *Pachyptila turtur*; Green & Munday, 1971

**N. pterodromi** Bedford, 1930 (sensu Kéler, 1952)

- ex *Pterodroma inexpectata* (det. R.L. Palma)

**N. pterodromi** sensu lato

- ex *Pterodroma lessonii* (det. R.L. Palma)

Genus **Neopsittaconirmus** Conci, 1942

**N. albus** (Le Souëf & Bullen, 1902)

- ex *Cacatua galerita* (pers. comm. Emerson)

**N. borgiolii** Conci, 1942

- ex *Calyptorhynchus funereus* (pers. comm. Emerson)

**N. circumfasciatus** (Piaget, 1880) sensu lato  
ex *Platycercus caledonicus* (det. R.L. Palma)

Genus **Ornithobius** Denny, 1842

**O. fuscus** Le Souëf, 1902  
ex *Cygnus atratus* (pers. comm. Emerson)

Genus **Paraclisis** Timmermann, 1965

**P. diomedae** (J.C. Fabricius, 1775)  
ex *Diomedea chrysostoma* (pers. comm. Clay)  
ex *Diomedea cauta* (pers. comm. Clay)

**P. obscura** (Rudow, 1869)  
ex *Macronectes giganteus*; (Green & Munday, 1971)

Genus **Pectinopygus** Mjöberg, 1910

**P. australis** Thompson, 1948  
ex *Pelecanus conspicillatus* (det. R.L. Palma)

**P. bassani** (O. Fabricius, 1780)  
ex *Morus serrator*; (Green & Munday, 1971)

**P. dispar** (Piaget, 1880)  
ex *Phalacrocorax melanoleucus*; (Clay, 1973)

**P. gyricornis** (Denny, 1842)  
ex *Phalacrocorax carbo*; (Green & Munday, 1971)

**P. kosswigi** Timmermann, 1964  
ex *Leucocarbo fuscescens*; (Timmermann, 1964)

**P. setosus** (Piaget, 1880)  
ex *Phalacrocorax sulcirostris* (pers. comm. Clay)

Genus **Pelmatocerandra** Enderlein, 1908

**P. setosa** (Giebel, 1876)  
ex *Pelecanoides urinatrix*; (Green & Munday, 1971)

Genus **Perineus** Thompson, 1936

**P. circumfasciatus** Kéler, 1957  
ex *Diomedea cauta*; (Palma & Pilgrim, 1988)

**P. concinnoides** Kéler 1957  
ex *Diomedea epomophora* (pers. comm. Clay)

**P. nigrolimbatus** (Giebel, 1874)ex *Fulmarus glacialisoides*; (Palma & Pilgrim, 1988)Genus **Philoceanus** Kellogg, 1903**P. garrodiae** (Clay, 1940)ex *Garrodia nereis* (pers. comm. Clay)Genus **Philopterus** Nitzsch, 1818**Philopterus** sp.

ex *Coracina novaehollandiae* (pers. comm. Clay)  
 ex *Anthus novaeseelandiae* (pers. comm. Clay)  
 ex *Hirundo neoxena* (pers. comm. Moreby)  
 ex *Zoothera dauma*; (Green & Munday, 1971)  
 ex *Turdus merula*; (Green & Munday, 1971)  
 ex *Colluricinclla harmonica*; (Green & Munday, 1971)  
 ex *Petroica phoenicea* (det. R.L. Palma)  
 ex *Cinclosoma punctatum*; (Green & Munday, 1971)  
 ex *Pardalotus punctatus* (det. R.L. Palma)  
 ex *Malurus cyaneus* (pers. comm. Clay)  
 ex *Anthochaera paradoxa*; (Green & Munday, 1971)  
 ex *Manorina melanocephala* (det. R.L. Palma)  
 ex *Lichenostomus flavicollis* (det. R.L. Palma)  
 ex *Melithreptus validirostris*; (Green & Munday, 1971)  
 ex *Melithreptus affinis* (pers. comm. Clay)  
 ex *Phylidonyris novaehollandiae*; (Green & Munday, 1971)  
 ex *Phylidonyris pyrrhoptera* (det. R.L. Palma)  
 ex *Strepera fuliginosa*; (Green & Munday, 1971)  
 ex *Strepera versicolor*; (Green & Munday, 1971)  
 ex *Corvus tasmanicus*; (Green & Munday, 1971)

Genus **Physconelloides** Ewing, 1927**P. australiensis** Tendeiro, 1969

ex *Phaps chalcoptera*; (Green & Munday, 1971)  
 ex *Phaps elegans* (pers. comm. Clay)

Genus **Podargoecus** Emerson & Price, 1966**P. strigoides** Emerson & Price, 1966ex *Podargus strigoides*; (Green & Munday, 1971)**P. tasmaniensis** Price, 1976ex *Aegotheles cristatus*; (Price, 1976a)Genus **Pseudonirmus** Mjöberg, 1910**P. gurlii** (Taschenberg, 1882)ex *Daption capense* (det. R.L. Palma)

Genus **Psittaconirmus** Harrison, 1915

**P. australis** Harrison, 1915 sensu lato

ex *Glossopsitta concinna* (det. R.L. Palma)

Genus **Psittoecus** Conci, 1942

**P. vanzolinii** Guimarães, 1974

ex *Cacatua galerita* (pers. comm. Emerson)

**P. mollisoni** Guimarães, 1974

ex *Calyptorhynchus funereus*; (Guimarães, 1974)

Genus **Quadraceps** Clay & Meinertzhagen, 1939

**Q. auratus** (Haan, 1829)

ex *Haematopus fuliginosus* (det. R.L. Palma)

ex *Haematopus longirostris* (det. R.L. Palma)

**Q. cucullatus** Timmermann, 1955

ex *Charadrius rubricollis*; (Green & Munday, 1971)

**Q. macrocephalus** (Waterston, 1914) sensu lato

ex *Charadrius ruficapillus* (pers. comm. Clay)

**Q. renschi** Timmermann, 1954

ex *Vanellus miles*; (Green & Munday, 1971)

**Q. ridgwayi** (Kellogg, 1906)

ex *Haematopus fuliginosus* (det. R.L. Palma)

ex *Haematopus longirostris* (pers. comm. Clay)

**Q. rubricollis** Emerson & Price, 1985

ex *Charadrius rubricollis*; (Emerson & Price, 1985)

**Q. sellatus** (Burmeister, 1838)

ex *Sterna striata* (det. R.L. Palma)

ex *Sterna bergii* (det. R.L. Palma)

Genus **Rallicola** Johnston & Harrison, 1911

**R. campbelli** Emerson, 1964

ex *Gallinula mortierii*; (Green & Munday, 1971)

**R. fulicae** (Denny, 1842)

ex *Fulica atra* (pers. comm. Emerson)

**R. lugens** (Giebel, 1874)

ex *Porphyrio porphyrio*; (Green & Munday, 1971)

**R. mortieri** Emerson, 1964

ex *Gallinula mortierii*; (Green & Munday, 1971)

**R. ortygometrae affinis** (Piaget, 1880)

ex *Dryolimnas pectoralis* (pers. comm. Emerson)

**R. tabuensis** Emerson, 1966

ex *Porzana tabuensis* (pers. comm. Emerson)

Genus **Saemundssonia** Timmermann, 1936

**S. (Saemundssonia) africana sycophanta** Timmermann, 1962

ex *Vanellus miles*; (Green & Munday, 1971)

**S. (Saemundssonia) bicolor** (Rudow, 1870)

ex *Fulmarus glacialisoides* (det. R.L. Palma)

**S. (Saemundssonia) desolata** Timmermann, 1959

ex *Pachyptila vittata*; (Green & Munday, 1971)

ex *Pachyptila salvini*; (Green & Munday, 1971)

ex *Pachyptila belcheri* (pers. comm. Moreby)

**S. (Saemundssonia) gaini** (Neumann, 1913)

ex *Macronectes giganteus* (pers. comm. Moreby)

**S. (Saemundssonia) haematopii** (Linnaeus, 1758)

ex *Haematopus fuliginosus* (det. R.L. Palma)

ex *Haematopus longirostris* (det. R.L. Palma)

**S. (Saemundssonia) lari** (O. Fabricius, 1780) sensu lato

ex *Larus novaehollandiae*; (Green & Munday, 1971)

ex *Larus pacificus* (pers. comm. Clay)

**S. (Saemundssonia) laticaudata** (Rudow, 1869)

ex *Sterna bergii* (det. R.L. Palma)

**S. (Saemundssonia) minitans** Timmermann, 1977

ex *Malacorhynchus membranaceus*; (Timmermann, 1977)

**S. (Saemundssonia) platygaster** (Denny, 1842) sensu lato

ex *Charadrius bicinctus*; (Green & Munday, 1971)

**S. (Saemundssonia) pterodromae** Timmermann, 1959

ex *Halobaena caerulea* (det. R.L. Palma)

ex *Pterodroma brevirostris* (det. R.L. Palma)

**S. (Saemundssonia) stammeri** Timmermann, 1959

ex *Daption capense* (det. R.L. Palma)

**S. (Saemundssonia) sternae** (Linnaeus, 1758)

ex *Sterna striata* (det. R.L. Palma)

**Saemundssonia (Puffinoecus) sp.**

ex *Pterodroma lessonii*; (Green & Munday, 1971)

Genus **Saussurites** Tendeiro, 1971**S. flavus elegans** Tendeiro, 1978

ex *Phaps elegans*; (Tendeiro, 1978)

Genus **Strigiphilus** Mjöberg, 1910**S. aitkeni** Clay, 1966

ex *Tyto alba* (pers. comm. Clay)

ex *Tyto novaehollandiae*; (Green & Munday, 1971)

**S. vapidus** Clay, 1977

ex *Ninox boobook*; (Clay, 1977)

Genus **Sturnidoecus** Eichler, 1944**S. sturni** (Schrank, 1776)

ex *Sturnus vulgaris*; (Green & Munday, 1971)

Genus **Trabeculus** Rudow, 1866**T. hexakon** (Waterston, 1914) sensu lato

ex *Puffinus tenuirostris*; (Green & Munday, 1971)

ex *Puffinus carneipes* (pers. comm. Pilgrim)

**T. schillingi** Rudow, 1866 sensu lato

ex *Pterodroma macroptera* (det. R.L. Palma)

ex *Pterodroma lessonii*; (Green & Munday, 1971)

ex *Pterodroma inexpectata* (det. R.L. Palma)

Genus **Turnicola** Clay & Meinertzhagen, 1938**Turnicola** sp.

ex *Turnix varia*; (Green & Munday, 1971)

**Suborder ANOPLURA Leach, 1815**  
**Family HOPLOPLEURIDAE Ewing, 1929**

Genus **Hoplopleura** Enderlein, 1904**H. calabyi** Johnson, 1960

ex *Pseudomys higginsi*; (Green & Munday, 1971)

***H. irritans*** Kuhn & Ludwig, 1967

ex *Rattus lutreolus*; (Green & Munday, 1971)

***H. mastacomysis*** Kuhn & Ludwig, 1967

ex *Mastacomys fuscus*; (Green & Munday, 1971)

***H. pacifica*** Ewing, 1924

ex *Rattus rattus*; (Green & Munday, 1971)

### Family POLYPLACIDAE Fahrenholz, 1912

Genus **Polyplax** Enderlein, 1904

***P. spinulosa*** (Burmeister, 1839)

ex *Rattus lutreolus*; (Green & Munday, 1971)

ex *Rattus rattus*; (Green & Munday, 1971)

ex *Rattus norvegicus* (det. R.L. Palma)

### Family HAEMATOPINIDAE Enderlein, 1904

Genus **Haematopinus** Leach, 1815

***H. suis*** (Linnaeus, 1758)

ex *Sus scrofa*; (Johnston & Harrison, 1913)

***H. eurysternus*** Denny, 1842

ex *Bos taurus*; (Johnston & Harrison, 1913)

### Family LINOGNATHIDAE Enderlein, 1906

Genus **Linognathus** Enderlein, 1905

***L. vituli*** (Linnaeus, 1758)

ex *Bos taurus*; (Johnston & Harrison, 1913)

***L. setosus*** (Olfers, 1816)

ex *Canis familiaris*; (Thompson, 1940)

\* \* \* \* \*

**HOST-PARASITE LIST****Class MAMMALIA  
Order MARSUPIALIA****Family MACROPODIDAE****Genus *Macropus* Shaw, 1794*****M. rufogriseus* (Desmarest, 1817)***Heterodoxus longitarsus*  
*Latumcephalum greeni*  
*Macropophila clayae*

Brush Kangaroo

**Genus *Thylogale* Gray, 1837*****T. billardierii* (Desmarest, 1822)***Macropophila clayae*

Tasmanian Pademelon

**Genus *Bettongia* Gray, 1837*****B. gaimardi* (Desmarest, 1822)***Paraheterodoxus* sp.

Eastern Bettong

**Genus *Potorous* Desmarest, 1804*****P. tridactylus* (Kerr, 1792)***Paraheterodoxus erinaceus*

Long-nosed Potoroo

**Family VOMBATIDAE****Genus *Vombatus* E. Geoffroy, 1803*****V. ursinus* (Shaw, 1800)***Boopis tarsata*

Common Wombat

**Family PERAMELIDAE****Genus *Isoodon* Desmarest, 1817*****I. obesulus* (Shaw, 1797)***Boopis bettongia*

Brown Bandicoot

**Family DASYURIDAE**Genus **Antechinus** Macleay, 1841**A. swainsonii** (Waterhouse, 1840)*Boopis greeni**Phacogalidia brevispinosa*

Dusky Antechinus

**A. minimus** (Geoffroy, 1803)*Boopis greeni**Phacogalidia brevispinosa*

Swamp Antechinus

Genus **Sminthopsis** Thomas, 1887**S. leucopus** (Gray, 1842)*Boopis lukoschusi*

White-footed Dunnart

**Order CARNIVORA****Family CANIDAE**Genus **Canis** Linnaeus, 1758**C. familiaris** Linnaeus, 1758*Heterodoxus spiniger*  
*Linognathus setosus*

Dog

**Order ARTIODACTYLA****Family SUIDAE**Genus **Sus** Linnaeus, 1758**S. scrofa** Linnaeus, 1758*Haematopinus suis*

Domestic and feral pig

**Family BOVIDAE**Genus **Bos** Linnaeus, 1758**B. taurus** Linnaeus, 1758*Haematopinus eurysternus*  
*Linognathus vituli*

Cattle

**Order RODENTIA****Family MURIDAE**

Genus **Rattus** Fischer, 1803

**R. lutreolus** (Gray, 1841)

*Hoplopleura irritans*  
*Polyplax spinulosa*

Eastern Swamp-Rat

**R. rattus** (Linnaeus, 1758)

*Hoplopleura pacifica*  
*Polyplax spinulosa*

Ship Rat

**R. norvegicus** (Berkenhout, 1769)

*Polyplax spinulosa*

Norway Rat

Genus **Mastacomys** Thomas, 1882

**M. fuscus** Thomas, 1882

*Hoplopleura mastacomydis*

Broad-toothed Rat

Genus **Pseudomys** Gray, 1832

**P. higginsi** (Trouessart, 1899)

*Hoplopleura calabyi*

Long-tailed Rat

**Class AVES**  
**Order SPHENISCIFORMES**

**Family SPHENISCIDAE**

Genus **Eudyptes** Vieillot, 1816

**E. chrysocome** (Forster, 1781)

*Austrogoniodes cristati*

Rockhopper Penguin

**E. pachyrhynchus** Gray, 1845

*Austrogoniodes concii*

Fiordland Penguin

**E. schlegeli** Finsch, 1876

*Austrogoniodes cristati*  
*Austrogoniodes hamiltoni*

Royal Penguin

Genus **Eudyptula** Bonaparte, 1856

**E. minor** (Forster, 1781)

*Austrogoniodes waterstoni*

Little Penguin

**Order PODICIPEDIFORMES****Family PODICIPEDIDAE**

Genus **Poliocephalus** Selby, 1840

*P. poliocephalus* (Jardine & Selby, 1827)  
*Aquanirmus* sp.

Hoary-headed Grebe

**Order PROCELLARIIFORMES****Family DIOMEDEIDAE**

Genus **Diomedea** Linnaeus, 1758

*D. exulans* Linnaeus, 1758

*Docophoroides brevis*  
*Harrisoniella hopkinsi*

Wandering Albatross

*D. epomophora* Lesson, 1825

*Docophoroides brevis*  
*Harrisoniella hopkinsi*  
*Perineus concinnooides*

Royal Albatross

*D. melanophrys* Temminck, 1828

*Austromenopon navigans*  
*Docophoroides simplex*

Black-browed Albatross

*D. chrysostoma* Forster, 1785

*Paraclysis diomedaeae*

Grey-headed Albatross

*D. cauta* Gould, 1841

*Austromenopon pinguis*  
*Docophoroides harrisoni*  
*Harrisoniella ferox*  
*Paraclysis diomedaeae*  
*Perineus circumfasciatus*

Shy Albatross

**Family PROCELLARIIDAE**

Genus **Macronectes** Richmond, 1905

*M. giganteus* (Gmelin, 1789)

*Austromenopon ossifragae*  
*Docophoroides murphyi*  
*Paraclysis obscura*  
*Saemundssonia gaini*

Southern Giant-Petrel

Genus **Fulmarus** Stephens, 1826

*F. glacialisoides* (Smith, 1840)  
*Ancistrona* sp.

Southern Fulmar

*Austromenopon brevifimbriatum*  
*Perineus nigrolimbatus*  
*Saemundssonia bicolor*

Genus **Daption** Stephens, 1826

**D. capense** (Linnaeus, 1758) Cape Petrel  
*Pseudonirmus gurlii*  
*Saemundssonia stammeri*

Genus **Pterodroma** Bonaparte, 1856

**P. macroptera** (Smith, 1840) Great-winged Petrel  
*Ancistrona* sp.  
*Austromenopon popellus*  
*Halipeurus procellariae*  
*Naubates heteroproctus*  
*Trabeculus schillingi*

**P. lessonii** (Garnot, 1826) White-headed Petrel  
*Ancistrona* sp.  
*Austromenopon popellus*  
*Halipeurus procellariae*  
*Naubates pterodromi* sensu lato  
*Saemundssonia (Puffinoecus)* sp.  
*Trabeculus schillingi*

**P. brevirostris** (Lesson, 1833) Kerguelen Petrel  
*Austromenopon popellus*  
*Bedfordiella unica*  
*Saemundssonia pterodromae*

**P. inexpectata** (Forster, 1844) Mottled Petrel  
*Naubates pterodromi*  
*Trabeculus schillingi*

Genus **Halobaena** Bonaparte, 1856

**H. caerulea** (Gmelin, 1789) Blue Petrel  
*Austromenopon stammeri*  
*Naubates clypeatus*  
*Saemundssonia pterodromae*

Genus **Pachyptila** Illiger, 1811

**P. vittata** (Gmelin, 1777) Broad-billed Prion  
*Austromenopon stammeri*  
*Naubates prioni*  
*Saemundssonia desolata*

**P. salvini** (Mathews, 1912) Lesser Broad-billed Prion  
*Austromenopon stammeri*

*Naubates prioni*  
*Saemundssonia desolata*

<i>P. desolata</i> (Gmelin, 1789)	Antarctic Prion
<i>Ancistrona</i> sp.	
<i>Naubates prioni</i>	
<i>P. belcheri</i> (Mathews, 1912)	Slender-billed Prion
<i>Austromenopon stammeri</i>	
<i>Naubates prioni</i>	
<i>Saemundssonia desolata</i>	
<i>P. turtur</i> (Kuhl, 1820)	Fairy Prion
<i>Ancistrona</i> sp.	
<i>Austromenopon stammeri</i>	
<i>Longimenopon</i> sp.	
<i>Naubates prioni</i>	

Genus **Puffinus** Brisson, 1760

<i>P. tenuirostris</i> (Temminck, 1835)	Short-tailed Shearwater
<i>Austromenopon paululum</i>	
<i>Halipeurus diversus</i>	
<i>Trabeculus hexakon</i>	
<i>P. gavia</i> (Forster, 1844)	Fluttering Shearwater
<i>Austromenopon paululum</i>	
<i>Halipeurus spadix</i>	
<i>P. carneipes</i> Gould, 1844	Flesh-footed Shearwater
<i>Austromenopon paululum</i>	
<i>Trabeculus hexakon</i>	

### Family HYDROBATIDAE

Genus **Garrodia** Forbes, 1881

<i>G. nereis</i> (Gould, 1841)	Grey-backed Storm-Petrel
<i>Philoceanus garrodiae</i>	

Genus **Pelagodroma** Reichenbach, 1853

<i>P. marina</i> (Latham, 1790)	White-faced Storm Petrel
<i>Austromenopon enigki</i>	
<i>Halipeurus (Synnautes) pelagicus</i>	

### Family PELECANOIDIDAE

Genus **Pelecanoides** Lacépède, 1799

<i>P. urinatrix</i> (Gmelin, 1789)	Common Diving-Petrel
<i>Austromenopon elliotti</i>	

*Halipeurus falsus pacificus*  
*Pelmatocerandra setosa*

## Order PELECANIFORMES

### Family PELECANIDAE

Genus **Pelecanus** Linnaeus, 1758

**P. conspicillatus** Temminck, 1824

*Colpocephalum eucarenum*  
*Pectinopygus australis*

Australian Pelican

### Family SULIDAE

Genus **Morus** Vieillot, 1816

**M. serrator** (Gray, 1843)

*Eidmanniella pustulosa*  
*Pectinopygus bassani*

Australian Gannet

## Family PHALACROCORACIDAE

Genus **Leucocarbo** Bonaparte, 1856

**L. fuscescens** (Vieillot, 1817)

*Eidmanniella pellucida*  
*Pectinopygus kosswigi*

Black-faced Shag

Genus **Phalacrocorax** Brisson, 1760

**P. melanoleucus** (Vielott, 1817)

*Pectinopygus dispar*

Little Pied Cormorant

**P. carbo** (Linnaeus, 1758)

*Eidmanniella pellucida*  
*Pectinopygus gyricornis*

Great Cormorant

**P. sulcirostris** (Brandt, 1837)

*Eidmanniella subrotunda*  
*Pectinopygus setosus*

Little Black Cormorant

## Order CICONIIFORMES

### Family ARDEIDAE

Genus **Ardea** Linnaeus, 1758

**A. novaehollandiae** Latham, 1790

*Ardeicola pilgrimi*

White-faced Heron

**A. ibis** (Linnaeus, 1758) Cattle Egret  
*Ardeicola expallidus*

Genus **Botaurus** Stephens, 1819

**B. poiciloptilus** (Wagler, 1827) Australasian Bittern  
*Ardeicola stellaris*

## Order ANSERIFORMES

### Family ANATIDAE

Genus **Cygnus** Bechstein, 1803

**C. atratus** (Latham, 1790) Black Swan  
*Trinoton nigrum*  
*Anatoecus* sp.  
*Ornithobius fuscus*

Genus **Anas** Linnaeus, 1758

**A. platyrhynchos** Linnaeus, 1758 Mallard  
*Holomenopon leucoxanthum*  
*Trinoton querquedulae*  
*Anaticola crassicornis*  
*Anatoecus dentatus*  
*Anatoecus icterodes*

Genus **Malacorhynchus** Swainson, 1831

**M. membranaceus** (Latham, 1801) Pink-eared Duck  
*Trinoton* sp.  
*Anaticola* sp.  
*Anatoecus* sp.  
*Saemundssonia minitans*

Genus **Aythya** Boie, 1822

**A. australis** (Eyton, 1838) Hardhead  
*Anaticola* sp.  
*Anatoecus icterodes*

Genus **Chenonetta** Brandt, 1836

**C. jubata** (Latham, 1801) Maned Duck  
*Trinoton* sp.  
*Anaticola* sp.  
*Anatoecus dentatus*

**Order FALCONIFORMES**  
**Family ACCIPITRIDAE**

Genus **Elanus** Savigny, 1809

**E. notatus** Gould, 1838

*Degeeriella elani*

Black-shouldered Kite

Genus **Milvus** Lacépède, 1799

**M. sphenurus** (Vieillot, 1818)

*Degeeriella regalis*

Whistling Kite

Genus **Accipiter** Brisson, 1760

**A. fasciatus** (Vigors & Horsfield, 1827)

*Craspedorrhynchus haematopus*

*Degeeriella fulva*

*Degeeriella fusca*

Brown Goshawk

**A. novaehollandiae** (Gmelin, 1788)

*Colpocephalum zerafae*

Grey Goshawk

**A. cirrocephalus** (Vieillot, 1817)

*Craspedorrhynchus* sp.

Collared Sparrowhawk

Genus **Haliaeetus** Savigny, 1809

**H. leucogaster** (Gmelin, 1788)

*Craspedorrhynchus* sp.

White-bellied Sea-Eagle

Genus **Aquila** Brisson, 1760

**A. audax** (Latham, 1801)

*Colpocephalum impressum*

*Craspedorrhynchus* sp.

*Falcolipeurus suturalis*

Wedge-tailed Eagle

Genus **Circus** Lacépède, 1799

**C. approximans** Peale, 1848

*Nosopon lucidum*

*Degeeriella fusca*

*Laemobothrion maximum*

Swamp Harrier

**Family FALCONIDAE**Genus **Falco** Linnaeus, 1758**F. berigora** Vigors & Horsfield, 1827

*Colpocephalum berigorae*  
*Craspedorrhynchus* sp.  
*Degeeriella rufa*

Brown Falcon

**Order GALLIFORMES****Family PHASIANIDAE**Genus **Coturnix** Bonnaterre, 1791**C. ypsilonophora** Bosc, 1792

*Menacanthus* sp.  
*Cuclotogaster synoicus*  
*Goniodes retractus*

Brown Quail

Genus **Pavo** Linnaeus, 1758**P. cristatus** Linnaeus, 1758

*Amyrsidea minuta*  
*Goniodes pavonis*

Common Peafowl

**Order GRUIFORMES****Family TURNICIDAE**Genus **Turnix** Bonnaterre, 1791**T. varia** (Latham, 1801)*Turnicola* sp.

Painted Button-Quail

**Family RALLIDAE**Genus **Dryolimnas** Sharpe, 1893**D. pectoralis** (Temminck, 1831)

*Pseudomenopon scopulacorne*  
*Rallicola ortygometrae affinis*

Lewin's Rail

Genus **Porzana** Vieillot, 1816**P. tabuensis** (Gmelin, 1789)

*Pseudomenopon* sp.  
*Fulicoffula* sp.  
*Rallicola tabuensis*

Spotless Crake

Genus **Gallinula** Brisson, 1760**G. mortieri** (Dubois 1840)

*Pseudomenopon phoenicuri*  
*Fulicoffula* sp.  
*Rallicola campbelli*  
*Rallicola mortieri*

Tasmanian Native-Hen

Genus **Porphyrio** Brisson, 1760**P. porphyrio** (Linnaeus, 1758)

*Pseudomenopon concretum*  
*Rallicola lugens*

Purple Swamphen

Genus **Fulica** Linnaeus, 1758**F. atra** Linnaeus, 1758

*Pseudomenopon pilosum*  
*Fulicoffula lurida*  
*Incidifrons fulicae*  
*Rallicola fulicae*

Eurasian Coot

**Order CHARADRIIFORMES****Family HAEMATOPODIDAE**Genus **Haematopus** Linnaeus, 1758**H. longirostris** Vieillot, 1817

*Actornithophilus grandiceps*  
*Quadraceps auratus*  
*Quadraceps ridgwayi*  
*Saemundssonia haematopi*

Pied Oystercatcher

**H. fuliginosus** Gould, 1845

*Actornithophilus grandiceps*  
*Quadraceps auratus*  
*Quadraceps ridgwayi*  
*Saemundssonia haematopi*

Sooty Oystercatcher

**Family CHARADRIIDAE**Genus **Vanellus** Brisson, 1760**V. miles** (Boddaert, 1783)

*Actornithophilus hoplopteri*  
*Austromenopon aegialitidis*  
*Quadraceps renschi*  
*Saemundssonia africana sycophanta*

Masked Lapwing

Genus **Charadrius** Linnaeus, 1758

<b>C. rubricollis</b> Gmelin, 1789	Hooded Plover
<i>Quadraceps cucullatus</i>	
<i>Quadraceps rubricollis</i>	
<b>C. bicinctus</b> Jardine & Selby, 1827	Double-banded Plover
<i>Saemundssonia platygaster</i>	
<b>C. ruficapillus</b> Temminck, 1821	Red-capped Plover
<i>Quadraceps macrocephalus</i>	
Genus <b>Calidris</b> Merrem, 1804	
<b>C. ruficollis</b> (Pallas, 1776)	Red-necked Stint
<i>Actornithophilus umbrinus</i>	
<i>Lunaceps</i> sp.	
<i>Carduiceps zonarius</i>	
<b>C. ferruginea</b> (Pontoppidan, 1763)	Curlew Sandpiper
<i>Lunaceps</i> sp.	

## Family LARIDAE

Genus **Larus** Linnaeus, 1758

<b>L. novaehollandiae</b> Stephens, 1826	Silver Gull
<i>Actornithophilus piceus</i>	
<i>Austromenopon transversum</i>	
<i>Saemundssonia lari</i>	
<b>L. pacificus</b> Latham, 1801	Pacific Gull
<i>Saemundssonia lari</i>	

Genus **Sterna** Linnaeus, 1758

<b>S. striata</b> Gmelin, 1789	White-fronted Tern
<i>Austromenopon atrofulvum</i>	
<i>Quadraceps sellatus</i>	
<i>Saemundssonia sternae</i>	
<b>S. bergii</b> Lichtenstein, 1823	Crested Tern
<i>Austromenopon atrofulvum</i>	
<i>Quadraceps sellatus</i>	
<i>Saemundssonia laticaudata</i>	

**Order COLUMBIIFORMES****Family COLUMBIDAE**

Genus **Streptopelia** Bonaparte, 1855

**S. chinensis** (Scopoli, 1786) Spotted Turtle-Dove  
*Coloceras chinense*

Genus **Phaps** Selby, 1835

**P. chalcoptera** (Latham, 1790) Common Bronzewing  
*Coloceras sp.*  
*Columbicola tasmaniensis*  
*Physconelloides australiensis*

**P. elegans** (Temminck, 1810) Brush Bronzewing  
*Coloceras sp.*  
*Columbicola tasmaniensis*  
*Physconelloides australiensis*  
*Saussurites flavus elegans*

Genus **Columba** Linnaeus, 1758

**C. livia** Gmelin, 1789 Feral Pigeon  
*Columbicola columbae*

**Order PSITTACIFORMES****Family CACATUIDAE**

Genus **Calyptorhynchus** Desmarest, 1826

**C. funereus** (Shaw, 1794) Yellow-tailed Black Cockatoo  
*Franciscocola funerei*  
*Neopsittacaonirmus borgioli*  
*Psittoecus mollisoni*

Genus **Cacatua** Vieillot, 1817

**C. galerita** (Latham, 1790) Sulphur-crested Cockatoo  
*Franciscocola pallida*  
*Neopsittacaonirmus albus*  
*Psittoecus vanzolinii*

**Family LORIIDAE**Genus **Glossopsitta** Bonaparte, 1854**G. concinna** (Shaw, 1791)*Eomenopon concinnae*  
*Psittaconirmus australis*

Musk Lorikeet

**Family PLATYCERCIDAE**Genus **Lathamus** Lesson, 1830**L. discolor** (Shaw, 1790)*Eomenopon* sp.  
*Forficuloeicus forticula*

Swift Parrot

Genus **Platycercus** Vigors, 1826**P. caledonicus** (Gmelin, 1788)*Heteromenopon* (*Keamenopon*) *psittacum*  
*Forficuloeicus forticula*  
*Neopsittaconirmus circumfasciatus*

Green Rosella

**P. eximius** (Shaw, 1792)*Heteromenopon* (*Keamenopon*) *psittacum*

White-cheeked Rosella

Genus **Neophema** Salvadori, 1891**N. chrysostoma** (Kuhl, 1820)*Forficuloeicus greeni*

Blue-winged Parrot

**Order CUCULIFORMES****Family CUCULIDAE**Genus **Cuculus** Linnaeus, 1758**C. pallidus** (Latham, 1801)*Cuculicola* sp.  
*Cuculiphilus fasciatus*  
*Cuculoecus* sp.

Pallid Cuckoo

Genus **Chrysococcyx** Boie, 1826**C. flabelliformis** (Latham, 1801)*Cuculicola* sp.

Fan-tailed Cuckoo

**C. lucidus** (Gmelin, 1788)*Cuculicola* sp.  
*Cuculoecus* sp.

Shining Bronze-Cuckoo

**Order STRIGIFORMES****Family STRIGIDAE**

Genus **Ninox** Hodgson, 1837

**N. boobook** (Latham, 1801)

*Kurodaia cryptostigmatica*  
*Strigiphilus vapidus*

Southern Boobook

**Family TYTONIDAE**

Genus **Tyto** Billberg, 1828

**T. alba** (Scopoli, 1769)

*Strigiphilus aitkeni*

Barn Owl

**T. novaehollandiae** (Stephens, 1826)

*Kurodaia subpachygaster*  
*Strigiphilus aitkeni*

Masked Owl

**Order CAPRIMULGIFORMES****Family PODARGIDAE**

Genus **Podargus** Vieillot, 1818

**P. strigoides** (Latham, 1801)

*Podargoecus strigoides*

Tawny Frogmouth

**Family AEGOTHELIDAE**

Genus **Aegotheles** Vigors & Horsfield, 1826

**A. cristatus** (J. White, 1790)

*Podargoecus tasmaniensis*

Australian Owlet-Nightjar

**Order CORACIIFORMES****Family ALCEDINIDAE**

Genus **Dacelo** Leach, 1815

**D. novaeguineae** (Hermann, 1783)

*Alcedoecus delphax*

Laughing Kookaburra

### **Order PASSERIFORMES**

## **Family ALAUDIDAE**

### **Genus *Alauda* Linnaeus, 1758**

*A. arvensis* Linnaeus, 1758 Skylark  
*Brueelia* sp.

## **Family HIRUNDINIDAE**

## Genus *Hirundo* Linnaeus, 1758

## Genus **Cecropis** Boje, 1826

**C. nigricans** (Vieillot, 1817) **Machaerilaemus malleus** Tree Martin

## **Family MOTACILLIDAE**

## **Genus *Anthus* Bechstein, 1807**

**A. novaeseelandiae** (Gmelin, 1789) Richard's Pipit  
Philopterus sp.

## **Family CAMPEPHAGIDAE**

## **Genus Coracina Vieillot, 1816**

*C. novaehollandiae* (Gmelin, 1789) Black-faced Cuckoo-Shrike  
Myrsidea sp.  
Philopterus sp.

## **Family MUSCICAPIDAE**

## **Genus *Zoothera* Vigors, 1832**

**Z. dauma** (Latham, 1790) White's Thrush  
Myrsidea sp.  
*Bruceelia dauma*  
Philopterus sp.

Genus **Turdus** Linnaeus, 1758

**T. merula** Linnaeus, 1758

*Menacanthus eurysternus*  
*Philopterus* sp.

Blackbird

Genus **Melanodryas** Gould, 1865

**M. vittata** (Quoy & Gaimard, 1830)

*Menacanthus eurysternus*  
*Brueelia* sp.

Dusky Robin

Genus **Pachycephala** Vigors, 1825

**P. olivacea** Vigors & Horsfield, 1827

*Menacanthus eurysternus*  
*Myrsidea* sp.  
*Brueelia* sp.

Olive Whistler

**P. pectoralis** (Latham, 1801)

*Myrsidea pachycephalae*  
*Brueelia* sp.

Golden Whistler

Genus **Colluricincia** Vigors & Horsfield, 1827

**C. harmonica** (Latham, 1801)

*Menacanthus eurysternus*  
*Myrsidea* sp.  
*Brueelia* sp.  
*Philopterus* sp.

Grey Shrike-Thrush

Genus **Rhipidura** Vigors & Horsfield, 1827

**R. fuliginosa** (Sparrman, 1789)

*Ricinus mugimaki*

Grey Fantail

Genus **Petroica** Swainson, 1829

**P. phoenicea** Gould, 1837

*Ricinus* sp.  
*Philopterus* sp.

Flame Robin

### Family ORTHONYCHIDAE

Genus **Cinclosoma** Vigors & Hosfield, 1827

**C. punctatum** (Shaw, 1795)

*Brueelia* sp.  
*Philopterus* sp.

Spotted Quail-Thrush

**Family PARDALOTIDAE**

Genus **Pardalotus** Vieillot, 1816

*P. punctatus* (Shaw, 1792)

*Myrsidea* sp.

*Philopterus* sp.

Spotted Pardalote

**Family MALURIDAE**

Genus **Malurus** Vieillot, 1816

*M. cyaneus* (Ellis, 1782)

*Myrsidea strangeri*

*Brueelia* sp.

*Philopterus* sp.

Superb Fairy-Wren

**Family ACANTHIZIDAE**

Genus **Acanthiza** Vigors & Horsfield, 1827

*A. pusilla* (Shaw, 1790)

*Myrsidea* sp.

Brown Thornbill

*A. ewingii* Gould, 1844

*Myrsidea* sp.

*Ricinus mollisoni*

Tasmanian Thornbill

Genus **Sericornis** Gould, 1838

*S. magnus* (Gould, 1855)

*Menacanthus* sp.

Scrub Tit

**Family ZOSTEROPIDAE**

Genus **Zosterops** Vigors & Horsfield, 1827

*Z. lateralis* (Latham, 1801)

*Menacanthus eurysternus*

Silvereye

**Family MELIPHAGIDAE**

Genus **Anthochaera** Vigors & Horsfield, 1827

*A. paradoxa* (Daudin, 1800)

*Brueelia* sp.

*Philopterus* sp.

Yellow Wattlebird

Genus **Manorina** Vieillot, 1818

**M. melanocephala** (Latham, 1801)

*Myrsidea* sp.

*Brueelia* sp.

*Philopterus* sp.

Noisy Miner

Genus **Lichenostomus** Cabanis, 1851

**L. flavigollis** (Vieillot, 1817)

Yellow-throated Honeyeater

*Myrsidea* sp.

*Ricinus* sp.

*Philopterus* sp.

Genus **Melithreptus** Vieillot, 1816

**M. validirostris** (Gould, 1837)

Strong-billed Honeyeater

*Menacanthus* sp.

*Myrsidea* sp.

*Brueelia* sp.

*Philopterus* sp.

**M. affinis** (Lesson, 1839)

Black-headed Honeyeater

*Myrsidea* sp.

*Brueelia* sp.

*Philopterus* sp.

Genus **Phylidonyris** Lesson, 1830

**P. novaehollandiae** (Latham, 1790)

New Holland Honeyeater

*Menacanthus eurysternus*

*Myrsidea* sp.

*Brueelia* sp.

*Philopterus* sp.

**P. pyrrhoptera** (Latham, 1801)

Crescent Honeyeater

*Philopterus* sp.

### Family PLOCEIDAE

Genus **Emblema** Gould, 1842

**E. bella** (Latham, 1801)

Beautiful Firetail

*Myrsidea* sp.

*Brueelia* sp.

**Family STURNIDAE**Genus **Sturnus** Linnaeus, 1758**S. vulgaris** Linnaeus, 1758

*Menacanthus eurysternus*  
*Brueelia nebulosa*  
*Sturnidoecus sturni*

Common Starling

**Family ARTAMIDAE**Genus **Artamus** Vieillot, 1816**A. cyanopterus** (Latham, 1801)*Menacanthus nelsoni*

Dusky Woodswallow

**Family CRACTICIDAE**Genus **Strepera** Lesson, 1830**S. fuliginosa** (Gould, 1837)

*Myrsidea* sp.  
*Brueelia* sp.  
*Philopterus* sp.

Black Currawong

**S. versicolor** (Latham, 1801)

*Brueelia* sp.  
*Philopterus* sp.

Grey Currawong

**Family CORVIDAE**Genus **Corvus** Linnaeus, 1758**C. tasmanicus** Mathews, 1912

*Colpocephalum fregili*  
*Menacanthus gonophaeus*  
*Myrsidea australiensis*  
*Philopterus* sp.

Forest Raven

**C. mellori** Mathews, 1912*Myrsidea australiensis*

Little Raven

\* \* \* \* \*

## REFERENCES

- CLAY, T. (1973). The species groups of *Pectinopygus* (Phthiraptera: Philopteridae). *Bulletin of the British Museum (Natural History) Entomology* 29(4): 201-223, pls 1-3.
- (1974). *Latumcephalum* (Boopidae: Phthiraptera: Insecta). *Records of the Queen Victoria Museum* No. 53: 1-2.
- (1976). The *spinosa* species-group, genus *Boopia* Piaget (Phthiraptera: Boopidae). *Journal of the Australian Entomological Society* 15(3): 333-338.
- (1977). The *Strigiphilus cursitans* group (Phthiraptera: Insecta). *Records of the Queen Victoria Museum* No. 56: 1-4.
- EMERSON, K.C. & PRICE, R.D. (1981). A host-parasite list of the Mallophaga on mammals. *Miscellaneous Publications of the Entomological Society of America* 12(1): 1-72.
- (1985). The identity of *Quadraceps crassipedalis* (Harrison) and two new species of *Quadraceps* (Mallophaga: Philopteridae). *Proceedings of the Entomological Society of Washington* 87(2): 395-401.
- GREEN, R.H. (1989). *Birds of Tasmania - An annotated checklist with photographs*. Rev. Third Edition. Launceston, Potoroo Publishing; xvi + 84 p.
- GREEN, R.H. & MUNDAY, B.L. (1971). Parasites of Tasmanian native and feral fauna. Part 1, Arthropoda. *Records of the Queen Victoria Museum* No. 41: 1-16.
- GUIMARÃES, L.R. (1974). Ischnocera (Mallophaga) infesting parrots (Psittaciformes). II. Genera *Psittoecus* Conci, 1942, and *Forficuloeetus* Conci 1941. *Papéis Avulsos de Zoologia, São Paulo* 28(9): 163-180.
- (1985). Ischnocera (Mallophaga) infesting parrots (Psittaciformes). V. Four new species of *Forficuloeetus* Conci, 1941 (Philopteridae) from the South Pacific. *Papéis Avulsos de Zoologia, São Paulo* 36(5): 41-49.
- JOHNSTON, T.H. & HARRISON, L. (1913). A note on Australian pediculids. *Proceedings of the Royal Society of Queensland* 24: 105-109.
- KELER, S. von (1971). A revision of the Australasian Boopiidae (Insecta: Phthiraptera), with notes on the Trimenoponidae. *Australian Journal of Zoology, Supplement* No. 6: 1-126.
- KLOCKENHOFF, H. (1971). *Myrsidea australiensis*, n. sp., eine neue Mallophagenart von *Corvus coronoides* und *bennetti*. *Bonner Zoologische Beiträge* 22 (3/4): 297-304.
- PALMA, R.L. & KLOCKENHOFF, H. (1988). A new species of *Myrsidea* (Phthiraptera: Menoponidae) from *Pachycephala pectoralis* (Aves: Passeriformes). *New Zealand Journal of Zoology* 15(4): 447-562.
- PALMA, R.L. & PILGRIM, R.L.C. (1983). The genus *Bedfordiella* (Mallophaga: Philopteridae) and a note on the lice from the Kerguelen Petrel (*Pterodroma brevirostris*). *National Museum of New Zealand Records* 2(13): 145-150.
- (1984). A revision of the genus *Harrisoniella* (Mallophaga: Philopteridae). *New Zealand Journal of Zoology* 11(2): 145-166.
- (1988). A revision of the genus *Perineus* (Phthiraptera: Philopteridae). *New Zealand Journal of Zoology* 14(4): 563-586.
- PRICE, R.D. (1974). A review of the genus *Pseudomenopon* (Mallophaga: Menoponidae). *Annals of the Entomological Society of America* 67(1): 73-84.

- (1976a). A new species of *Podargoecus* (Mallophaga: Philopteridae) from Tasmania. *Proceedings of the Entomological Society of Washington* 78(3): 274-276.
- (1976b). Two new species of *Menacanthus* (Mallophaga: Menoponidae) from Wood-swallows (Passeriformes: Artamidae). *Proceedings of the Entomological Society of Washington* 78(4): 447-450.
- PRICE, R.D. & BEER, J.R. (1966). A review of the genus *Franciscocola Conci* (Mallophaga: Menoponidae). *Pacific Insects* 8(3): 633-648.
- (1967). The genus *Heteromenopon* (Mallophaga: Menoponidae), with description of a new subgenus and six new species. *Annals of the Entomological Society of America* 60 (2): 328-338.
- PRICE, R.D. & EMERSON, K.C. (1982). A new species of *Eomenopon* (Mallophaga: Menoponidae) from Tasmania. *Pacific Insects* 24(2): 189-191.
- RHEINWALD, G. (1968). Die Mallophagengattung *Ricinus* De Geer, 1778 - Revision der ausseramerikanischen Arten. *Mitteilungen aus den Hamburgischen Zoologischen Museum und Institut* 65: 181-326.
- TENDEIRO, J. (1967). Etudes sur les Mallophages clés pour le genre *Columbicola* Ewing, 1929. Observations additionnelles, avec description de quatre espèces et une sousespèces nouvelles. *Revista dos Estudos Gerais Universitários de Moçambique (Série 4)* 4: 71-194.
- (1969). Estudos sobre os Goniodídeos (Mallophaga, Ischnocera) dos Columbiformes. II - Descrição de uma nova espécie do gênero *Physconelloides* Ewing, 1927: *Ph. australiensis* n. sp., parasita da *Phaps ch. chalcoptera* (Latham). *Revista de Ciências Veterinárias (Lourenço Marques) (Série A)* 2: 313-331.
- (1978). Estudos sobre os Goniodídeos (Mallophaga, Ischnocera) dos Columbiformes. XVII - Novas observações sobre os gêneros *Campanulotes* Kéler, *Saussurites* Tendeiro e *Stephanius* Tendeiro. *Garcia de Orta (Lisboa) (Série Zoologia)* 7 (1-2): 115-124.
- (1988). Etudes sur les *Colpocephalum* (Mallophaga, Menoponidae) parasites des Falconiformes I. Groupe *zerafa* Price & Beer. *Bonner Zoologische Beiträge* 39(2/3): 77-102.
- THOMPSON, G.B. (1940). The distribution of *Heterodoxus spiniger* (Enderlein). *Papers and Proceedings of the Royal Society of Tasmania*. 1939: 27-31.
- TIMMERMANN, G. (1964). Gruppen-Revisionen bei Mallophagen. VII. Die *Pectinopygus*-Arten der Grosskormorane (Gen. *Phalacrocorax* Brisson, 1760 s. str.). *Mitteilungen aus den Hamburgischen Zoologischen Museum und Institut, Kosswig-Festschrift*: 271-284.
- (1977). Mallophagologische Kollektaneen. 3. *Bonner Zoologische Beiträge* 28 (1/2): 135-140.

\* \* \* \* \*

**RECORDS OF THE  
QUEEN VICTORIA MUSEUM  
LAUNCESTON**

