

1685'



Dr. [unclear]
With best wishes & many
thanks for all your help.
Bob Green
23.8.71

PARASITES OF TASMANIAN NATIVE AND FERAL FAUNA PART 1, ARTHROPODA

by

R. H. GREEN
QUEEN VICTORIA MUSEUM

B. L. MUNDAY
TASMANIAN DEPARTMENT OF AGRICULTURE

RECORDS OF THE
QUEEN VICTORIA MUSEUM

No. 41

EDITED BY W. F. ELLIS
DIRECTOR OF THE MUSEUM

PARASITES OF TASMANIAN NATIVE AND FERAL FAUNA

PART 1. ARTHROPODA

by

R. H. GREEN, Queen Victoria Museum, Launceston Tasmania

B. L. MUNDAY, Tasmanian Department of Agriculture,
Mt. Pleasant Laboratories, Launceston, Tasmania.

Manuscript received 2/6/71

Published 9/8/71.

PREFACE

This checklist has been compiled from personal records and published literature for workers interested in the distribution of parasites of native and feral fauna.

As neither of the authors are parasitologists omissions and errors in classification probably have occurred despite valuable assistance provided by others. Comments and corrections will be welcomed.

The notation used places the name of the author of the parasite after the parasite's name, and a reference to the Tasmanian occurrence of the parasite after the host's name(s).

The list contains only those parasites collected directly from the host.

An asterisk (*) indicates only a tentative determination.

	<u>PARASITE</u>	<u>HOST</u>
Class	ARACHNIDA	
Order	ACARI	
Family	DERMANYSSIDAE	
Genus	<i>Myonyssus</i>	
	<i>Myonyssus decumani</i> Tiraboschi, 1904	<i>Isodon obesulus</i> , Domrow, 1963b
Genus	<i>Ornithonyssus</i>	
	<i>Ornithonyssus sylviarum</i> (Canestrini and Fanzago, 1877)	<i>Turdus merula</i> , pers. com. Calaby
		<i>Passer domesticus</i> , Domrow, 1936b
Genus	<i>Trichonyssus</i>	
	<i>Trichonyssus womersleyi</i> Domrow, 1958	<i>Chalinolobus gouldi</i> , pers. com. Womersley <i>Nyctophilus geoffroyi</i> , pers. com. Womersley <i>Eptesicus pumilus</i> , pers. com. Womersley
Genus	<i>Dermanyssus</i>	
	<i>Dermanyssus hirundinis</i> [<i>Dermanyssus gallinae</i> (de Geer, 1778)]	<i>Meliphaga flavicollis</i> , Domrow, 1963b

Records of the Queen Victoria Museum, No. 41

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Echinonyssus</i>	
	<i>Echinonyssus validipes</i> Domrow, 1955	<i>Potorous tridactylus</i> , Domrow, 1963b
Genus	<i>Domrownyssus</i>	
	<i>Domrownyssus dentatus</i>	<i>Antechinus minimus</i> , pers. com. Calaby
Genus	<i>Hirstionyssus</i>	
	<i>Hirstionyssus musculi</i> (Johnson, 1849)	<i>Mus musculus</i> , Domrow, 1963b
Genus	<i>Trichosurolaelaps</i>	
	<i>Trichosurolaelaps crassipes</i> Womersley, 1956	<i>Trichosurus vulpecula</i> , pers. com. Calaby
	<i>Trichosurolaelaps striatas</i> Domrow, 1958	<i>Pseudochirus convolutor</i> , Domrow, 1961
Genus	<i>Australolaelaps</i>	
	<i>Australolaelaps validipes</i>	<i>Potorous tridactylus</i> , pers. com. Calaby
	<i>Australolaelaps greeni</i> Domrow, 1966	<i>Bettongia cuniculus</i> , Domrow, 1966a
Genus	<i>Andreacarus</i>	
	<i>Andreacarus radfordi</i> Domrow, 1963	<i>Dasyurus viverrinus</i> , Domrow, 1963a <i>Eudromicia lepida</i> , Domrow, 1963a
Genus	<i>Gymnolaelaps</i>	
	<i>Gymnolaelaps annectans</i> Womersley, 1955	<i>Isoodon obesulus</i> , Domrow, 1963b <i>Antechinus stuartii</i> , pers. com. Calaby <i>Antechinus minimus</i> , pers. com. Calaby
Genus	<i>Laelapsella</i>	
	<i>Laelapsella humi</i> Womersley, 1955	<i>Hydromys chrysogaster</i> , Munday, 1966 <i>Rattus lutreolus</i> , Domrow, 1963b <i>Rattus norvegicus</i> , pers. com. Calaby
Genus	<i>Haemolaelaps</i>	
	<i>Haemolaelaps marsupialis</i> (Berlese, 1910)	<i>Isoodon obesulus</i> , Domrow, 1961
	<i>Haemolaelaps domrowi</i> Womersley, 1958	<i>Perameles gunnii</i> , Domrow, 1961
	<i>Haemolaelaps hattenae</i> Domrow, 1963	<i>Bettongia cuniculus</i> , Domrow, 1963b
Genus	<i>Mesolaelaps</i>	
	<i>Mesolaelaps bandicoota</i> (Womersley, 1956)	<i>Rattus lutreolus</i> , Domrow, 1963b
	<i>Mesolaelaps antipodiana</i> (Hirst, 1926)	<i>Isoodon obesulus</i> , Domrow, 1961 <i>Perameles gunnii</i> , Domrow, 1963b <i>Oryctolagus cuniculus</i> , Domrow, 1961 <i>Dasyurus viverrinus</i> , Domrow, 1961
	<i>Mesolaelaps australiensis</i> Hirst, 1926	

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Laelaps</i>	
	<i>Laelaps assimilis</i> Womersley, 1956	<i>Mastacomys fuscus</i>
	<i>Laelaps calabyi</i> Domrow, 1961	<i>Rattus lutreolus</i> , Domrow, 1961
	<i>Laelaps cybala</i> Domrow, 1963	<i>Pseudomys higginsi</i> , Domrow, 1961
		<i>Mastacomys fuscus</i> , Domrow, 1963b
		<i>Dermanyssidae</i> not yet determined have been collected from
		<i>Eudromicea lepida</i>
		<i>Eptesicus pumilus</i>
		<i>Nyctophilus geoffroyi</i>
		<i>Chalinolobus gouldi</i>
		<i>Pipistrellus tasmaniensis</i>
		<i>Tachyglossus setosus</i>
		<i>Trichosurus vulpecula</i>
		<i>Leioploisma pretiosum</i>
		FAMILY TROMBICULIDAE
	Genus	
	<i>Neotrombicula</i>	
	<i>Neotrombicula novaehollandiae</i>	<i>Wallabia rufogrisea</i> , pers. com. Calaby
		<i>Thylagale billardieri</i> , pers. com. Calaby
		<i>Potorous tridactylus</i> , pers. com. Calaby
		<i>Trichosurus vulpecula</i>
	Genus	
	<i>Siseca</i>	
	<i>Siseca vandiemeni</i> Domrow	<i>Leioploisma ocellatum</i> , pers. com. Calaby
		<i>Leioploisma metallicum</i> , Domrow, 1962
		<i>Leioploisma entrecasteauxii</i> , Domrow, 1962
	Genus	
	<i>Guntherana</i>	
	<i>Guntherana kallipygos</i>	<i>Trichosurus vulpecula</i>
		<i>Trombiculidae</i> not yet determined have been collected from:
		<i>Eptesicus pumilus</i>
	Family LISTROPHORIDAE	
	Genus	
	<i>Campylochirus</i>	
	<i>Campylochirus chelopus</i> Trouessart, 1893	<i>Pseudocheirus convolutor</i> , Domrow, 1958
	Genus	
	<i>Listrophoroides</i>	
	<i>Listrophoroides expansus</i> Ferris, 1932	<i>Rattus lutreolus</i>
	Genus	
	<i>Cytostethum</i>	
	<i>Cytostethum promeces</i> Domrow, 1956	<i>Potorous tridactylus</i> , Domrow, 1961
	<i>Cytostethum pseudocharactum</i> Domrow, 1956	<i>Potorous tridactylus</i> , Domrow, 1961
	<i>Cytostethum mollisoni</i> Domrow, 1961	<i>Potorous tridactylus</i> , Domrow, 1961

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
	<i>Cystostethum nanophyes</i> Domrow, 1955	<i>Potorous tridactylus</i> , Domrow, 1955
	<i>Listrophoridae</i> not yet determined have been collected from:	<i>Thylogale billardieri</i>
Family	PSOROPTIDAE	
Genus	<i>Acaroptes</i>	
	<i>Acaroptes vombatus</i>	<i>Vombatus ursinus</i> , pers. com. Calaby
Family	CHEYLETIDAE	
Genus	<i>Neochyletiella</i>	
	<i>Neochyletiella artami</i> Domrow, 1966	<i>Artamus cyanopterus</i> , Domrow, 1970
Family	ARGASIDAE	
Genus	<i>Argas</i>	
	<i>Argas (Carios) australiensis</i> Kohls and Hoogstraal, 1962	<i>Eptesicus pumilus</i> , pers. com. Calaby
	<i>Argas (Carios) sp.</i>	<i>Chalinolobus gouldi</i> , pers. com. Calaby
		<i>Pipistrellus tasmaniensis</i> , Roberts, 1964
Family	IXODIDAE	
Genus	<i>Ixodes</i>	
	<i>Ixodes eudyptidis</i> , Maskell, 1885	<i>Eudyptula minor</i> , Roberts, 1964
		<i>Larus novaehollandiae</i> , Roberts, 1964
		<i>Sula bassana</i> , Roberts, 1964
		<i>Tyto novaehollandiae</i> , Roberts, 1970
		<i>Puffinus tenuirostris</i> , pers. com. Ryan
		<i>Sericornis humilis</i> , Roberts, 1964
		<i>Strepera fuliginosa</i> , Roberts, 1964
		<i>Puffinus tenuirostris</i> , Roberts, 1964
		<i>Pelecanoides urinatrix</i> , pers. com. Calaby
		<i>Diomedea exulans</i> , Roberts, 1964
		<i>Strepera fuliginosa</i> , pers. com. Calaby
		<i>Eudyptula minor</i> , Roberts, 1960
	<i>Ixodes uriae</i> White, 1852	
	<i>Ixodes kohlsi</i> Arthur, 1955	<i>Eudyptula minor</i> , Roberts, 1960
		<i>Puffinus tenuirostris</i> , pers. com. Ryan
		<i>Phalacrocorax</i> sp., pers. com. Ryan
		<i>Ornithorhynchus anatinus</i> , pers. com. Calaby
	<i>Ixodes ornithorhynchi</i> Lucas, 1845	<i>Tachyglossus setosus</i> , Roberts, 1964
	<i>Ixodes tasmani</i> Neumann, 1899	<i>Wallabia rufogrisea</i> , Roberts, 1964
		<i>Thylogale billardieri</i> , Roberts, 1964
		<i>Bettongia cuniculus</i> , Roberts, 1964
		<i>Potorous tridactylus</i> , Roberts, 1964
		<i>Vombatus ursinus</i> , Roberts, 1964
		<i>Isodon obesus</i> , Roberts, 1964
		<i>Perameles gunnii</i> , Roberts, 1964
		<i>Trichosurus vulpecula</i> , Roberts, 1964
		<i>Pseudocheirus convolutor</i> , Roberts, 1964

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
	<i>Ixodes hydromydis</i> Swan, 1931	<i>Petaurus breviceps</i> , Roberts, 1964
	<i>Ixodes facialis</i> Warburton and Nuttall, 1909	<i>Eudromicia lepida</i> , pers. com. Roberts
		<i>Sarcophilus harrisii</i> , Roberts, 1960
		<i>Dasyurus viverrinus</i> , Roberts, 1964
		<i>Antechinus swainsonii</i> , pers. com. Calaby
		<i>Hydromys chrysogaster</i> , Roberts, 1964
		<i>Mastacomys fuscus</i> , pers. com. Calaby
		<i>Pseudomys higginsi</i> , Roberts, 1964
		<i>Rattus lutreolus</i> , Roberts, 1964
		<i>Rattus rattus</i> , Roberts, 1964
		<i>Rattus norvegicus</i> , Roberts, 1964
		<i>Hydromys chrysogaster</i> , pers. com. Ryan
		<i>Sarcophilus harrisii</i> , Roberts, 1964
		<i>Dasyurops maculatus</i> , Roberts, 1960
		<i>Dasyurus viverrinus</i> , Roberts, 1964
		<i>Isodon obesus</i> , pers. com. Calaby
		<i>Antechinus swainsonii</i> , Roberts, 1964
		<i>Dasyurus viverrinus</i> , Roberts, 1964
		<i>Antechinus minimus</i> , Roberts, 1964
		<i>Antechinus swainsonii</i> , Roberts, 1970
		<i>Potorous tridactylus</i> , Roberts, 1964
	<i>Ixodes antechini</i> Roberts, 1960	<i>*Petroica phoenicia</i> , Roberts, 1970
	<i>Ixodes australiensis</i> Neumann, 1904	<i>*Colluricinclla harmonica</i> , Roberts, 1964
	<i>Ixodes cornutus</i> Roberts, 1960	<i>*Sericornis humilis</i> , Roberts, 1964
		<i>*Meliornis novaehollandiae</i> , Roberts, 1970
		<i>*Strepera fuliginosa</i> , Roberts, 1964
		<i>*Cracticus torquatus</i> , Roberts, 1964
		<i>*Sturnus vulgaris</i> , Roberts, 1970
		<i>*Thylogale billardieri</i> , Roberts, 1964
		<i>*Potorous tridactylus</i> , Roberts, 1970
		<i>Bettongia cuniculus</i> , Roberts, 1964
		<i>Vombatus ursinus</i> , Roberts, 1964
		<i>*Isodon obesus</i> , Roberts, 1964
		<i>*Perameles gunnii</i> , Roberts, 1964
		<i>*Trichosurus vulpecula</i> , Roberts, 1964
		<i>*Dasyurops maculatus</i> , Roberts, 1970
		<i>*Pseudomys higginsi</i> , Roberts, 1970
		<i>*Rattus lutreolus</i> , Roberts, 1964
		<i>*Rattus rattus</i> , Roberts, 1964
		<i>*Rattus norvegicus</i> , pers. com. Calaby
		<i>Mus musculus</i> , Roberts, 1964
		<i>Wallabia rufogrisea</i> , Roberts, 1960
		<i>Potorous tridactylus</i> , pers. com. Kemp
		<i>Trichosurus vulpecula</i> , Roberts, 1964
		<i>Pseudocheirus convolutor</i> , Roberts, 1970
		<i>Sericornis humilis</i> , Roberts, 1964
		<i>Bettongia cuniculus</i> , Roberts, 1964
		<i>Trichosurus vulpecula</i> , Roberts, 1964
		<i>Rattus lutreolus</i> , Roberts, 1964
		<i>Rattus rattus</i> , Roberts, 1964
		<i>Sericornis humilis</i> , pers. com. Calaby
		<i>Meliornis novaehollandiae</i> , pers. com. Calaby
		<i>Acanthiza ewingii</i> , pers. com. Calaby
	<i>Ixodes hirsti</i> Hassall, 1931	
	<i>Ixodes trichosuri</i> Roberts, 1960	
	<i>Ixodes sp.</i>	

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Amblyomma</i>	
	<i>Amblyomma postoculatum</i> Neumann, 1899	Unknown host, Neumann, 1899
	<i>Amblyomma limbatum</i> Neumann	Unrecorded host, Roberts, 1970
Genus	<i>Aponomma</i>	
	<i>Aponomma hydrosauri</i> Denny, 1843	<i>Tiliqua nigrolutea</i> , Roberts, 1964 <i>Tiliqua casuarina</i> , Roberts, 1964 <i>Amphibolurus diemensis</i> , Roberts, 1964 <i>Denisonia superba</i> , Roberts, 1964 <i>Denisonia coronoides</i> , pers. com. Calaby <i>Notechis scutatus</i> , Roberts, 1964 <i>Tachyglossus setosus</i> , Roberts, 1964
	<i>Aponomma concolor</i> Neumann, 1899	<i>Vombatus ursinus</i> , Roberts, 1964
	<i>Aponomma auruginous</i> Schulze, 1936	
Class	INSECTA	
Order	<u>PHTIRAPTERA</u>	
Sub Order	MALLOPHAGA	
Division	AMBLYCERA	
Family	MENOPONIDAE	
Genus	<i>Actornithophilus</i>	
	<i>Actornithophilus hoplopteri</i> (Mjoberg, 1910) sens. lat.	<i>Lobibyx novaehollandiae</i> , pers. com. Calaby
Genus	<i>Longimenopon</i>	
	<i>Longimenopon</i> sp.	<i>Pachyptila turtur</i> , pers. com. Clay
Genus	<i>Ancistrona</i>	
	<i>Ancistrona vagelli</i>	<i>Pachyptila turtur</i> , pers. com. Ryan
	<i>Ancistrona</i> sp.	<i>Pterodroma lessoni</i> , pers. com. Clay
Genus	<i>Austromenopon</i>	
	<i>Austromenopon transversum</i> (Denny, 1842)	<i>Larus novaehollandiae</i> , pers. com. Calaby
	<i>Austromenopon stammeri</i> Timmermann, 1963	<i>Pachyptila vittata</i> , pers. com. Clay <i>Pachyptila salvini</i> , pers. com. Clay <i>Pachyptila turtur</i> , pers. com. Clay <i>Pachyptila belcheri</i> , pers. com. Clay <i>Pelecanoides urinatrix</i> , pers. com. Calaby <i>Puffinus tenuirostris</i> , pers. com. Calaby <i>Macronectes giganteus</i> , pers. com. Clay
Genus	<i>Colpocephalum</i>	
	<i>Colpocephalum zerafae</i> Ansari, 1955	<i>Falco berigora</i> , pers. com. Calaby
	<i>Colpocephalum fregili</i> (Denny, 1842)	<i>Corvus tasmanicus</i> , pers. com. Calaby

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Eidmanniella</i>	
	<i>Eidmanniella pustulosa</i> (Nitzsch, 1866)	<i>Sula bassana</i> , pers. com. Calaby
Genus	<i>Kurodaia</i>	
	<i>Kurodaia subpachygaster</i> (Piaget, 1880)	<i>Tyto novaehollandiae</i> , pers. com. Calaby
	<i>Kurodaia</i> sp.	<i>Ninox novaeseelandiae</i> , pers. com. Calaby
Genus	<i>Nosopon</i>	
	<i>Nosopon lucidum</i> (Rudow, 1869)	<i>Circus approximans</i> , pers. com. Clay
Genus	<i>Menacanthus</i>	
	<i>Menacanthus mutabilis</i> Blaquoveshtchensky, 1940	<i>Sturnus vulgaris</i> , pers. com. Calaby
	<i>Menacanthus</i> sp.	<i>Synoicus ypsilonphorus</i> , pers. com. Calaby <i>Corruicincia harmonica</i> , pers. com. Calaby <i>Artamus cyanopterus</i> , pers. com. Calaby <i>Corvus tasmanicus</i> , pers. com. Calaby
Genus	<i>Myrsidea</i>	
	<i>Myrsidea strangeri</i> Clay, 1970	<i>Malurus cyaneus</i> , Clay, 1970
	<i>Myrsidea</i> sp.	<i>Pachycephala pectoralis</i> , pers. com. Calaby <i>Zoothera dauma</i> , pers. com. Calaby <i>Melithreptus validirostris</i> , pers. com. Calaby <i>Corvus tasmanicus</i> , pers. com. Calaby <i>Strepera fuliginosa</i> , pers. com. Calaby
Genus	<i>Pseudomenopon</i>	
	<i>Pseudomenopon concretum</i> (Piaget, 1880)	<i>Porphyrio melanotus</i> , pers. com. Clay
	<i>Pseudomenopon</i> sp.	<i>Tribonyx mortierii</i> , pers. com. Calaby
Genus	<i>Psittacomnenopon</i>	
	<i>Psittacomnenopon psittacus</i> (Le Souef and Bullen, 1902)	<i>Platycercus eximius</i> , pers. com. Calaby
Family	BOOPIDAE	
Genus	<i>Boopia</i>	
	<i>Boopia tarsata</i> Piaget, 1880	<i>Vombatus ursinus</i> , pers. com. Murray
Genus	<i>Paraheterodoxus</i>	
	<i>Paraheterodoxus</i> n. sp.	<i>Bettongia cuniculus</i> , pers. com. Clay
Family	RICINIDAE	
Genus	<i>Ricinus mugimaki</i> (Uchida, 1915)	<i>Rhipidura fuliginosa</i> , pers. com. Calaby
	<i>Ricinus</i> sp.	<i>Acanthiza ewingii</i> , pers. com. Calaby <i>Meliphaga flavicollis</i> , pers. com. Calaby

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Division	ISCHNOCERA	
Family	PHILOPTERIDAE	
Genus	<i>Alcedoecus</i>	
	<i>Alcedoecus delphax</i> (Nitzsch, 1866)	<i>Dacelo gigas</i> , pers. com. Calaby
Genus	<i>Ardeicola</i>	
	<i>Ardeicola</i> sp.	<i>Botaurus poiciloptilus</i> , pers. com. Calaby
Genus	<i>Brueelia</i>	
	<i>Brueelia</i> sp.	<i>Pachycephala pectoralis</i> , pers. com. Calaby <i>Cinclosoma punctatum</i> , pers. com. Calaby <i>Malurus cyaneus</i> , pers. com. Calaby <i>Anthochaera paradoxa</i> , pers. com. Calaby <i>Strepera arguta</i> , pers. com. Calaby <i>Zoothera dauma</i> , pers. com. Calaby
	<i>Brueelia davmae</i> (Clay, 1936)	
Genus	<i>Coloceras</i>	
	<i>Coloceras</i> sp. <i>Coloceras chinensis</i> (Kellogg and Chapman, 1902) sens. lat.	<i>Phaps chalcoptera</i> , pers. com. Calaby <i>Streptopelia chinensis</i> , pers. com. Calaby
Genus	<i>Columbicola</i>	
	<i>Columbicola tasmaniensis</i> Tenderio, 1967	<i>Phaps chalcoptera</i> , Tenderio, 1967
Genus	<i>Craspedorrhynchus</i>	
	<i>Craspedorrhynchus</i> sp.	<i>Accipiter fasciatus</i> , pers. com. Clay <i>Aquila audax</i> , pers. com. Calaby <i>Haliaeetus leucogaster</i> , pers. com. Calaby <i>Falco berigora</i> , pers. com. Calaby
Genus	<i>Docophoroides</i>	
	<i>Docophoroides brevis</i> (Dufour, 1835)	<i>Diomedea exulans</i> , pers. com. Clay
	<i>Docophoroides</i> sp.	<i>Macronectes gigas</i> , pers. com. Clay
Genus	<i>Cuclotogaster</i>	
	<i>Cuclotogaster synoicus</i> (Clay, 1938)	<i>Synoicus ypsilophorus</i> , pers. com. Calaby
Genus	<i>Goniodes</i>	
	<i>Goniodes retractus</i> (Le Souef, 1902)	<i>Synoicus ypsilophorus</i> , pers. com. Calaby
Genus	<i>Falcolipeurus</i>	
	<i>Falcolipeurus suturalis</i> (Rudow, 1869)	<i>Aquila audax</i> , pers. com. Clay

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Naubates</i>	
	<i>Naubates prioni</i> (Enderlein, 1908)	<i>Pachyptila turtur</i> , pers. com. Clay <i>Pachyptila vittata</i> , pers. com. Clay <i>Pachyptila belcheri</i> , pers. com. Clay <i>Halobaena caerulea</i> , pers. com. Calaby
	<i>Naubates clypeatus</i> (Giebel, 1874)	<i>Pterodroma lessonii</i> , pers. com. Clay
	<i>Naubates heteroproctus</i> Harrison, 1937	
	<i>Naubates</i> sp.	<i>Pachyptila turtur</i> , pers. com. Ryan
Genus	<i>Halipeurus</i>	
	<i>Halipeurus pelagicus</i> (Denny, 1842)	<i>Pelagodroma marina</i> , pers. com. Calaby
	<i>Halipeurus falsus pacificus</i> Edwards, 1961	<i>Pelecanoides urinatrix</i> , pers. com. Calaby
	<i>Halipeurus diversus</i> (Kellogg, 1896)	<i>Puffinus tenuirostris</i> , pers. com. Calaby
	<i>Halipeurus procellariae</i> (J. C. Fabricius, 1775)	<i>Pterodroma lessonii</i> , pers. com. Clay
Genus	<i>Paraclisis</i>	
	<i>Paraclisis obscura</i> (Rudow, 1869)	<i>Macronectes giganteus</i> , pers. com. Clay
Genus	<i>Pectinopygus</i>	
	<i>Pectinopygus bassani</i> (Fabricius, 1780)	<i>Sula bassana</i> , pers. com. Calaby
	<i>Pectinopygus gyricornis</i> (Denny, 1842)	<i>Phalacrocorax carbo</i> , pers. com. Calaby
	<i>Pectinopygus subsetosus</i> (Piaget, 1880)	<i>Phalacrocorax melanoleucus</i> , pers. com. Calaby
Genus	<i>Pelmatocerandra</i>	
	<i>Pelmatocerandra setosa</i> (Giebel, 1876)	<i>Pelecanoides urinatrix</i> , pers. com. Calaby
Genus	<i>Philopterus</i>	
	<i>Philopterus</i> sp.	<i>Colluricinclia harmonica</i> , pers. com. Calaby <i>Cinclosoma punctatum</i> , pers. com. Calaby <i>Zoothera dauma</i> , pers. com. Calaby <i>Melithreptus validirostris</i> , pers. com. Calaby <i>Phylidonyris novaehollandiae</i> , <i>Anthochaera paradoxa</i> , <i>Corvus tasmanicus</i> , pers. com. Calaby <i>Strepera fuliginosa</i> , pers. com. Calaby <i>Strepera auriguta</i> , pers. com. Calaby <i>Turdus merula</i> , pers. com. Calaby
Genus	<i>Physconelloides</i>	
	<i>Physconelloides australiensis</i> Tendeiro, 1969	<i>Phaps chalcoptera</i> , pers. com. Calaby
Genus	<i>Quadraceps</i>	
	<i>Quadraceps cucullatus</i> Timmermann, 1955	<i>Charadrius cucullatus</i> , pers. com. Calaby

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Quadraceps renschi</i> Timmermann, 1954	<i>Lobibyx novaehollandiae</i> , pers. com. Calaby
	<i>Saemundsonia</i>	
	<i>Saemundsonia lockleyi</i> Clay, 1949	<i>Sterna albifrons</i> , pers. com. Calaby
	<i>Saemundsonia platygaster</i> (Denny, 1842) sens. lat.	<i>Charadrius bicinctus</i> , pers. com. Calaby
	<i>Saemundsonia lari fallai</i> Timmermann, 1951	<i>Larus novaehollandiae</i> , pers. com. Calaby
	<i>Saemundsonia africana sycophanta</i> Timmermann, 1962	<i>Lobibyx novaehollandiae</i> , Timmermann, 1962
	<i>Saemundsonia desolata</i> Timmermann, 1959	<i>Pachyptila vittata</i> , pers. com. Clay <i>Pachyptila salvini</i> , pers. com. Clay <i>Halobaena caerulea</i> , pers. com. Calaby <i>Pterodroma lessoni</i> , pers. com. Clay
Genus	<i>Strigiphilus</i>	
	<i>Strigiphilus cursitans</i> group	<i>Ninox novaeseelandiae</i> , pers. com. Calaby
	<i>Strigiphilus aitkeni</i> Clay, 1966	<i>Tyto novaehollandiae</i> , Clay, 1966
	<i>Strigiphilus</i> n. sp.	<i>Aegotheles cristata</i> , pers. com. Calaby
Genus	<i>Podargoecus</i>	<i>Podargus strigoides</i> , pers. com. Clay
	<i>Podargoecus strigoides</i> Emerson and Price, 1966	
Genus	<i>Sturnidoecus</i>	<i>Sturnus vulgaris</i>
	<i>Sturnidoecus sturni</i> (Schrank, 1776)	
Genus	<i>Trabeculus</i>	
	<i>Trabeculus hexacon</i> (Waterston, 1914) sens. lat.	<i>Puffinus tenuirostris</i> , pers. com. Calaby
	<i>Trabeculus schillingi</i> Rudow, 1866	<i>Pterodroma lessonii</i> , pers. com. Clay
Genus	<i>Turnicola</i>	
	<i>Turnicola</i> sp.	<i>Turnix varia</i> , pers. com. Calaby <i>Coturnix pectoralis</i> , pers. com. Calaby
Genus	<i>Degeeriella</i>	
	<i>Degeeriella rufa</i> (Burm, 1838) sens. lat.	<i>Falco berigora</i> , pers. com. Calaby
	<i>Degeeriella fusca</i> (Denny, 1842)	<i>Circus approximans</i> , pers. com. Clay
	<i>Degeeriella fulva</i> (Giebel, 1874)	<i>Accipiter fasciatus</i> , pers. com. Clay
Genus	<i>Austrogoniodes</i>	
	<i>Austrogoniodes waterstoni</i> (Cummings, 1914)	<i>Eudyptula minor</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Rallicola</i>	
	<i>Rallicola campbelli</i> Emerson, 1964	<i>Tribonyx mortierii</i> , Emerson, 1964
	<i>Rallicola mortieri</i> Emerson, 1964	<i>Tribonyx mortierii</i> , Emerson, 1964
	<i>Rallicola lugens</i> (Giebel, 1874)	<i>Porphyrio melanotus</i> , pers. com. Clay
Sub Order	ANOPLURA	
Family	HOPLOPLEURIDAE	
Genus	<i>Polyplax</i>	
	<i>Polyplax spinulosa</i> (Burmeister, 1839)	
Genus	<i>Hoplopleura</i>	
	<i>Hoplopleura irritans</i> Kuhn and Ludwig, 1967	<i>Rattus lutreolus</i> , pers. com. Calaby
	<i>Hoplopleura mastacomysidis</i> Kuhn and Ludwig, 1967	<i>Rattus rattus</i> , pers. com. Calaby
	<i>Hoplopleura calabyi</i> Johnson, 1960	
	<i>Hoplopleura pacifica</i> Ewing, 1924	
	Nymphs not determinable	
Order	SIPHONAPTERA	
Super Family	PULICOIDEA	
Family	PULICIDAE	
Genus	<i>Pulex</i>	
	<i>Pulex irritans</i> Linné, 1758	<i>Trichosurus vulpecula</i> , pers. com. Calaby
Super Family	CERATOPHYLLOIDEA	
Family	RHOPALOPSYLLIDAE	
Genus	<i>Parapsyllus</i>	
	<i>Parapsyllus australiacus</i> Roths., 1809	<i>Eudyptula minor</i> , pers. com. Calaby
	<i>Parapsyllus taylori</i> Jordan, 1942	<i>Pelagodroma marina</i> , pers. com. Mardon
Family	PVGLOPSYLLIDAE	<i>Puffinus tenuirostris</i> , pers. com. Calaby
		<i>Puffinus tenuirostris</i> , pers. com. Calaby

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Hoogstraali</i>	
	<i>Hoogstraali vandiemeni</i> Smit, 1958	<i>Sericornis humilis</i> , Holland, 1962
Genus	<i>Pygiopsylla</i>	
	<i>Pygiopsylla hoplia</i> Jordan and Roths., 1922	<i>Ornithorhyncus anatinus</i> , pers. com. Mardon <i>Potorous tridactylus</i> , pers. com. Calaby <i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunni</i> , pers. com. Calaby <i>Trichosurus vulpecula</i> , pers. com. Mardon <i>Sarcophilus harrisii</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Mardon <i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Antechinus minimus</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , pers. com. Calaby <i>Mastacomys fuscus</i> , pers. com. Calaby <i>Pseudomys higginsi</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby <i>Rattus norvegicus</i> , pers. com. Calaby <i>Potorous tridactylus</i> , pers. com. Calaby <i>Bettongia cuniculus</i> , pers. com. Calaby <i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunni</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Mardon <i>Dasyurus viverrinus</i> , pers. com. Mardon <i>Rattus lutreolus</i> , pers. com. Calaby <i>Potorous tridactylus</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby
	<i>Pygiopsylla zethi</i> (Roths., 1904)	
	<i>Pygiopsylla</i> sp. n.	
Genus	<i>Acanthopsylla</i>	
	<i>Acanthopsylla rothschildi</i> (Rainbow, 1905)	<i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunni</i> , pers. com. Calaby <i>Trichosurus vulpecula</i> , pers. com. Calaby <i>Eudromicia lepida</i> , pers. com. Calaby <i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Calaby <i>*Sminthopsis leucopus</i> , pers. com. Calaby <i>Pseudomys higginsi</i> , pers. com. Calaby <i>Rattus lutreoplus</i> , pers. com. Calaby <i>*Cercartetus nanus</i> <i>*Eudromicia lepida</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Cercartetus nanus</i> , pers. com. Calaby <i>Eudromicia lepida</i> , pers. com. Calaby
	<i>Acanthopsylla scintilla</i> (M. Roths., 1936)	
	<i>Acanthopsylla</i> sp. n.	
Genus	<i>Choristopsylla</i>	
	<i>Choristopsylla ochi</i> (Roths., 1904)	<i>Trichosurus vulpecula</i> , pers. com. Calaby <i>Eudromicia lepida</i> , pers. com. Mardon
Genus	<i>Bradiopsylla</i>	
	<i>Bradiopsylla echidnae</i> (Denny, 1843)	<i>Tachyglossus setosus</i> , pers. com. Calaby

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Lycopsylla</i>	
	<i>Lycopsylla nova</i> Roths., 1904	<i>Vombatus ursinus</i> , pers. com. Calaby
Genus	<i>Uropsylla</i>	
	<i>Uropsylla tasmanica</i> Roths., 1905	<i>Sarcophilus harrisii</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Calaby <i>Dasyurus viverrinus</i> , pers. com. Calaby
Family	STEPHANOCIRCIDAE	
Sub Family	STEPHANOCIRCINAE	
Genus	<i>Stephanocircus</i>	
	<i>Stephanocircus pectinipes</i> Roths., 1915	<i>Pseudomys higginsi</i> , pers. com. Calaby
	<i>Stephanocircus simsoni</i> Roths., 1905	<i>Rattus lutreolus</i> , pers. com. Calaby
	<i>Stephanocircus dasyuri</i> Skuse, 1893	<i>Potorous tridactylus</i> , pers. com. Calaby <i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunni</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Mardon <i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Antechinus minimus</i> , pers. com. Calaby
	<i>Stephanocircus</i> n. sp.	
Family	MACROPSYLLIDAE	
Genus	<i>Macropsylla</i>	
	<i>Macropsylla hercules</i> Roths., 1905	<i>Antechinus swainsonii</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , pers. com. Calaby <i>Mastacomys fuscus</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby
Family	ISCHNOPSYLLIDAE	
Genus	<i>Porribius</i>	
	<i>Porribius</i> sp.	<i>Chalinolobus gouldi</i> , pers. com. Calaby <i>Pipistrellus tasmaniensis</i> , pers. com. Calaby <i>Nyctophilus geoffroyi</i> , pers. com. Calaby <i>Eptesicus pumilus</i> , pers. com. Calaby
Family	LEPTOPSYLLIDAE	
Genus	<i>Leptopsylla</i>	
	<i>Leptopsylla segnis</i> (Schönherr, 1811)	<i>Antechinus minimus</i> , pers. com. Mardon <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby <i>Rattus norvegicus</i> , pers. com. Mardon <i>Mus musculus</i> , pers. com. Calaby

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Family	CERATOPHYLLIDAE	
Genus	<i>Nosopsyllus</i>	
	<i>Nosopsyllus fasciatus</i> (Bosc, D'Antic, 1801)	<i>Rattus lutreolus</i> , pers. com. Marriott
	<i>Nosopsyllus londiniensis</i> (Roths., 1903)	<i>Rattus norvegicus</i> , pers. com. Mardon
		<i>Rattus rattus</i> , pers. com. Calaby
Order	DIPTERA	
Family	CHLOROPIDAE	
Genus	<i>Batrachomyia</i>	
	<i>Batrachomyia</i> sp.	<i>Crinia levigata</i> , pers. com. Hickman <i>Pseudophryne semimarmorata</i> , pers. com. Hickman
Family	MUSCIDAE	
Genus	<i>Passeromyia</i>	
	<i>Passeromyia</i> sp.	<i>Passer domesticus</i> <i>Carduelis carduelis</i>
Family	HIPPOBOSCIDAE	
Genus	<i>Ornithophila</i>	
	<i>Ornithophila metallica</i> (Schiner, 1864)	Host unrecorded (pers. com. Maa)
Genus	<i>Ornithomya</i>	
	<i>Ornithomya avicularia nigricornis</i> (Erichson, 1842)	<i>Accipiter fasciatus</i> , pers. com. Maa <i>Circus approximans</i> , pers. com. Maa <i>Falco peregrinus</i> , Maa, 1962 <i>Ninox novaezealandiae</i> , Maa, 1962 <i>Tyto alba</i> , Maa, 1962 <i>Platycercus caledonicus</i> , Maa, 1962 <i>Colluricincta harmonica</i> , pers. com. Maa <i>Coracina novaehollandiae</i> , pers. com. Maa <i>Anthochaera chrysoptera</i> , pers. com. Maa <i>Corvus tasmaniensis</i> , pers. com. Maa <i>Phasianus colchicus</i> , Maa, 1962 <i>Numida meleagris</i> , Maa, 1962 <i>Acanthorhynchus tenuirostris</i> , pers. com. Maa
	<i>Ornithomya opposita</i> Walker, 1849	
Genus	<i>Ortholfersia</i>	
	<i>Ortholfersia phaneroneura</i> Speiser, 1902	<i>Wallabia rufogrisea</i> , Maa, 1962
Family	NYCTERIBIIDAE	
Genus	<i>Basilia</i>	
	<i>Basilia multispinosa</i> (Musgrave, 1927)	<i>FAMILY VESPERTILIONIDAE</i> , pers. com. Maa
	<i>Basilia</i> n. sp.	<i>Eptesicus pumilus</i> , pers. com. Maa

Parasites of Tasmania

	<u>PARASITE</u>	<u>HOST</u>
Order	PENTASTOMIDA	
Genus	<i>Waddycephalus</i>	<i>Waddycephalus teretiusculus</i>
		<i>Denisonia superba</i> , pers. com. Hickman

ACKNOWLEDGEMENTS

The authors wish to acknowledge invaluable assistance provided by the undermentioned people who collected or identified specimens and gave helpful criticism of the manuscript.

T. Andersen, J. H. Calaby, K. R. Campbell, Dr. Theresa Clay, R. Domrow, Dr. G. M. Dunnet, Dr. K. C. Emerson, Dr. J. L. Hickman, Dr. H. Hoogstraal, Dr. Phyllis Johnson, Dr. M. N. Kaiser, D. H. Kemp, Dr. Hans Jürg Kuhn, Dr. T. C. Maa, K. D. Mardon, R. W. Marriott, B. C. Mollison, M. D. Murray, M. G. Ridpath, Dr. F. H. S. Roberts, A. F. Ryan, Dr. G. Timmermann, Dr. Tindeiro, T. O. Wolf.

BIBLIOGRAPHY

- CLAY, Theresa (1966) The species of *Strigiphilus* (Mallophaga: Philopteridae) parasites on the barn owls, *Tyto* (Tytonidae). *J. Ent. Soc. Qld.* 5, 10-17
- (1970) A new species of *Myrisdea* (Mallophaga: Insecta) *W. Aust. Nat.* 11, (6), 135-7
- DOMROW, Robert (1955) Notes on Australian fur-mites (Listrophoridae, Atopomelinae) with description of a new genus. *Proc. Linn. Soc. N.S.W.* 80, (2), 191-200
- (1958) A summary of the Atopomelinae (Acarina, Listrophoridae) *Proc. Linn. Soc. N.S.W.* 83, (1), 40-54
- (1961) New and little-known Laelaptidae, Trombiculidae and Listrophoridae (Acarina) from Australasian mammals. *Proc. Linn. Soc. N.S.W.* 86, (1), 60-95
- (1962) The genus *Siseca* in Australia (Acarina: Trombiculidae) *J. Ent. Soc. Qld.* 1, 21-24
- (1963a) The genus *Andreacarus* in Australia (Acarina: Laelapidae). *J. Ent. Soc. Qld.* 2, 9-12
- (1963b) New records and species of Australasian laelapid mites. *Proc. Linn. Soc. N.S.W.* 88, (2), 199-220
- (1966a) Some laelapid mites of syndactylous marsupials. *Proc. Linn. Soc. N.S.W.* 90, (2), 164-175
- (1966b) Some mite parasites of Australian Birds. *Proc. Linn. Soc. N.S.W.* 90, 190-217
- EMERSON, K. C. (1964) The male of *Neocheyletiella artami* Domrow (Acari: Cheyletidae). *Proc. Linn. Soc. N.S.W.* 94, 273-6
- Two new species of *Rallicola* from Tasmania (Mallophaga: Philopteridae). *J. Ent. Soc. Qld.* 3, 30-1

Parasites of Tasmania

- HOLLAND, G. P. (1962) Save those fleas. *Aust. Mammal Soc. Bull.* No. 5
6-9
- KUHN, Hans-Jürg and Suckling lice of the genus *Hoplopleura* (Anoplura:
LUDWIG, Herbert W. (1967) Insecta) from Australian Muridae, *Ann. Mag. Nat. Hist.*
ser. 13, 9, 658-73
- MAA, T. C. (1962) Notes on the hippoboscidae (Diptera)
1st Pacific Insects, 4, (3), 583-614
- MUNDAY, B. L. (1966) Diseases of Tasmania's free-living animals.
Tas. Dept. Agric. Res. Bull. No. 5
- ROBERTS, F. H. S. (1960) A systematic study of the Australian species of the
genus *Ixodes* (Acarina: Ixodidae).
Aust. J. Zool. 8, 392-485
- (1964) The tick fauna of Tasmania. *Rec. Queen Vict. Mus.* No. 17.
- (1970) *Australian Ticks* (C.S.I.R.O., Melbourne)
- TINDEIRO, (1967) This deals with a new sp. of lice from *Phaps chalcoptera*,
Estudos Gerias Universitarios de Mocambique, Lourenco
Marques, 4, 100.
- TIMMERMANN, Günther (1962) Neue zangenläuse (Mallophaga, Philopteridae)
von procellarugorman und charadriformen wirten.
Z. f. Parasitenkunde 21, 426-36