

A Host-List of Phthirapteran Parasites (Lice) Found on Indo-Pakistan Mammals (Mammalia) and Birds (Aves)

BY

DR. MUHAMMAD ATIQUIR RAHMAN, ANSARI

PH.D. (PUNJAB), D.SC. (PARIS), F.R.E.S.

Division of Entomology and Parasitology : Institute of Hygiene and Preventive Medicine, Lahore (West Pakistan)

(Continued from the Pakistan Journal of Health, Vol. 6, No. 1, April 1956, pp. 1-39)

II. CORACIIFORMES

125. **Aceros nipalensis** (Hodgson) : BUCEROTIDAE (1570. Rufous-necked Hornbill).
1. *Bucerophagus* sp.
2. *Buceronirmus zonatus* (Piaget) 1881 *Tajdschr. Ent.*, 24 : 3, pl. 1 fig. 3.
3. *Paronophorus major* (Piaget) 1885 *Pediculines Supplement*, 149, pl. 16 fig. 2.
126. **Alcedo atthis pallasii** (Reichenbach) : ALCEDINIDAE (1535. Common Central Asian King fisher).
1. *Alcedoffula alcedinis* (Denny) 1842 *Mon. Anopl. Brit.*, 48, 111, pl. 6 fig. 1.
127. **Asio flammeus flammeus** (Pontoppidan) : ASIONIDAE (1643. Short-eared Owl).
1. *Colpocephalum brachysomum* Kellogg and Chapman 1902 *J.N.Y. ent. Soc.*, 10 : 162, pl. 14 fig. 3.
2. *Strigiphilus cursor* (Burmeister) 1838 *Handbnch Ent.*, 2 : 426.
3. *Strigiphilus nudipes* (Piaget) 1880 *Padiculines* 26, pl. 1 fig. 6.
128. **Asio otus otus** (Linn.) : ASIONIDAE (1642. Long-eared Owl).
1. *Strigiphilus asionis* (Eichler) 1949 *Beitr. tax Zool.* 1 : 12, pl. 1 figs. 1-1.2.
2. *Strigiphilus cursor* (Burmeister) 1838 *Handbuch Ent.*, 2 : 426.
3. *Strigiphilus nudipes* (Piaget) 1880 *Pediculines* 26, pl. 1 fig. 1.
129. **Athene brama brama** (Temminck) : ASIONIDAE (1683. Southern Spotted Owlet).
1. *Colpocephalum* sp.
2. *Strigiphilus bramae* (Qadri) 1935 *Z. Parasitenk.*, 8 : 236, fig. 8.

130. **Athene brama indica** (Franklin) : ASIONIDAE (1684. Northern Spotted Owlet).
 1. *Kurodaia panjabensis* (Ansari) 1951 *Proc. Nat. Inst. Sci. India*, 17 : 160, fig. 14.
 2. *Strigiphilus bramae* (Qadri) 1935 *Z. Parasitenk.*, 8 : 236, fig. 8.
 3. *Strigiphilus* sp.
131. **Athene noctua bactriana** (Blyth) : ASIONIDAE (1687. Hutton's Owlet)
 1. *Kurodaia cryptostigmatia* (Nitzsch) 1861 *Z. ges. NatWiss.*, 17 : 529.
 2. *Penenirmus cursitans* (Nitzsch) 1861 *Z. ges. NatWiss.*, 17 : 528.
132. **Brachypternus benghalensis benghalensis** (Linn.) : PICIDAE (1394. Western Golden-backed Woodpecker).
 1. *Kurodaia* sp.
 2. *Penenirmus* sp.
133. **Bubo bubo bengalensis** (Franklin) : ASIONIDAE (1660. Indian Great Horned Owl).
 1. *Kurodaia longipes* (Giebel) 1874 *Insecta epizoa*, 280.
 2. *Strigiphilus goniodicerus* Eichler 1949 *Beitr. tax. Zool.* 1 : 11 (nomen nov. for *Docophorus heteroceros* Nitzsch 1861 nec Grube 1851).
 3. *Strigiphilus strigis* (Pontoppidan) 1763 *Danske Atlas*, 1 : 699. pl. 30.
134. **Centropus sinensis sinensis** (Stephens) : CUCULIDAE (1490. Common Crow Pheasant).
 1. *Cuculiphilus centropi* Qadri 1935 *Z. Parasitenk.*, 8 : 231, fig. 4.
135. **Ceryle lugubris guttulata** (Stejneger) : ALCEDINIDAE (1532. Himalayan Pied Kingfisher).
 1. *Myrsidea kuluensis* Ansari 1951 *Proc. Nat. Inst. Sci. India.*, 17 : 190, fig. 25.
136. **Ceryle rudis leucomelanura** (Reichenbach) : ALCEDINIDAE (1531. Indian Pied Kingfisher).
 1. *Alcedoffula duplicatus* (Piaget) 1890 *Tijdschr. Ent.*, 33 : 223, pl. 8 fig. 1.
 2. *Alcedoffula machera* Ansari 1935 *Proc. VII Pak. Sci. Confr., Biol.*, 46.
137. **Chrysophlegma (-Picus) flavinucha flavinucha** Gould : PICIDAE (1353. Large Yellow-naped Woodpecker).
 1. *Penenirmus macrotrichus* (Kolehati) 1858 *S. B. Akad. Wiss. Wien*, 29 : 248 pl. 1 fig. 5.
138. **Clamator coromandus** (Linn.) : CUCULIDAE (1447. Red-winged Crested Cuckoo).
 1. *Cuculicola coromandus* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 16.

139. **Clamator jacobinus jacobinus** (Baddaert) : CUCULIDAE (1472. Pied Crested Cuckoo).
1. *Cuculiphilus pupiya* Ansari 1951 *Proc. Nat. Inst. Sci. India.*, 17 : 158, fig. 13.
2. *Cuculicola concolor* Ansari 1955 *Proc. VII Pak. Sci. Confr. Biol.*, 44.
3. *Cuculoecus distinctus* Ansari 1955 *Proc. VII Pak. Sci. Confr., Biol.*, 45.
140. **Coracias benghalensis benghalensis** (Linn.) : CORACIIDAE (1517. Indian Roller).
1. *Capraiella masumae* Ansari 1955 *Proc. VII Pak. Sci. Confr., Biol.*, 47.
2. *Capraiella sabzak* Ansari 1955 *Proc. VII Pak. Sci. Confr., Biol.*, 46.
141. **Coracias garrula semenowi** Lond. et. Tschusi : CORACIIDAE (1576. Kashmir Roller).
1. *Meromenopon incisum* (Giebel) 1866 *Z. ges. NatWiss.*, 28 : 391.
2. *Capraiella subcuspidata* (Burmeister) 1838 *Handbuch Ent.*, 2 : 430.
142. **Cuculus canorus canorus** : Linn. CUCULIDAE (1451. European Cuckoo).
1. *Cuculiphilus fasciatus* (Scopoli) 1763 *Ent. Carniolica*, 383.
2. *Cuculicola latirostris* (Burmeister) 1838 *Handbuch Ent.* 2 ; 429.
3. *Cuculoecus latifrons* (Denny) 1842 *Mon. Anopl. Brit.*, 46, 97, pl. 1 fig. 4.
143. **Cuculus canorus telephonus** (Heine) : CUCULIDAE (1452. Asiatic Cuckoo).
1. *Cuculiphilus fasciatus* (Scopoli) 1763 *Ent. Carniolica* 383.
144. **Cuculus poliocaphalus poliocaphalus** Latham : CUCULIDAE (1455. Small Cuckoo).
1. *Cuculiphilus hototogisu* Uchida 1926 *Jour. Coll. Agric. Tokyo*, 9 : 48, fig. 16.
145. **Dryobates scindeanus** (Horsfield et Moore) : PICIDAE (1363. Sind Pied Woodpecker).
1. *Picicola praeosterus* Clay and Meinertzhagen 1938 *Entomologist*, 71 : 74, figs. 1, 2.
146. **Entomothera (= Halcyon) coromanda coromanda** (Latham) : ALCEDINIDAE (1555. Ruddy Kingfisher).
1. *Alcedoecus mystacinus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 27: 116.

147. **Eudynamys scolopaceus scolopaceus** (Linn.) : CUCULIDAE (1475. Indian Koel).
 1. *Cuculicola dilatofasciatus* (Piaget) 1880 *Pediculines* 147, pl. 12 fig. 4.
 2. *Cuculicola jamilae* Ansari 1955 *Proc. VII Pak. Sci. Confr. Biol.*, 44.
148. **Halcyon smyrnensis** (Linn.) : ALCEDINIDAE (1550. White-breasted Kingfisher).
 1. *Alcedoecus anularis* Ansari 1955 *Proc. VII Pak. Sci. Confr., Biol.*, 45.
 2. *Alcedoffula mahigir* Ansari 1955 *Proc. VII Pak. Sci. Confr. Biol.*, 46.
 3. *Paragoniocotes* sp.
149. **Hierococyx varius** (Vahl) : CUCULIDAE (1458. Common. Hawk Cuckoo).
 1. *Ccculiphilus upak* Ansari 1951 *Prac Nat. Inst. Sci. India*, 17 : 156, fig. 12.
 2. *Cuculicola* sp.
150. **Hydrocissa (= Anthracoceros) coronata** (Boddaert) : BUCEROTIDAE (1564. Malabar Pied Horn-bill).
 1. *Chapinia mjobergi* (Eichler) 1947 *Ark. Zool.*, 39 A, no. 2 : 2 figs. 1-2.
151. **Hydrocissa (= Anthracoceros) malabarica malabarica** (Gmelin) : BUCEROTIDAE (1565. Large Indian Pied Horn-bill).
 1. *Chapinia acutovulvata* (Piaget) 1881 *Tijdschr. Ent.*, 24 : 5, pl. 1 fig. 4.
152. **Magalaima virens marshallorum** (Swinhoe) : CAPITONIDAE (1427. Great Himalayan Barbet).
 1. *Bruelia panjabensis* (Ansari) 1947 *Proc. Nat. Inst. Sci. India*, 13 : 290, fig. 11.
 2. *Philopterus binedictae* Ansari 1955 *Proc. VII Pak. Sci. Confr. Biol.*, 59.
153. **Merops orientalis orientalis** Latham MEROPIDAE (1523, Common Indian Bee-eater).
 1. *Meropoecus caprai* Conci 1941 *Boll. Soc. Ent. Ital.* 73 : 102, pl. 1 figs. 6, 7.
154. **Merops apiaster apaister** Linnaeus : MEROPIDAE (1522. European Bee-eater).
 1. *Meromenopon meropis* Clay et Meinertzhagen 1941 *Ann. Mag. Nat. Hist.*, (11), 7 : 336, fig. 3, 4.
 2. *Bruelia apiastri* (Denny) 1842 *Mon. Anopl. Brit.*, 52, 133, pl. 10 fig. 4.
 3. *Meropoecus meropis* (Denny) 1842 *Mon. Anopl. Brit.*, 46, 101, pl. 4 fig. 4.

155. **Micropus affinis affinis** (Gray) : MICROPIDAE (1596. Common Indian House Swift).
1. *Dennyus minor* Kellogg et Paine 1914 *Rec. Ind. Mus.*, 10 : 242, pl. 15 fig. 10.
156. **Nyctea nyctea** (Linnaeus) : ASIONIDAE (1665. Snowy Owl).
1. *Strigiphilus* sp.
157. **Otus bekkamoena bekkamoena** Pennant : ASIONIDAE (1666. Ceylon Collared Scops Owl).
1. *Strigiphilus* sp.
158. **Otus bekkamoena marathae** Ticeherst : ASIONIDAE (1667. Central Indian Colored Scops Owl).
1. *Strigiphilus boomae* Ansari 1955 *Proc. VII Pak. Sci. Confr., Biol.*, 44.
159. **Otus bekkamoena plumipes** (Hume) : ASIONIDAE (1669. Panjab Collared Scops Owl).
1. *Strigiphilus boomae* Ansari 1955 *Proc. VII Pak. Sci. Confr.*, 44.
160. **Picus canus sanguiniceps** Stuart Baker : PICIDAE (1343. Indian Black-naped Green Woodpecker).
1. *Picicola candidus* (Nitzsch) 1866 *Z. ges. Nat. Wiss.* 27 : 117.
161. **Picus squamatus squamatus** Gould : PICIDAE (1337. Scally-bellied Green Woodpecker)
1. *Colpocephalum tirkhan* (Ansari) 1951 *Proc. Nat. Ins. Sci. India*, 17 : 164, fig. 15.
2. *Fenenirmus tuktolala* Ansari 1947 *Proc. Nat. Inst. Sci. India*, 13 : 265, fig. 4.
162. **Psittacula eupatria nipalensis** (Hodgson) : PSITTACIDAE (1497. Large Indian Paraquet).
1. *Echinophilopterus* sp.
2. *Neopsittaconirmus chandabani* (Ansari) 1947 *Proc. Nat. Inst. Sci. India*, 13 : 273, fig. 6.
163. **Psittacula krameri manillensis** (Lechst) : PSITTACIDAE (1500. Rose-ringed Paraquet).
1. *Echinophilopterus tota* Ansari 1947 *Proc. Nat. Inst. Sci. India*, 13 : 263, fig. 3.
2. *Neopsittaconirmns lybartota* (Ansari) 1947 *Proc. Nat. Inst. Sci. India*, 13 : 275, fig. 7.
3. *Paragoniocotes* sp.
164. **Strix aluca biddulphi** (Scully) : ASIONIDAE (1644. Scully's Wood Owl).
1. *Laemobothrion nocturnum* Giebel 1874 *Insecta epizoa* 302.
2. *Strigiphilus laticephalus* (Uchida) 1949 *Jap. Med. Jour.*, L : 543.

165. **Tockus birostris** (Scopoli) : BUCEROTIDAE (1575. Common Grey Hornbill).
 1. *Bucerphogus* sp.
 2. *Paroncophorus* sp.
166. **Tyto alba javanica** (Gmelin) : TYTONIDAE (1636. Indian Barn Owl).
 1. *Kurodaie subpachygaster* (Piaget) 1880 *Pediculines*, 517, pl. 43 fig. 2.
 2. *Strigiphilus rostratus* (Burmeister) 1838 *Handbuch Ent.*, 2: 427.
167. **Tyto alba stertens** Hartert : TYTONIDAE (1636 a. Indian Barn Owl).
 1. *Kurodaia subpachygaster* (Piaget) 1880 *Pediculines* 517, pl. 43 fig. 2.
 2. *Strigiphilus rostratus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 427.
168. **Upupa epops epops** Linn. : UPUPIDAE (1579. European Hoopoe).
 1. *Menacanthus fertilis* (Nitzsch) 1866 *Z. ges. NatWiss.*, 27 : 121.
 2. *Upupicola upupae* (Schrank) 1803 *Fauna Boica* 189.
169. **Upupa epops orientalis** Stuart Baker : UPUPIDAE (1581. Indian Hoopoe).
 1. *Menacanthus fertilis* (Nitzsch) 1866 *Z. ges. NatWiss.*, 27 : 121.
 2. *Upupicola upupae* (Schrank) 1803 *Fauna Boica*, 189.

III. ACCIPITRES

170. **Accipiter nisus nisosimilis** Tickell : FALCONIDAE (1811. Asiatic Sparrow Hawk).
 1. *Nosopon minus* (Piaget) 1880 *Pediculines* 418.
 2. *Craspedorrhynchus nisi* (Denny) 1842 *Mon. Anopl. Brit.*, 48, 109, pl. 3 fig. 11.
 3. *Degeeriella ninus* Giebel 1866 *Z. ges. NatWiss.*, 28 : 364.
171. **Aegypius monachus** (Linn.) : AEGYPTIDAE (1705. Cinerous vulture).
 1. *Colpocephalum polybori* Rudow 1869 *Z. ges. NatWiss.*, 34:397.
 2. *Aegypoeus brevicollis* (Burmeister) 1838 *Handbuch Ent.*, 2 : 424.
 3. *Falcolipeurus quadripustulatus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 434.
172. **Aquila chrysaetos daphanea** (Gray) : FALCONIDAE (1746. Himalayan Golden Eagle).
 1. *Colpocephalum impressum* Rudow 1866 *Z. ges. NatWiss.*, 27 : 475.
 2. *Craspedorrhynchus aquilinus* (Denny) 1842 *Mon. Anopl. Brit.*, 43, 81, pl. 2 fig. 7.

3. *Degeeriella fulva* (Giebel) 1874 *Insecta Epizoa*, 124.
4. *Falcolipeurus suturalis* (Rudow) 1869 *Beitr. Kenntn Malloph.*, 44.
3. ***Aquila nipalensis nipalensis*** Hodgson : FALCONIDAE (1748. Eastern Steppe Eagle).
 1. *Craspedorrhynchus nipalensis* Eichler 1944 *Zool. Anz.*, 145 : 73.
 2. *Degeeriella aquilarum* Eichler 1943 *Zool. Anz.* 142 : 92, fig. 1.
4. ***Aquila pomarina hastata*** (Lesson) FALCONIDAE (1751. Small Indian Spotted Eagle).
 1. *Craspedorrhynchus naevius* (Giebel) 1861 *Z. ges. Nat. Wiss.*, 17 : 523.
75. ***Butastur teesa*** (Franklin) : FALCONIDAE (1774. White-eyed Buzzard Eagle).
 1. *Degeeriella beaufacies* Ansari 1955 *Proc. VII Pak. Sci. Confr. Biol.*, 42.
76. ***Buteo rufinus rufinus*** (Cretz) : FALCONIDAE (1796. Long-legged Buzzard).
 1. *Laemobothrion niethammeri* Eichler 1942 *Zool. Anz.*, 137 : 60, fig. 5.
- 76a. ***Circaetus ferox*** (Gmelin) : FALCONIDAE (Short-toed Eagle).
 1. *Laemobothrion siddiqii* Ansari 1955 *Proc. VII Pak. Sci. Confr., Agric.*, 57.
77. ***Circaetus gallicus*** (Gmelin) : FALCONIDAE (1764. Short-toed Eagle).
 1. *Craspedorrhynchus triangularis* (Rudow) 1869 *Beitr. Kenntn. Malloph.* 10.
78. ***Cerchneis (= Falco) tinnunculus interstinctus*** (Horsfield) : FALCONIDAE (1741. Himalyan Kestrel).
 1. *Degeeriella rufa* (Burmeister) 1838 *Handbuch Ent.*, 2 : 430.
 2. *Degeeriella splendidus* Ansari 1955 *Proc. vii. Pak. Sci. Confr. Biol.*, 42.
79. ***Cerchneis (= Falco) tinnunculus tinnunculus*** (Linn.) : FALCONIDAE (1740. European Kestrel).
 1. *Laemobothrion tinnunculi* (Linn.) 1758 *Syst. Nat.*, ed. 10 : 612.
 2. *Degeeriella rufa* (Burmeister) 1838 *Handbuch Ent.*, 2 : 430.
80. ***Circus aeruginosus aeruginosus*** (Linn.) : FALCONIDAE (1796. Marsh Harrier)
 1. *Colpocephalum bicinctum* Nitzsch 1861 *Z. ges. Nat. Wiss.* 17 : 524.
 2. *Laemobothrion circi* (Fourcroy) 1785 *Ent. Paris*, 518.
 3. *Nosopon rotundifrons* (Blagoveshtchensky) 1940 *Mag. Parasit. Leningr.* 8 : 28, 77, fig. 4.
 4. *Craspedorrhynchus rotundatus* (Piaget) 1880 *Pediculines*, 21.
 5. *Degeeriella fusca* (Denny) 1842 *Mon. Anopl. Brit.* 49, 118, pl. 9 fig. 8.

181. **Circus pygargus** (Linn.) : FALCONIDAE.
 1. *Laemobothrion circi* (Fourcroy) 1785 *Ent. Paris*, 518.
 2. *Degeeriella fusca* (Denny) 1842 *Mon. Anopl. Brit.* 49, 118, pl. 9 fig. 8.
182. **Falco chicquera chicquera** Daudin : FALCONIDAE (1730. Red-headed Merlin).
 1. *Craspedorrhynchus chiquera* Ansari 1955 *Proc. VII. Pak. Sci. Confr. Biol.*, 48.
183. **Falco columbarius christiani-ludovici** Kleinsch : FALCONIDAE (Central Indian Merlin).
 1. *Degeeriella nitzschi* Giebel 1874 *Insecta Epizoa*, 125 (nec Ponton 1871).
184. **Falco jugger** Gray : FALCONIDAE (1721. Lagger Falcon).
 1. *Colpocephalum zerafae* Ansari 1955 *Proc. VII Pak. Sci. Confr. Agric.*, 52.
 2. *Laemobathrion auquab* Ansari 1955 *Proc. VII Pak. Sci. Confr. Agric.*, 57.
 3. *Degeeriella masumae* Ansari 1955 *Proc. VII. Confr. Biol.*, 42.
185. **Falco peregrinus calidus** (Latham) : FALCONIDAE (1718. Eastern Peregrine Falcon).
 1. *Degeeriella nitzschi* Giebel) 1874 *Insecta Epizoa*, 125 (nec Ponton 1871).
186. **Falco subbuteo subbuteo** Linn : FALCONIDAE (1726. Eastern Hobby).
 1. *Laemobothrion anatolicum* Eichler 1942 *Zool. Anz.*, 137 : 52, fig. 1.
 2. *Laemobothrion laticolle* Denny 1842 *Mon. Anopl. Brit.*, 203, 239, pl. 23 fig. 6.
 3. *Degeeriella nitzschi* (Giebel) 1874 *Insecta Epizoa*, 125 (nec Ponton 1871).
187. **Falco vespertinus** Linnaeus : FALCONIDAE.
 1. *Degeeriella quadraticollis* (Rudow) 1870 *Z. ges. Nat Wiss.* 35 : 469.
188. **Gypaetos barbatus hemachalanus** (Hutton) : FALCONIADAE (1716. Himalayan Bearded Vulture).
 1. *Degeeriella punctifer* (Gervais) 1844 *Walckenaer's Hist. Nat Ins.*, 3 : 353, pl. 49 fig. 1.
 2. *Falcolipeurus quadripunctatus* (Giebel) 1861 *Z. ges. NatWiss.*, 17 : 521.
189. **Gyps fulvus fulvus** (Hablizl) : ARGYPIDAE (1708. European Griffen).
 1. *Laemobothrion bulgaricum* Eichler 1943 *Mitt. Naturw. Inst. Sofia*, 16 : 210.
 2. *Aegypoeus trigonoceps* (Giebel) 1874 *Insecta Epizoa*, 68.

3. *Cuculiphilus gypsis* (Eichler) 1944 *Dtsch. Ent. Z.*, 1943, 57, fig. 1.
4. *Falcolipeurus perspicillatus* (Nitzsch) 1861 *Z. ges. NatWiss.*, 17 : 521.
190. **Gyps himalayensis** Hume : AEGYPTIDAE (1709. Himalayan Griffon).
 1. *Cospocephalum griffoneae* Ansari 1955 *Proc. VII Pak. Sci. Confr., Agric.*, 51
 2. *Laemobothrion* sp.
 3. *Nosopon chanabensis* (Ansari) 1951 *Proc. Nat. Inst. Sci. India*, 17 : 133, fig. 2
 4. *Aegyopocus griffoneae* Ansari 1947 *Proc. Nat. Inst. Sci. India*, 13 : 261, fig. 2.
 5. *Degeeriella gypsivorum* Eichler 1943 *Zool. Anz.*, 142 : 93.
 6. *Falcolipeurus gallivalerioi* Eichler 1941 *Schweiz. Arch. Tierheilk.*, 83 : 180, fig. 1.
191. **Gyps indicus indicus** (Scopoli) : FALCONIDAE (1710. Indian Long-billed Vulture).
 1. *Colpocephalum caudatum* Giebel 1874 *Insecta Epizoa*, 261.
192. **Haliaeetus leucogaster** (Gmelin) : FALCONIDAE (1758. White-billed Sea Eagle).
 1. *Colpocephalum majus* Piaget (1885) *Pediculines Supplement*, 119, pl. 13 fig. 2 (nec 1880).
193. **Haliaeetus leucoryphus** (Pallas) : FALCONIDAE (1779. Pallas Fishing Eagle).
 1. *Colpocephalum ailurum* Nitzsch 1861 *Z. ges. Nat. Wiss.*, 17 : 522.
194. **Haliastur indicus indicus** (Boddaert) : FALCONIDAE (1784. Brahminy Kite).
 1. *Craspedorhynchus pachypus* (Giebel) 1874 *Insecta Epizoa*, 71.
195. **Haliastur indicus intermedius** (Blyth) : FALCONIDAE (1785. Malayan Brahminy Kite).
 1. *Laemobothrion mjobergi* Eichler 1942 *Dtsch. Ent. Z.* 1943 : 64, figs. 11-12.
 2. *Degeeriella* sp.
196. **Hieraaetus pennatus pennatus** (Gmelin) : FALCONIDAE (1753. Booted Eagle).
 1. *Laemobothrion hieraeti* Eichler 1944 *Mitt. Naturw. Ins. Sofia*, 16 : 209, fig. 3.
 2. *Craspedorhynchus ranjhae* Ansari 1955 *Proc. VII Pak. Sci. Confr. Biol.* 49.
197. **Limnaetops (= Spizaetus) cirrhatous cirrhatous** Gmelin : FALCONIDAE (1756. Indian Crested Hawk Eagle).
 1. *Falcolipeurus elongatus* (Piaget) 1880 *Pediculines*, 297. pl. 24 fig. 3 (nec Packard 1870).

198. **Milvus migrans govinda** (Sykes) : FALCONIDAE (1787. Common Pariah Kite).
1. *Colpocephalum tricinatum* Nitzsch 1861 *Z. ges. NatWiss.*, 17 : 524.
 2. *Laemobothrion titan* Piaget 1880 *Pediculines* 578. pl. 49 fig. 1.
 3. *Craspedorrhynchus spathulatus* (Giebel) 1874 *Insecta Epizoa*, 73.
 4. *Degeeriella vittata* (Giebel) 1874 *Insecta Epizoa*, 127.
199. **Milvus migrans migrans** Boddaert : FALCONIDAE (1786. Black Kite).
1. *Colpocephalum tricinatum* Nitzsch 1861 *Z. ges. NatWiss.*, 17 : 524.
 2. *Laemobothrion titan* Piaget 1880 *Pediculines* 578. pl. 49 fig. 1.
 3. *Craspedorrhynchus spathulatus* (Giebel) 1874 *Insecta Epizoa*, 73.
 4. *Degeeriella stenorrhynchus* (Giebel) 1874 *Insecta Epizoa*, 129.
 5. *Degeeriella vittata* (Giebel) 1874 *Insecta Epizoa*, 127.
200. **Neophron percnopterus percnopterus** (Linn.) : AEGYPIDAE (1714. Large White Scavenger Vulture).
1. *Laemobothrion percnopteri* (Gervais) 1844 *Hist. Nat. Inst.*, 3 : 321, pl. 48 fig. 6.
 2. *Aegypoeus perspicuus* (Kellogg) 1914 *Sci. Bull. Brooklyn Inst.*, 2 : 83, pl. 16 fig. 3.
 3. *Falcolipeurus frater* (Giebel) 1874 *Insecta Epizoa*, 210.
201. **Pandion haliaetus haliaetus** (Linn.) : PONDIONIDAE (1704. Osprey).
1. *Laemobothrion bureschi* Eichler 1943 *Mitt. Naturw. Inst. Sofia*, 16 : 209, fig. 4.
 2. *Kurodaia haliaeti* (Denny) 1842 *Mon. Anopl. Brit.*, 199, 216, pl. 19 fig. 1.
202. **Pernis apivorus orientalis** Tecz. : FALCONIDAE (1820. Siberian Honey Buzzard).
1. *Craspedorrhynchus melittoscopus* (Nitzsch) 1874 *Insecta Epizoa*, 71.
 2. *Degeeriella phlyctopygus* (Nitzsch) 1861 *Z. ges. NatWiss.*, 17 : 526.
203. **Pseudogypus bengalensis** (Gmelin) : AEGYPIDAE (1713. Indian White-backed Vulture).
1. *Laemobothrion vulturis* (J. C. Fabricus) 1775 *Syst. Ent.*, 806.
204. **Sarcogyps calvus** (Scopoli) : AEGYPIDAE (1706. Black Vulture).
1. *Falcolipeurus hopkinsi* Tandon 1952 *Ann. Mag. Nat. Hist.* (12), 5, 460, figs. 1-5.

IV. COLUMBIFORMES

205. ***Columba livia domestica*** : COLUMBIDAE (Domestic Pigeon).
1. *Colpocephalum turbinatum* Denny 1842 *Mon. Anopl. Brit.*, 198, 209, pl. 21, fig. 1.
2. *Hohorstiella lata* (Piaget) 1880 *Pediculines* 457, pl. 37 fig. 1.
3. *Campanulotes compar* (Burmeister) 1838 *Handbuch Ent.* 2 : 431.
4. *Coloceras aegypticum* (Kellogg et Paine) 1914 *Bull. Ent. Res.*, 2 : 148, pl. 5 figs. 2-2a.
5. *Coloceras fahrenheitzi* Eichler 1950 *Z. Hyg. Zool.* (10-11) : 336
6. *Coloceras piageti* (Johnston et Harrison) 1912 *Proc. Roy. Soc. Qd.*, 24 : 19 (*nom. nov.* for *Goniodes minor* Piaget).
7. *Columbicola columbae* (Linn.) 1758 *Syst. Nat.*, ed 10 : 614.
206. ***Columba livia intermedia*** (Strickland) : COLUMBIDAE (1856. Indian Blue Rock Pigeon).
1. *Colpocephalum turbinatum* Denny 1842 *Mon. Anopl. Brit.*, 198, 209, pl. 21 fig. 1.
2. *Hohorstiella lata* (Piaget) 1880 *Pediculines* 457, pl. 37 fig. 1.
3. *Campanulotes compar* (Burmeister) 1838 *Handbuch Ent.* 2 : 431.
4. *Coloceras aegypticum* (Kellogg et Paine) 1911 *Bull. Ent. Res.* 2 : 148, pl. 5 figs. 2-2a.
5. *Coloceras fahrenheitzi* Eichler 1950 *Z. Hyg. Zool.* (10-11): 336.
6. *Coloceras piageti* (Johnson et Harrison) 1912 *Proc. Roy. Soc. Qd.*, 24 : 19.
7. *Columbicola columbae* (Linn.) 1758 *Syst. Nat.*, ed 10 : 614.
207. ***Columba livia livia*** (Gmelin) : COLUMBIDAE (1854. Blue Rock Pigeon)
1. *Colpocephalum turbinatum* Denny 1842 *Mon. Anopl. Brit.*, 198, 209, pl. 21 fig. 1.
2. *Hohorstiella lata* (Piaget) 1880 *Pediculines* 457, pl. 37 fig. 1.
3. *Campanulotes compar* (Burmeister) 1838 *Handbuch Ent.*, 2: 431.
4. *Coloceras aegypticum* (Kellogg et Paine) 1914 *Bull. Ent. Rec.*, 2 : 148, pl 5 figs. 2-2a.
5. *Coloceras fahrenheitzi* Eichler 1950 *Z. Hyg. Zool.* (10-11): 336.
6. *Coloceras piageti* (Johnston et Harrison) 1912 *Proc. Roy. Soc. Qd.*, 24:19.
7. *Columbicola columbae* (Linn.) 1758 *Syst. Nat.*, ed. 10 : 614.
208. ***Columba livia neglecta*** (Hume) : COLUMBIDAE (1855. Hume's Blue Rock Pigeon).
1. *Columbicola montschadskyi* Blagoveshtchensky 1951 *Mag. Parasit. Leningr.*, 13 : 308, figs. 17-17a.

209. **Columba oenas evermanni** Bonaparte : COLUMBIDAE (1860.
Eastern Stock Pigeon).
1. *Hohorstiella gigantea* (Denny) 1842 *Mon. Anolp. Brit.*, 200,
225, pl. 21 fig. 2.
2. *Campanulotes drosti* Eichler 1950 *Doriana* 1 : 2.
3. *Columbicola filiformis* (Olfers) 1916 *De Veget.*.....1 : 90.
210. **Columba palumbus cosiotis** (Bonaparte) : COLUMBIDAE (1861.
Eastern Wood Pigeon).
1. *Campanulotes bidentatus* (Scopoli) 1763 *Entomologia
Carniolica*, 385.
2. *Coloceras damicorne* (Natzsch) 1866 *Z. ges. NatWiss.*,
27 : 119.
3. *Columbicola claviformis* (Denny) 1842 *Mon. Anolp. Brit.*, 51.
131, pl. 9 fig. 7.
211. **Columba pulchricollis** (Blyth) : COLUMBIDAE (1864. Ashy Wood
Pigeon).
1. *Coloceras uchidae* (Eichler) 1950 *Doriana*, 1 : 8 (*Nom. Nov.* for
Goniocds major Uchida 1916).
212. **Columba rupestris turkestanica** Buterlin : COLUMBIDAE (1857.
Turkistan Hill Pigeon),
1. *Columbicola tschulyschman* Eichler 1942 *Zoo. Anz.*, 139 : 28.
213. **Dacula badia badia** (Raffles) : COLUMBIDAE (1842. Malayan Imperial
Pigeon).
1. *Auricotes caputilongus* Eichler 1947 *Ark. Zool.*, 39a (2) : 7,
figs. 18, 19.
2. *Columbicola cavifrons* (Teschenberg) 1882 *Nova Acta Leop. -
Carol.*, 44 : 124, pl. 3 fig. 9a.
3. *Columbicola sikoraae* Eichler 1942 *S. B. Ges. Naturf. Fr.
Berl.*, 1941 : 284, fig. 6.
214. **Geopelia striata striata** (Linn.) : COLUMBIDAE (1887. Barred
Ground Dove).
1. *Columbicola mjobergi* Eichler 1943 *Zool. Anz.*, 141 : 58.
215. **Oenoplia trampuebarica trampuebarica** (Hermann) : COLUMBIDAE
(1881. Indian Pied Turtle Dove).
1. *Columbicola hopkinsi* Ansari 1955 *Proc. VII Pak. Sci. Confr.*,
Biol., 47.
216. **Streptopelia chinensis suratensis** (Gmelin) : COLUMBIDAE (1873.
Indian Spotted Dove).
1. *Coloceras chinense* (Kelliogg et Chapman) 1902 *Jour. N.Y. Ent.
Soc.*, 10 : 160, pl 3 fig. 5.
2. *Coloceras lativentre* (Uchida) 1916 *Annot. Zool. Jap.*, 9 : 81,
figs. 1-2.

3. *Columbicola fulmeki* Eichler 1942 *S. B. Ges. Naturf. Fr. Berl.*, 1941, 274, 287, fig. 2.
4. *Turturicola* sp.
217. ***Streptopelia chinensis tigrina*** (Temminck et Knip) : COLUMBICOLA (1871. Burmese Spotted Dove).
1. *Colpocephalum longicaudum* Nitzsch 1866 *Z. ges. NatWiss.*, 28 : 394.
 2. *Coloceras piageti* (Johnston et Harrison) *Proc. Roy. Soc. Qd.*, 24 : 19. (*nom nov. for Goniodes minor* Piaget).
 3. *Columbicola fulmeki* Eichler 1942 *S. B. Ges. Naturf...* 1941, 274 287, fig. 2
218. ***Streptopelia decaocta decaocta*** (Frivaldszky) : COLUMBIDAE (1879. Indian Ring. Dove).
1. *Bonomiella concii* Eichler 1947 *Tier. Umschau*, 2 : 264, figs. 1-5.
 2. *Hohorstiella modesta* (Ansari) 1951 *Proc. Nat. Inst. Sci. India*, 17 : 131, fig. 1.
 3. *Coloceras softoticus* Eichler 1950 *Doriana* 1 : 3 figs. 1-2.
 4. *Columbicola confusissimus* Eichler 1947 *Tier. Umschau*, 2 : 269.
 5. *Turturicola salimalii* Clay et Meinertzhagen 1937 *Entomologist* 70 : 278, fig. 1b.
219. ***Streptopelia orientalis orientalis*** (Latham) : COLUMBIDAE (1870. Rufous Turtle Dove).
1. *Columbicola turturis* (Uchida) 1917 *Annot. Zool. Jap.*, 9 : 212, fig. 3.
220. ***Streptopelia senegalensis cambayensis*** (Gmelin) : COLUMBIDAE (1877. Indian Little Brown Dove).
1. *Columbicola theresae* Ansari 1955 *Proc. VII Pak. Sci. Confr., Biol.*, 47.
 2. *Turturicola* sp.
221. ***Streptopelia turtur arenicola*** (Hartert) : COLUMBIDAE (1869. Persian Turtle Dove).
1. *Hohorstiella streptopeliae* Eichler 1953 *Beitrage zur Vogelkunde*, 3 : 169, figs. 5-9.
 2. *Columbicola bacillus* (Giebel) 1866 *Z. ges. NatWiss.*, 28 : 379.
222. ***Streptopelia turtur turtur*** (Linnaeus) : COLUMBIDAE (1868. Turtle Dove).
1. *Columbicola bacillus* (Giebel) 1866 *Z. ges. Nat Wiss.*, 28: 379.

V. PTEROCLETES

223. **Pterocles alchata caudacutus** (Gmelin) : PTEROCLIDAE (1892. Large Pin-tailed Sand Grouse).
 1. *Syrrhaptoecus alchatae* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 36.
 2. *Syrrhaptoecus paradoxus* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 18.
224. **Pterocles coronatus atratus** Hartert : PTEROCLIDAE (1891. Sind Sand Grouse).
 1. *Syrrhaptoecus brevifrons* Waterston 1928 *Proc. zool. Soc. London.*, 1928 : 339, figs. 1b, 7.
 2. *Syrrhaptoecus mitratus* Waterston 1928 *Proc. Zool. Soc. London.*, 1928 : 348, figs. 4a, 6a.
225. **Pterocles exustus erlangeri** Neumann : PTEROCLIDAE (1893. Common Indian Sand Grouse).
 1. *Syrrhaptoecus emahusaini* Ansari 1947 *Proc. Nat. Inst. Sci. India*, 13 : 281, fig. 9.
 2. *Syrrhaptoecus falcatus* Waterston 1928 *Proc. Zool. Soc. London.*, 1928 : 345, figs. 2a, 10b.
226. **Pterocles indicus** (Gmelin) : PTEROCLIDAE (1889. Painted Sand Grouse).
 1. *Syrrhaptoecus angulatus* Waterston 1928 *Proc. Zool. Soc. London.*, 1928 : 353, figs. 6a, 8a, 9b, 9d.
227. **Pterocles orientalis** (Linnaeus) : PTEROCLIDAE (The Oriental Sand Grouse).
 1. *Syrrhaptoecus pallasi* Waterston 1928 *Proc. Zool. Soc. London.*, 1928 : 353, fig. 5a.
228. **Pterocles senegallus** (Linnaeus) : PTEROCLIDAE.
 1. *Syrrhaptoecus uncinus* Waterston 1928 *Proc. Zool. Soc. London* 1928 : 350, figs. 4b, 8d, 10a.
229. **Syrrhaptes paradoxus** (Palles) : PTEROCLIDAE (1845. Pallas Sand Grouse).
 1. *Syrrhaptoecus paradoxus* (Rudow) 1869 *Beitr. Kenntn. Malloph.* : 18.
 2. *Syrrhaptoecus bedfordi* Waterston 1928 *Proc. Zool. Soc. London.*, 1928 : 342, figs. 2b, 9c.
230. **Syrrhaptoecus tibetanus** Gould. : PTEROCLIDAE (1896. Tibetan Sand Grouse).
 1. *Syrrhaptoecus tibetanus* Waterston 1928 *Proc. Zool. Soc. London.*, 1928 : 342, figs. 3b.

VI. GALLIFORMES

231. **Alectoris graeca chukor** (Gray) : PHASIANIDAE (1972. Chukore).
 1. *Menopon pallidum* Piaget 1880 *Pediculines*, 471 (nec. Nitzsch 1818.)
 2. *Goniocotes alatus* Piaget 1885 *Pediculines Supplement* 45, pl. 5 fig. 4.
 3. *Goniodes dispar* (Burmeister) 1838 *Handbuch Ent.*, 3 : 432.
232. **Alectoris graeca pallescens** Hume : PHASIANIDAE (1974. Northern Chukor).
 1. *Cuclotogaster heterographus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 381.
 2. *Goniocotes alatus* Piaget 1885 *Pediculines Supplement*, 45, pl. 5 fig. 4.
 3. *Goniodes dispar* Burmeister 1838 *Handbuch Ent.*, 3 : 432.
233. **Ammoperdix griseogularis griseogulris** (Brandt) : PHASIANIDAE (1975. Seese Partridge).
 1. *Goniodes ammperdix* Clay 1940 *Proc. Zool. Soc. London*, 1940 (B), 110 : 93, figs, 63, 64.
234. **Ammoperdix** sp. : PHASIANIDAE.
 1. *Goniodes ammperdix* Clay 1940 *Proc. Zool. Soc. London*, (B), 110 : 93, figs. 63, 64.
235. **Arborophila rufogularis rufogularis** Blyth : PHASIANIDAE (1962. Rufous-throated Partridge).
 1. *Cuclotogaster insolitus* (Clay) 1938 *Proc. Zool. Soc. London* (B), 108 : 155, figs. 25c, pl. 7 fig. 6.
 2. *Gonides indicus* (Kellogg et Paine) 1914 *Rec. Ind. Mus.*, 10 : 218, pl. 14 fig. 4.
 3. *Goniodes processus* Kellogg et Paine 1914 *Rec. Ind. Mus.*, 10 : 226, pl. 15 fig. 9.
 4. *Oxylipurus unicolor* (Piaget) 1380 *Pediculines*, 354, pl. 28. fig. 6.
236. **Arborophila rufigularis tickelli** (Hume) : PHASIANIDAE (1964. Tenasserin Rufous-throated Hill Partridge).
 1. *Cuclotogaster insolitus* (Clay) 1938 *Proc. Zool. Soc. London* (B), 108 : 155, figs. 25c, pl. 7 fig. 6.
 2. *Gonides indicus* (Kellogg et Paine) 1914 *Rec. Ind. Mus.*, 10 : 218, pl. 14 fig. 4.
237. **Arborophila torquetta torquetta** (Valenciennes) : PHASIANIDAE (1959. Common Hill Partridge).
 1. *Cuclotogaster insolitus* (Clay) 1938 *Proc. Zool. Soc. London* (B), 108 : 155, figs. 25c, pl. 7. fig. 6.
 2. *Goniodes* sp.

238. **Argus argus argus** (Linnaeus) : PHASIANIDAE (1899. Argus Pheasant).
 1. *Amyrsidea polytricha* (Eichler) 1947 *Ark. Zool.*, 39a, no. 2 : 6, fig. 12.
 2. *Amyrsidea ventralis* (Nitzsch) 1866 *Z. ges. NatWiss.*, 26 : 391.
 3. *Colpocephalum appendiculatum* Nitzsch 1866 *Z. ges. NatWiss.*, 28 : 394.
 4. *Goniodes argus* Eicher 1947 *Ark. Zool.*, 39a, No. 2 : 13, figs. 25, 26.
 5. *Goniodes curvicornis* Nitzsch 1866 *Z. ges. NatWiss.*, 28 : 388.
 6. *Pachyskelotes orthopleurus* (Nitzsch) 1874 *Insecta Epizoa*, 217.
239. **Catreus wallichii** (Hardwicke) : PHASIANIDAE (1910. Cheer Pheasant).
 1. *Goniodes sectus* Kellogg et Paire 1914 *Rec. Ind. Mus.*, 10 : 224, figs. 1-2.
240. **Ceriornis (=Pucrasia) macrolophus castaneus** (Gould) : PHASIANIDAE (1914. Chestnut Mantled Koklas).
 1. *Goniodes intermedius* Neumann 1913 *Arch. Parasit. Paris.*, 15 : 627, figs. 15-18.
241. **Ceriornis (=Pucrasia) macrolophus macrolophus** (Lesson) : PHASIANIDAE (1911. Koklas Pheasant).
 1. *Goniodes intermedius* Neumann 1913 *Arch. Parasit. Paris.*, 15 : 627, figs. 15-16.
 2. *Lipeurus brunneipictus* (Giebel) 1877 *Z. ges. NatWiss.* 49 : 530
 3. *Oxylipeurus piagetinus* Hopkins 1950 *Ann. Mag. Nat. Hist.* (12), 3 : 233. (?).
 4. *Oxylipeurus pucrasia* Clay 1938 *Proc. Zool. Soc. London*, (B), 108 : 174, pl. 9 fig. 6.
242. **Chrysolophus amherstiae** (Leadbeater) : PHASIANIDAE (1915. Tibetan Pheasant).
 1. *Gonides chrysolophi* Clay 1940 *Proc. Zool. London*, (B). 110 : 51 figs. 33, 34a.
243. **Coturnix coturnix coturnix** (Linnaeus) : PHASIANIDAE (1950. Common Quail).
 1. *Amyrsidea fulvomaculata* (Denny) 1842 *Mon. Anopl. Brit.*, 199, 218, pl. 21 fig. 6.
 2. *Menacanthus indicus* Ansari 1951 *Proc. Nat. Inst. India.*, 17 : 137, fig. 4.
 3. *Menacanthus abdominalis* (Piaget) 1880 *Pediculines*, 473, pl. 36 fig. 9.
 4. *Cuclotogaster cinereus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 27 : 118.
 5. *Goniodes astrocephalus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 431.

244. **Coturnix coturnix japonica** (Temm. et Sch.) : PHASIANIDAE (1951 Japanese Gray Quail).
1. *Cuclotogaster japonicus* (Clay) 1938 *Proc. Zool. Soc. London* (B), 108 : 155, fig. 250, pl. 7 fig. 6
2. *Goniodes astrocephalus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 431.
245. **Crossoptilon harmani** Elwes : PHASIANIDAE (1930. Elwes's Horned Pheasant).
1. *Menopon gallinae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
246. **Crossoptilon auritum** (Pallas) : PHASIANIDAE (Horned Pheasant).
1. *Oxplyeurus bailleyi* Clay 1938 *Proc. Zool. Soc. London* (B), 108 : 172, fig. 34, pl. 10 fig. 2.
247. **Excalfactoria chinensis chinensis** (Linnaeus) : PHASIANIDAE (1948. Blue-breasted Quail).
1. *Menacanthus pallipes* (Piaget) 1885 *Pediculines Supplement*, 111, pl. 12 fig. 2.
2. *Cuclogaster acuminatus* (Piaget) 1885 *Pediculines Supplement*, 70, pl. 7 fig. 6.
3. *Goniodes souefi* Clay 1940 *Proc. Zool. Soc. London*, (B) 110 : 100, figs 66b, 68a.
248. **Francolinus francolinus asia** (Bonaparte) : PHASIANIDAE (1976. Indian Black Partridge).
1. *Menacanthus kalatitar* (Ansari) 1951 *Proc. Nat. Inst. Sci. India*, 17 : 137, fig. 4.
2. *Goniocotes jirufti* Ansari 1947 *Proc. Nat. Inst. Sci. India*, 13 : 298, fig. 12.
3. *Lipeurus* sp.
249. **Francolipus gularis** (Temminck) : PHASIANIDAE (1982. Swamp Partridge).
1. *Goniodes temporalis* (Keler) 1939 *Nova Acta Leop.—Carol.* (n.f.), 8 : 131, fig. 70.
250. **Francolinus pondicerianus interpositus** Hertert : PHASIANIDAE (1984. Northern Grey Partridge).
1. *Menopon interpositum* Ansari 1951 *Proc. Nat. Inst. Sci. India*, 17 : 167, fig. 16.
251. **Galloperdix bicalcarata** (Forster) : PHASIANIDAE (1944. Ceylone Spurfowl).
1. *Menopon jellisoni* Emerson 1954 *Ann. Mag. Nat. Hist.* (12), 7 : 230, fig. 10.
252. **Galloperdix spadicea spadicea** (Gmelin) : PHASIANIDAE (1940. Red Spur Fowl).
1. *Oxylipeurus connectens* Clay 1938 *Proc. Zool. Soc. London*, (B), 108 : 166, pl. 9, fig. 3.

253. **Gallus bankiva murghi** Robinson et Kloss : PHASIANIDAE (1903. Common Red Jungle Fowl).
1. *Amyrsidea triseriata* (Piaget) 1880 *Pediculines*, 460, pl 37 fig. 3.
 2. *Lipeurus caponis* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 614.
254. **Gallus gallus domesticus** Linnaeus : PHASIANIDAE (Common Domestic Fowl).
1. *Amyrsidea* sp.
 2. *Menacanthus cornutus* (Schommer) 1913 *Über die Mellophagen...* 64 : 71, pl. 7, fig. 29a-e.
 3. *Menacanthus pallidulus* (Neumann) 1912 *Arch. Parasit. Paris.* 15 : 361, figs. 7-9.
 4. *Menacanthus stramineus* (Nitzsch) 1818 *Germer's Mag. Ent.*, 3 : 300.
 5. *Menopon gallinae* (Linnaeus) 1758 *Syst. Nat.* ed. 10 : 613.
 6. *Cuclotogaster heterographus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 381.
 7. *Goniocotes gallinae* (deGeer) 1778 *Mem. Hist. Ins.*, 7 : 79, pl. 4 fig. 15.
 8. *Goniocotes maculatus* Taschenberg 1882 *Nova Acta Leop.-carol.*, 44 : 76, pl. 3 fig. 3.
 9. *Goniodes dissimilis* Denny 1842 *Mon. Anopl. Brit.*, 57, 162, pl. 12 fig. 6.
 10. *Goniodes gigas* (Tasschenberg) 1879 *Z. ges. Nat Wiss*, 52 : 104, pl 1 fig. 10.
 11. *Lagopoecus sinensis* (Sugimoto) 1930 *Jour. Soc. Trop. Agric. Taiwan*, 2 : 132, pls. 3-4.
 12. *Lipeurus caponis* (Linnaeus) 1758 *Syst. Nat.*, ed 10 : 614.
 13. *Lipeurus tropicalis* Peters 1931 *Ent. News*, 42 : 195, figs. 1-2.
 14. *Oxylipeurus dentatus* (Sugimoto) 1934 *Taiwan no Chikusan*, 2 : 2, figs. 1-12.
255. **Gennaeus hamiltonii** (Griffith et Pidgeon) : PHASIANIDAE (1918. Indian White-crested Kalij Pheasant).
1. *Goniocotes albidus* Giebel 1874 *Insecta Epizoa*, 189.
 2. *Goniodes cervinicornis* Giebel 1874 *Insecta Epizoa*, 199.
256. **Gennaeus horsfieldii horsfieldii** (Grey) : PHASIANIDAE (1921. Black-breasted Kalij Pheasant).
1. *Menacanthus albicans* (Piaget) 1880 *Pediculines*, 463, pl. 38, fig. 3.
 2. *Cuclotogaster nigromarginatus* (Piaget) 1880 *Pediculines* 166, pl. 14 fig. 1.
257. **Gennaeus leucomelanas** (latham) : PHASIANIDAE (1919. Nepal Kalij Pheasant).
1. *Goniodes cervinicornis* Giebel 1874 *Insecta Epizoa*, 199.

258. **Gennaeus lineatus lineatus** (Vigors) : PHASIANIDAE (1923. Burmese Silver Pheasant).
 1. *Menacanthus stramineus* (Nitzsch) 1818 *German's Mag. Ent.*, 3 : 300.
 2. *Oxylipeurus robustus* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 32.
259. **Gennaeus melanotus** (Hutton) : PHASIANIDAE (1920. Black-backed Kalij Pheasant).
 1. *Menopon* sp.
 2. *Lipeurus* sp.
 3. *Goniodes cervinicornis* Giebel 1874 *Insecta Epizoa*, 199.
260. **Gennaeus nyctemerus rufipes** (Oates) : PHASIANIDAE (1927. Ruby Mines Silver Pheasant).
 1. *Amyrsidea monostoecha* (Kallogg) 1896 *Proc. Calif. Acad. Sci.* (2), 6 : 530, pl. 72 fig. 4.
 2. *Goniocotes albidus* Giebel 1874 *Insecta Epizoa*, 189.
 3. *Goniocotes creber* Kellogg 1896 *Proc. Calif. Acad. Sci.* (2), 6 : 510, pl. 69 fig. 3.
 4. *Goniodes cervinicornis* Giebel 1874 *Insecta Epizoa*, 199.
 5. *Goniodes ocellatus* (Rudow) 1896 *Beitr. Kenntn. Malloph.*, 23.
 6. *Lipeurus introductus* Kellogg 1896 *Proc. Calif. Acad. Sci.* (2), 6 : 500, pl. 68 fig. 1,5.
261. **Ithaginis cruentus cruentus** (Hardwicke) : PHASIANIDAE (1936. Blood Pheasant).
 1. *Goniodes ithaginis* Clay 1940 *Proc. Zool. Soc. London*, (B) 110 : 48, figs. 31, 36a.
 2. *Oxylipeurus ithaginis* Clay 1938 *Proc. Zool. Soc. London* (B), 108 : 173, pl. 13 fig. 1.
262. **Lerwa lerwa** (Hodgson) : PHASIANIDAE (1993. Snow Partridge).
 1. *Chelopistes lervicola* (Clay) 1941 *Parasitology*, 33 : 124, figs. 5-7
 2. *Lagoecus meinertzhageni* Clay 1938 *Proc. Zool. Soc. London* (B), 108 : 195, figs. 44b,c, 45, pl. 14 fig. 3.
263. **Lophophorus impejanus** (Latham) : PHASIANIDAE (1928. Impeyan Pheasant).
 1. *Colpocephalun parumpilosum* Piaget 1880 *Pediculines*, 536, pl. 44 fig. 8.
 2. *Menopon gallinae* (Linnaeus) 1758 *Syst. Nat.* ed. 10 : 613.
 3. *Goniocotes haplogonus* Nitzsch 1866 *Z. ges. Nat. Wiss.*, 28 : 390.
 4. *Goniodes eurygaster* Piaget 1885 *Pediculines Supplement*, 53, pl. 6 fig. 1.
 5. *Goniodes megaceros* Kellogg et Paine 1914 *Rec. Ind. Mus.*, 10 : 227, pl. 15 fig. 8.
 6. *Lipeurus euryenemis* Taschenberg 1882 *Nova Acta Leop.-Carol.* 44 : 171, pl. 6 fig. 5.

7. *Lagopoecus heterotypus* (Megnin) 1880 *Purasties et Maladies Parasit.*, 87.
 8. *Oxylipeurus burmeisteri* (Taschenberg) 1882 *Nova Acta Leop.-Carol.*, 44 : 170, pl. 6 fig. 4.
264. **Lophura diardi** (Bonaparte) : PHASIANIDAE (1917. Siamese Fire-back Pheasant).
1. *Menopon gallinae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
 2. *Goniocotes* sp.
 3. *Goniodes diardi* Clay 1948 *Proc. Zool. Soc. London* (B), 110 : 70, figs. 2a, 48c
265. **Lophura rufa** (Raffles) ; PHASIANIDAE (1916. Viollot's Fire-back Pheasant).
1. *Amyrsidea sternosetosa* (Eichler) 1947 *Ark. Zool.*, 39A, no. 2 : 7, figs. 15-17.
 2. *Goniocotes rufus* Eichler 1947 *Ark. Zool.* 39A, no. 2 : 13.
 3. *Goniodes emarginatus* (Eichler) *Ark. Zool.* 39A, no. 2 : 14, fig. 27.
 4. *Lipeurus brunneipictus* (Giebel) 1877 *Z. ges. Nat. Wiss.*, 49:530.
266. **Meleagris gallopavo domesticus** (Linnaeus) : PHASIANIDAE (Domestic Turkey Fowl).
1. *Menacanthus stramineus* (Nitzsch) 1818 *Germar's Mag. Ent.*, 3 : 300.
 2. *Chelopistes meleagridis* (Linnaeus) 1758 *Syst. Nat.*, ed. 10:613.
 3. *Oxylipeurus polytrapezius* (Burmeister) 1838 *Handb. Ent.*, 2 : 434.
267. **Numida meleagris domesticus** Linnaeus : PHASIANIDAE (Domestic Guinea Fowl).
1. *Goniodes numidae* Mjoberg 1910 *Ark. Zool.*, 6, no. 13:102.
 2. *Goniodes perlatus* Clay 1940 *Proc. Zool. Soc. London* (B) 110:30, figs. 19-20.
 3. *Lipeurus numidae* (Denny) 1842 *Mon Anopl. Brit.*, 48, 115, pl. 10 fig. 5.
 4. *Lipeurus tropicalis* Peters 1931 *Ent. News*, 42:195, figs. 1-2.
268. **Pavo cristatus** Linnaeus : PHASIANIDAE 1897. Common Pea Fowl.
1. *Amyrsidea phaeostoma* (Nitzsch) 1866 *Z. ges. Nat. Wiss.*, 28:391.
 2. *Colpocephalum tausi* (Ansari) 1951 *Proc. Nat. Inst. Sci. India*, 17 : 151, fig. 10.
 3. *Goniocotes parviceps* (Piaget) 1880 *Pediculines*, 277, pl. 23 fig. 2.
 4. *Goniocotes rectangulatus* Nitzsch 1866 *Z. ges. Nat. Wiss.*, 28 : 389.
 5. *Goniocotes yngarejsuf* Eichler 1950 *Doriana* 1 : 4, figs. 3 4.
 6. *Goniodes meinertzhageni* Clay 1940 *Proc. Zool. Soc. London* (B), 110 : 9, figs. 1b, 4b, 6, 7, 9b.

7. *Goniodes pavonis* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
 8. *Lipeurus pavo* Clay 1938 *Proc. Zool. Soc. London* (B),
 108 : 125, figs. 2c, 4d, 7d, 10a, pl. 4 fig. 1.
269. **Pavo muticus** Linnaeus : PHASIANIDAE (1898. Burmese Pea Fowl).
 1. *Colpocephalum echinatum* Ewing 1930 *Proc. Ent. Soc. Wash.*
 32 : 118.
 2. *Colpocephalum thoracicum* Kellogg et Paine 1914 *Rec. Ind. Mus.*,
 10 : 230, fig. 3.
 3. *Cuclotogaster* sp.
270. **Pedicula asiatica asiatica** (Latham) : PHASIANIDAE (1953. Jungle
 Bush Quail).
 1. *Cuclotogaster spinicaudatus* Clay 1938 *Proc. Zool. Soc. London*
 (B), 108 : 151, pl. 7 fig. 4.
271. **Polyplectron bicalcaratum bicalcaratum** (Linnaeus) :
 PHASIANIDAE (1900 Burmese Peacock Pheasant).
 1. *Menopon spinulosum* Giebel 1874 *Insecta Epizoa*, 293.
 2. *Goniodes* sp.
 3. *Lipeurus polyplectron* Clay 1938 *Proc. Zool. Soc. London* (B),
 108 : 117, figs. 5c, 6b, pl. 1 fig. 4.
272. **Polyplectron malacensis** (Scopoli) : PHASIANIDAE (1902. Malayan
 Peacock Pheasant).
 1. *Menopon hopkinsi* Emerson 1954 *Ann. Mag. Nat. Hist.* (12),
 7 : 229, figs. 3-4.
273. **Rhizothera longirostris longirostris** (Temminck) : PHASIANIDAE
 (1917. Long-billed Wood Partridge).
 1. *Lipeurus sarissa* Clay 1908 *Proc. Zool. Soc. London*
 (B) 108 : 114, fig. 4a, pl. 1 fig. 1.
 2. *Oxylypcurns rhizothera* Clay 1938 *Proc. Zool. Soc. London*
 (B), 108 : 178, fig. 36c, pl. 11 fig. 6.
274. **Rollulus roulroul** (Scopoli) : PHASIANIDAE (1947. Green Wood
 Quail).
 1. *Menacanthus tarsatus* (Piaget) 1880 *Pediculines*, 472, pl. 42
 fig. 4.
 2. *Goniodes cornatus* (Giebel) 1874 *Insecta Epizoa*, 302.
 3. *Lipeurus parumsetosus* Piaget 1880 *Pediculines*, 676, pl. 56
 fig. 6.
 4. *Oxylypeurus megalops* (Piaget) 1880 *Pediculines*, 675, pl. 56
 fig. 8.
275. **Syrmaticus humiae burmanicus** (Oates) : PHASIANIDAE (1908.
 Burmese Barred-back Pheasant).
 1. *Goniodes humiae* Clay 1940 *Proc. Zool. Soc. London* (B),
 110 : 67, figs. 44a, 45a.

276. **Syrmaticus humiae humiae** (Hume) : PHASIANIDAE (1907. Mrs. Hume's Pheasant).
 1. *Goniodes humiae* Clay 1940 *Proc. Zool. Soc. London* (B), 110 : 67, figs. 44a, 45a.
277. **Tetraogallus himalayensis himalayensis** Gray : PHASIANIDAE (1989. Himalayan Snow Cock).
 1. *Cuclotogaster tetraogallus* (Clay) 1938 *Proc. Zool. Soc. London* (B), 108 : 154, figs. 24c, 25a, pl. 8 fig 2.
278. **Tetraogallus tibetanus tibetanus** (Gould) : PHASIANIDAE (1990. Tibetan Snow Cock):
 1. *Cuclotogaster tetragallus* (1938 Clay) *Proc. Zool. Soc. London*, (B), 108 : 154, figs. 24a, 25a, pl 8 fig. 2.
 2. *Goniodes tibetanus* (Eichler) 1950 *Doriana*, 1 : 7, fig. 11.
279. **Tragopan blythii blythii** (Jerdon) : PHASIANIDAE (1933. Grey-bellied Tragopan).
 1. *Goniodes spinicornis* Nitzsch 1866 *Z. ges. NatWiss.*, 28 : 389.
280. **Tragopan melanocephalus** (J. E. Gray) : PHASIANIDAE 1932. Western Horned Pheasant).
 1. *Goniodes tragopan* Clay 1940 *Proc. Zool. Soc. London* (B), 110 : 13, figs. 9d, 11c.
 2. *Oxylipeurus himalayensis* (Rudow) 1869 *Beitr. Kenntn. Malloph*, 33.
281. **Tragopan satyra** (Linnaeus) : PHASIANIDAE (1931. Common Horned Pheasant).
 1. *Goniocotes diplogonus* Nitzsch 1866 *Z. ges. Nat Wiss.*, 28 : 389.
 2. *Goniodes spinicornis* Nitzsch 1866 *Z. ges. NatWiss.*, 28 : 389.
 3. *Oxylipeurus longus* (Piaget) 1880 *Pediculines*, 370, pl. 29 fig. 8.
282. **Tropicoperdix charltonii charltonii** (Eyton) : PHASIANIDAE (1969 Malayan Green-legged Hill Partridge).
 1. *Lipeurus charltoni* Clay 1938. *Proc. Zool. Soc. London*, (B), 108 : 123, figs. 8a, 9b, pl. 2 fig. 3.
283. **Tropicoperdix chloropus chloropus** Blyth : PHASIANIDAE (1968. Greenlegged Hill Partridge).
 1. *Oxylipeurus tropicoperdix* Clay 1938 *Proc. Zool. Soc. London* (B), 108 : 164, figs. 29a-c, pl. 9 fig. 2.

VII. PERISTERPODES

284. **Megapodius nicobariensis nicobariensis** Blyth : MEGAPODIDAE (1994. Nicobar Megapod).
 1. *Kelerimenopon minus* (Piaget) 1880 *Pediculines* 539, pl. 45 fig. 1
 2. *Goniodes confusio* Clay 1940 *Proc. Zool. Soc. London* (B), 110 105.

3. *Goniodes major* (Piaget) 1880 *Pediculines* 239, pl. 21 fig. 1.
4. *Oxylipeurus appendiculatus* (Piaget) 1880 *Pediculines* 356, pl. 28 fig. 8.

VIII. HEMIPODII

285. *Turnix suscitator taigoor* (Sykes) : TURNICIDAE (1998. Common Bustard Quail).
 1. *Turnicola angustissimus* (Giebel) 1866 *Z. ges. NatWiss*, 28 : 382.

IX. RALLIFORMES

286. *Amaurornis phoenicurus chinensis* (Boddaert) : RALLIDAE (2022. Chinensis White-breasted Water Hen).
 1. *Rallicola microcephalus* Uchida 1948 *Jap. Med. Jour.*, 1 : 307.
287. *Amaurornis phoenicurus phoenicurus* (Pennant) : RALLIDAE (2021. White-breasted Water Hen).
 1. *Rallicola microcephalus* Uchida 1948 *Jap. Med. Jour.*, 1 : 307.
288. *Chlamydotis undulata macqueeni* (Gray) : OTIDIDAE (2044. Macqueen's Bustard).
 1. *Otidoecus houbarae* (Barthelemy) 1836 *Ann. Soc. Ent. France*, 5 : 689, pl. 20 fig. B.
289. *Crex crex* (Linnaeus) : RALLIDAE (2010. Land Rail).
 1. *Rallicola ortygometae* (Schrank) 1781 *Enum. Ins. Austr. indig.* 503.
290. *Fulica atra atra* Linnaeus : RALLIDAE (2029. Coot).
 1. *Laemobothrion atrum* (Nitzsch) 1818 *Germar's Mag. Ent.*, 3 : 302.
 2. *Pseudomenopon pilosum* (Scopoli) 1763 *Ent. Carniolica*, 384.
 3. *Fulicoffula lurida* (Nitzsch) 1818 *Germars Mag. Ent.*, 3 : 292.
 4. *Incidifrons fulicae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
 5. *Rallicola fulicae* (Denny) 1842 *Mon. Anopl. Brit.*, 50, 125, pl. 9 fig. 2.
291. *Gallinula chloropus chloropus* (Linnaeus) : RALLIDAE (2026. Indian Moor Hen).
 1. *Laemobothrion chloropodis* (Schrank) 1803 *Fauna Boica*, 189.
 2. *Fulicoffula gallinula* Carriker 1953 *Florida Ent.*, 36 : 158, figs. 4-6.
 3. *Incidifrons gallinulae* Blagoveshtchensky 1951 *Mag. Parasit. Leningr. & Moscow*, 13 : 293, fig. 9.
 4. *Rallicola microcephalus* Uchida 1948 *Jap. Med. Jour.*, 1 : 307.
 5. *Rallicola minutus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 375.
292. *Grus grus lilfordi* (Sharpe) : GRUIDAE (2034. Eastern Common Crane).
 1. *Heleonomus macilentus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 394.

2. *Esthiopterum gruis* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
3. *Saemundssonina integer* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 360.
293. **Grus leucogeranus** Pallas : GRUIDAE (2037. Great White Crane).
 1. *Saemundssonina furca* (Giebel) 1874 *Insecta Epizoa*, 118.
294. **Hydrophasianus chirurgus** (Scopoli) : JACANIDAE (2032. Pheasant-tailed Jacana).
 1. *Rallicola sulcatus* (Piaget) 1880 *Pediculines*, 218, pl. 18 fig. 5.
295. **Otis tarda dybowskii** (Taczanowski) : OTIDAE (2041. Eastern Great Bustard).
 1. *Otidocercus turmalis* (Denny) 1842 *Mon. Anopl. Brit.*, 48, 114, pl. 6 fig. 10.
296. **Porphyrio poliocephalus poliocephalus** (Latham) : RALLIDAE (2028. Indian Purple Moor Hen).
 1. *Pseudomenopon concretum* (Piaget) 1880 *Pediculines* 481, pl. 38, fig. 9.
 2. *Pseudomenopon poliocephalus* Qadri 1936 *Z. Parasitenk.*, 8 : 638, fig. 1.
 3. *Incidifrons curvitrabeculatus* Blagoveshtchensky 1940 *Mag. Parasit., Leningr.*, 8 : 50, 83, fig. 13.
 4. *Rallicola fallax* (Piaget) 1880 *Pediculines*, 220, pl. 18 fig. 6.
297. **Porzana parva** (Scopoli) : RALLIDAE (2012. Little Crake).
 1. *Incidifrons porzanae* Blagoveshtchensky 1951 *Mag. Parasit., Leningr.*, 13 : 294, fig. 10.
298. **Porzana porzana** (Linnaeus) RALLIDAE (2011. Spotted Crake).
 1. *Rallicola mystax* (Giebel) 1874 *Insecta Epizoa*, 301.
299. **Rallus aquaticus indicus** (Biyth) : RALLIDAE (2006. Indian Water Rail).
 1. *Pseudomenopon scopulacorne* (Denny) 1842 *Mon. Anopl. Brit.*, 200, 221, pl. 18 fig. 9.
 2. *Fulicoffula rallina* (Denny) 1842 *Mon. Anopl. Brit.*, 52, 137, pl. 8 fig. 7.
 3. *Incidifrons ralli* (Scopoli) 1772 *Ann. V. Hist. Nat.*, 125.
 4. *Rallicola cuspidatus* (Scopoli) 1763 *Ent. Carniolic*, 385.
300. **Rostratula benghalensis benghalensis** (Linnaeus) : ROSTRUTALIDAE (2033. Painted Snipe).
 1. *Pseudomenopon rostratulae* Bedford 1919 *Rep. Vet. Res. S. Africa*, 5-6 : 722, pl. 3 fig. 9.
 2. *Quadriceps quadrisetaceus* (Piaget) *Pediculines*, 668, pl. 55 fig. 5.

X. CHARADRIIFORMES

301. **Anous minutus worcesteri** (McGregor) : STERNAE (2098. Philippine White-capped Nody).
 1. *Quadriceps hopkinsi* Timmermann 1952 *Zool. Anz.*, 148 : 74, figs 1-3.
302. **Anous stolidus pileatus** (Scopoli) : STURNIDAE (2097. Phillipine Nody).
 1. *Actornithophilus epiphanes* (Kellogg & Chapman) 1902 *Jour. N. Y. Ent. Soc.*, 10 : 161, pl. 14 fig. 2.
 2. *Quadriceps separatus* (Kellogg & Kuwana) 1902 *Proc. Wash Acad. Sci.* 4 : 472, pl. 29 fig. 6.
 3. *Saemundssonina remota* Timmermann, 1951 *Naturuffrae dingnum* 3 : 142.
303. **Areneria interpres interpres** (Linnaeus) : CHARADRIDAE (2101. Turnstone).
 1. *Actornithophilus bicolor* (Piaget) 1880 *Pediculines*, 561, pl. 47 fig. 1.
 2. *Rediella pediculoides* (Majoberg) 1910 *Ark. Zool.*, 6 (13) : 44, pl. 2 fig. 6.
 3. *Quadriceps strepsilaris* (Denny) 1842 *Mon. Anopl. Brit.*, 52, 135, pl. 11 fig. 4.
 4. *Saemundssonina cordiceps* (Piaget) 1880 *Pediculines*, 664 pl. 54, fig. 7 (nec. Giebel).
304. **Burhinus oedionemus indicus** (Salvaderi) : OEDIONEMIDAE (2047. Indian Stone Plover).
 1. *Quadriceps annulatus* (Denny) 1842 *Mon. Anopl. Brit.*, 51, 132, pl. 8 fig. 5.
305. **Calidris canutus canutus** (Linnaeus) : SCOLOPACIDAE (2161a. Knot).
 1. *Saemundssonina canuti* (Denny) 1842 *Mon. Anopl. Brit.*, 44 : 84, pl. 3 fig. 5.
 2. *Saemundssonina islandica* Timmermann 1951 *Ann. Mag. Nat. Hist.* (12), 4 : 395.
306. **Capella gallinago gallinago** (Linnaeus) : SCOLOPACIDAE (2170. Fantail Snipe).
 1. *Austromenopon durisetosum* (Blagoveshtchensky) 1948 *Mag. Parasit. Leningr.*, 10 : 263, fig. 3.
 2. *Cummingsiella ambigua* (Burmeister) 1838 *Handbuch Ent.*, 2 : 426
 3. *Rhynonirmus scolopacis* (Denny) 1842 *Mon. Anopl. Brit.*, 54, 149, pl. 11 fig. 8.
 4. *Saemundssonina kratochvili* Balat 1951 *Folio Entomologica, Brno*, 13 : 112, fig. 3.

307. **Charadrius dubius coronicus** (Gmelin) : CHARADRIDAE (2114. European Little Ringed Plover).
1. *Actornithophilus perrarus* Blagoveshtchensky 1948 *Mag. Parasit Leningr.*, 10 : 270, fig. 8.
2. *Quadriceps bicuspis* (Nitzsch) 1874 *Insecta Epizoa*, 155, pl. 5 figs. 11-12.
308. **Charadrius dubius dubius** Scopoli : CHARADRIIDAE (2113. Little Ringed Plover).
1. *Actornithophilus perrarus* Blagoveshtchensky 1948 *Mag. Parasit Leningr.* 10 : 270, fig. 8.
2. *Quadriceps bicuspis* (Nitzsch) 1874 *Insecta Epizoa* 155. pl. 5, figs 11-12.
309. **Charadrius hiaticula tundrae** (lowe) : CHARADRIIDAE (2112. Eastern Ringed Plover).
1. *Quadriceps fissus* (Burmeister) 1838 *Handbuch Ent.* 2 : 427.
2. *Quadriceps hiaticulae* (O. Fabricus) 1780 *Fauna Groenlandica*, 220.
3. *Saemundssonina platygaster* (Denny) 1842 *Mon. Anopl. Brit.*, 44, 83, pl. 2 fig. 5.
310. **Chettusia gregaria** (Pallas) : CHARADRIIDAE (2122. Sociable Lapwing).
1. *Quadriceps perinsignis*(Blagoveshtchensky) 1948 *Mag. Parasit Leningr.*, 10 : 285, fig. 18.
311. **Chettusia leucura** (Lichtenstein) : CHARADRIIDAE (2123. White-tailed Lapwing).
1. *Quadriceps grillarius* Timmermann 1954 *Z. Parasitenk.*, 16 : 201.
312. **Chlidonias leucoptera indica** (Stephens) : STERNIDAE (2067. Indian Whiskered Tern).
1. *Quadriceps pagasti* (Eichler) 1951 *Bonner Zool. Beitrage*, 2 : 128, fig. 2.
313. **Chlidonias leucoptera leucoptera** (Temminck) : STERNIDAE (2070. White-winged Black Tern).
1. *Quadriceps pagasti* (Eichler) 1951 *Bonner Zool. Beitrage*, 2 : 128, fig. 2.
314. **Cirrepidesmus leschenaultii** (Lesson) : CHARADRIDAE (2118. Large Sand Plover).
1. *Quadriceps ptyadis* (Seguy) 1949 *Mem. Inst. Sci. Madagascar*, 3A : 169, figs. 9-11.
2. *Saemundssonina chenamycha* (Seguy) 1949 *Mem. Ins. Sci. Madagascar*, 3A : 166, figs. 3-5.

315. **Cirrepidesmus mongolus atrifrons** (Wagler) : CHARADRIIDAE (2117 Pamirs Lesser Sand Plover).
1. *Quadriceps pallasi* Timmermann 1953 *Zool. Anz.*, 150 : 181.
316. **Crocethia alba** (Pallas) : SCOLOPACIDAE (2153. Sanderling).
1. *Actornithophilus albus* Emerson 1948 *Ent. News.* 59 : 178, figs. 1-2.
2. *Carduiceps complexivus* (Kellogg and Chapman) 1899 *Occ. Pap. Calif. Acad. Sci.*, 6 : 75, pl. 6, fig. 3.
3. *Luniceps actophilus* (Kellogg and Chapman) 1899 *Occ. Pap. Calif. Acad. Sci.*, 6 : 78, pl. 6 fig. 4.
317. **Cursorius cursor cursor** (Latham) : GLAREOLIDAE (Cream-coloured Courser).
1. *Austromenopon cursorius* (Giebel) 1874 *Insecta Epizoa*, 296.
2. *Quadriceps lotus* (Nitzsch) 1866 *Z. ges. Natwiss.*, 28 : 371.
318. **Dromas ardeola** Paykull : DROMADIDAE (2057. Crab-eating Plover).
1. *Quadriceps brunneus* (Nitzsch) 1866 *Z. ges. Natwiss.*, 28 : 373.
319. **Erolia alpina alpina** (Linnæus) : SCOLOPACIDAE (2161. Dunlin).
1. *Carduiceps meinertzhageni* Timmermann 1954 *Ann. Mag. Nat. Hist.* (12), 5 : 1028.
2. *Carduiceps zonarius* (Nitzsch) *Z. ges. Natwiss.*, 28 : 374.
3. *Saemundssonina variabilis* (Denny) 1842 *Mon. Anopl. Brit.* : 42, 71, pl. 3, fig 4.
320. **Erolia minuta minuta** (Leisler) : SCOLOPACIDAE (2155. Little Stint).
1. *Actornithophilus trilobatus* (Giebel) 1874 *Insecta Epizoa*, 275.
2. *Actornithophilus husaini* Ansari 1955 *Proc. VII, Pak. Sci. Confr., Biol.*, 49.
3. *Carduiceps zonarius* (Nitzsch) 1866 *Z. ges. Natwiss.*, 28 : 374.
4. *Luniceps husaini* Ansari *Proc. VII Pak. Sci. Confr., Biol.*, 49.
5. *Quadriceps* sp.
6. *Saemundssonina fusiformis* (Denny) 1842 *Mon. Anopl. Brit.*, 44, 84, pl. I fig. 2.
321. **Erolia testacea** (Pallas) : SCOLOPACIDAE (2160. Pigmy Sand Piper).
1. *Actornithophilus umbrinus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 438.
2. *Actornithophilus umbrosus* (Harrison) 1916 *Parasitology* 9 : 56.
3. *Carduiceps fulvofasciatus* (Grube) 1851 *Middendorf's sibir. Reise*, 2 : 475, pl. 31 fig. 1.
4. *Saemundssonina variabilis* Denny 1842 *Mon. Anopl. Brit.*, 42, 71, pl. 3. fig. 4.

322. **Gelochelidon nilotica nilotica** (Gmelin) : STERNIDAE (Egyptian Gullbilled Tern). 32
1. *Quadriceps baliola* (Blagovestchensky) 1951 *Mag. Parasit., Leningr. & Moscow*, 13 : 300, fig. 13.
 2. *Quadriceps kekra* Ansari 1947 *Proc. Nat. Inst. Sci. India.*, 13 : 276, fig. 8.
323. **Glareola maldivvarum maldivarum** (Forster) : GLAREOLIDAE (2055. Swallow Plover). 33
1. *Actornithophilus sedes* Eichler 1944 *Dtsch. Ent. Z.*, 1943 : 56.
 2. *Quadriceps sp.*
324. **Glareola pratincola pratincola** (Linnaeus) : GLAREOLIDAE (2054 Collared Praticole). 3
1. *Actornithophilus sedes* Eichler 1944 *Dtsch. Ent. Z.*, 1943 : 56.
 2. *Quadriceps ellipticus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 371. 3
325. **Haematopus ostralegus ostralegus** Linnaeus : CHARADRIIDAE (2110. Oyster Catcher). 3
1. *Actornithophilus grandiceps* (Piaget) 1880 *Pediculines* 558, pl. 46 fig. 7. 3
 2. *Quadriceps auratus* (Haan) 1829 *Mem. Mus. Hist. Nat. Paris* 18 : 310, pl. 5 fig. 9.
 3. *Quadriceps ridgwayi* (Kellogg) 1906 *Trans. Amer. Ent. Soc.*, 32 : 317.
 4. *Saemundssonina haematopi* (Linnaeus) 1758 *Syst. Nat. ed.*, 10 : 613.
326. **Himantopus himantopus himantopus** (Linnaeus) : CHARADRIIDAE (2130. Black-winged Stilt). 3
1. *Actornithophilus himantopi* Blagoveshtchensky 1951 *Mag. Parasit Leningr. and Moscow*. 13 : 281.
 2. *Actornithophilus raviensis* Ansari 1955 *Proc. VII Mak Sci. Confr., Agric.*, 55.
 3. *Austromenopon mohni* Ansari 1955 *Proc. VII Pak. Sci. Confr. Agric.*, 56.
 4. *Quadriceps hemichrous* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 372
 5. *Quadriceps semifissus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 372
327. **Hydroprogne caspica caspica** (Pallas) : STERNIDAE (2071. Caspian Tern).
1. *Quadriceps griseus* (Rudow) 1869 *Beitr. Kenntn. Malloph.* : 21.
328. **Ibidorhyncha struthersii** Vigors : CHARADRIIDAE (2132. Ibis Bill.)
1. *Quadriceps altoasiaticum* (Timmermann) 1954 *Zool. Anz.*, 152 : 168, figs. 6-7.

29. **Larus argentatus cachinnaris** (Pallas) : LARIIDAE (2066. Yellow-legged Herring Gull).
 1. *Quadriceps ornatus* (Grube) 1851 *Middendorff's sibir. Reise*, 2 : 477, pl. 31 fig. 4,
 2. *Quadriceps regressus* Timmermann 1952 *Ann. Mag. Nat. Hist.* (12) : 5 : 215.
30. **Larus fuscus taimyrensis** Buturlin : LARIIDAE (2065. Eastern Herring Gull).
 1. *Saemundssonina breviappendiculata* (Piaget) 1880 *Pediculines*, 112
31. **Larus genei** Breme : LARIIDAE (2064. Slender-billed Gull).
 1. *Quadriceps pallidus* Timmermann 1952 *Ann. Mag. Nat. Hist.* (12), 5 : 215, fig. 2c.
32. **Larus hemprichi** Bruch : LARIIDAE (2063. Sooty Gull).
 1. *Quadriceps clayae* Timmermann 1952 *Ann. Mag. Nat. Hist.* (12), 5 : 212, fig. 2b.
33. **Larus ridibundus ridibundus** Linnaeus : LARIIDAE (2061. Black-headed Gull).
 1. *Austromenopon ridibundus* (Denny) 1842 *Mon. Anopl. Brit.*, 201, 227, pl. 20 fig. 3.
 2. *Quadriceps punctatus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 428.
 3. *Saemundssonina mulleri* Eichler 1942 *Zool. Anz.*, 139 : 31.
34. **Leucopoliis alexandrinus alexandrius** (Linnaeus) : CHARADRIIDAE (2106. Kentish Plover).
 1. *Quadriceps pyadis* (Seguy) 1949 *Mem. Inst. Sci. Madagascar*, 3A : 169, figs. 9-11.
35. **Limosa lapponica lapponica** (Linnaeus) : SCOLOPACIDAE (2139. Bar-tailed Godwit).
 1. *Actornithophilus limosae* (Kellogg) 1908 *Wytsman's Gen. Ins. Mallophaga* 56 ;
 2. *Actornithophilus spinulosus* (Piaget) 1880 *Pediculines*, 563, pl. 47. fig. 3.
 3. *Austromenopon meyeri* (Giebel) 1874 *Insecta Epizoa*, 296.
 4. *Carduiceps cingulatus* (Denny) 1842 *Mon. Anopl. Brit.*, 54, 146 pl. 11 fig. 3.
 5. *Saemundssonina limosae* (Denny) 1842 *Mon. Anopl. Brit.*, 44, 86, pl. 4 fig. 2.

336. **Limosa limosa limosa** (Linnaeus) : SCOLOPACIDAE (2137. Black-tailed Godwit).
 1. *Actornithophilus spinulosus* (Piaget) 1880 *Pediculines*, 563, pl. 47 fig. 3.
 2. *Carduiceps cingulatus* (Denny) 1842 *Mon. Anopl. Brit.*, 54, 146, pl. 11 fig. 3.
 3. *Saemundssonina thomsoni* Timmermann 1951 *Ann. Mag. Nat. Hist.* (12), 4 : 396, figs. 5-7.
337. **Lobipes lobatus** (Linnaeus) : SCOLOPACIDAE (2166. Red-necked Phalarope).
 1. *Quadriceps connexus* (Kellogg and Mann) 1912 *Ent News*, 23 : 13.
338. **Lobipluvia malabarica** (Boddaert) : CHARADRIIDAE (2128. Yellow-wattled Lapwing).
 1. *Quadriceps sp.*
339. **Lobivanellus indicus indicus** (Boddaert) : CHARADRIIDAE (2125. Indian Red-wattled Lapwing).
 1. *Austromenopon sp.*
 2. *Quadriceps dasi* Tandan 1952 *Ann. Mag. Nat. Hist.*, (12) 5 : 464, figs. 6-9.
340. **Lymnocyptes minima** (Brunnich) : SCOLOPACIDAE (2175. Jack Snipe).
 1. *Actornithophilus multisetosus* Blagoveshtchensky 1940 *Mag. Parasit. Leningr.*, 8 : 41, 82, fig. 12.
341. **Microsarcops cinereus** (Blyth) : CHARADRIIDAE (2129. Gray-headed Lapwing).
 1. *Quadriceps sinensis* Timmermann 1954 *Z. Parasitenk.*, 16 : 203, fig. 10.
342. **Numenius arquata arquata** (Linnaeus) : SCOLOPACIDAE (2123. Curlew).
 1. *Actornithophilus patellatus* (Piaget) 1890 *Tijdschr. Ent.*, 33 : 254, pl. 10 fig. 8.
 2. *Austromenopon crocatum* (Nitzsch) 1866. *Z. ges. NatWiss.*, 28 : 392,
 3. *Cummingsiella ovalis* (Scopoli) 1763 *Ent. Carniolica*, 384.
 4. *Luniceps numenii* (Denny) 1842. *Anopl. Brit.*, *Mon.* 53, 144, pl. 9 fig. 6.
 5. *Saemundssonina humeralis* (Denny) 1842 *Mon. Anopl. Brit.*, 45, 88, pl. 5 fig. 7.
 6. *Saemundssonina viridicola* (Kellogg), 1914 *Bull. Brooklyn Inst. Arts Sci. Mus. Sci.* 2 : 28, pl. 16, fig. 2.

343. **Numenius arquata orientalis** (Blehm) : SCOLOPACIDAE (2134, Easter Collored Curlew).
 1. *Austromenopon crocatum* (Nitzsch), 1866 *Z. ges. NatWiss*, 28 : 392.
344. **Numenius ovalis** (Scopoli) : SCOLOPACIDAE (Curlew).
 1. *Luniceps numenii* (Denny) 1842 *Mon. Anopl. Brit.*, 53, 144, pl. 9 fig. 6.
345. **Numenius phaeopus phaeopus** (Linnaeus) : SCOLOPACIDAE (2135, Whimbrel).
 1. *Actornithophilus ocellatus* (Rudow) 1869 *Z. ges. NatWiss.*, 34 : 392.
 2. *Austromenopon phaeopodis* (Schrank) 1802 *Briefe natur...* 361.
 3. *Luniceps phaeopi* (Denny) 1842. *Mon. Anopl. Brit.*, 54, 144 pl. 10 fig. 7.
 4. *Saemundssonina scolopacisphaeopodis* (Schrank) 1803 *Fauna Boica*, 191.
 5. *Saemundssonina viridicola* (Kellogg) 1914. *Bull. Brooklyn Inst. Arts. Sci. Mus. Sci.* 2 : 82 pl. 16. fig. 2.
346. **Numenius phaeopus varigatus** Scopoli : SCOLOPACIDAE (2136, Easter Whimbrel).
 1. *Luniceps phaeopi* (Denny) 1842. *Mon. Anopl. Brit.*, 54, 144, pl. 10. fig. 7.
 2. *Saemundssonina scolopacisphaeopodis* (Schrank) 1803 *Fauna Boica*, 191.
347. **Phalaropus fulicarius jourdaini** Iredale : SCOLOPACIDAE (2165, Gray Phalarope)
 1. *Austromenopon corporosum* (Kellogg and Kuwana) 1901, *Proc. Acad. Nat. Sci. Philad.*, 1900, 158, pl. 7. fig. 5.
 2. *Quadriceps phalaropi* (Denny) 1842, *Mon. Anopl. Brit.*, 53, 139, pl. 8, fig. 6.
348. **Philomachus pugnax** (Linnaeus) : SCOLOPACIDAE (2152 Ruff and Reave).
 1. *Actornithophilus pustulosus* (Piaget) 1880. *Pediculines*, 559 pl. 46 fig. 8
 2. *Austromenopon lutescens* (Burmeister) 1838, *Handbuch, Ent.*, 2, 440.
 3. *Carduiceps fulvofasciatus* (Grube) 1851 *Middendorff's sibir. Reise* 2, 475 pl. 31. fig. 1.
 4. *Carduiceps scalaris* (Piaget) 1880 *Pediculines*, 190, pl. 17. fig. 2.
 5. *Luniceps holophaeus* (Burmeister) 1838 *Handbuch Ent.* 2 ; 427.
 6. *Quadriceps lahorensis* Ansari, 1955, *Proc. V. Pak. Confr. Biol.*, 50.

349. **Pluvialis apricarius apricarius** (Linnaeus) : CHARADRIIDAE (2119. Golden Plover).
1. *Actornithophilus ochraceus* (Natzsch) 1818 *German's Mag. Ent.* 3 : 299.
 2. *Quadriceps charadrii* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
 3. *Saemundssonina conica* (Denny) 1842 *Mon. Anopl. Brit.*, 45, 90, pl. 5 fig. 2.
350. **Pluvialis dominicus fulvus** (Gmelin) : CHARADRIIDAE (2120. Eastern Golden Plover).
1. *Actornithophilus timidus* (Kellogg) 1896 *Proc. Calif. Acad. Sci.* (2), 6 : 145, pl. 12 fig. 6.
 2. *Quadriceps orarius* (Kellogg) 1896 *Proc. Calif. Acad. Sci.*, (2), 6 : 104, pl. 5 fig. 5.
 3. *Saemundssonina hawaiiensis* (Kellogg et Chapman) 1902 *Jour. N. Y. Ent. Soc.*, 10 : 157.
351. **Recurvirostra avocetta avocetta** Linnaeus CHARADRIIDAE : (2131 AVOCET).
1. *Actornithophilus uniseriatus* (Piaget) 1880 *Pediculines*, 562, pl. 47 fig. 2.
 2. *Austromenopon micrandum* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 392.
 3. *Quadriceps decipiens* (Denny) 1842 *Mon. Anopl. Brit.*, 50, 125, pl. 11. fig. 2.
 4. *Quadriceps recurvirostrae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 339.
 5. *Quadriceps signatus* (Piaget) 1880 *Pediculines* 186, pl. 15 fig. 8.
352. **Scolopax rusticola rusticola** Linnaeus : SCOLOPACIDAE (2167. Woodcock).
1. *Austromenopon icterum* (Burmeister) 1838 *Handbuch Ent.*, 2 : 440.
 2. *Cummingsiella aurea* Hopkins 1949 *Ann. Mag. Nat. Hist.* (12), 1 : 31, pl. 1, figs. 3-4.
 3. *Rhynonirmus helvolus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 433.
 4. *Saemundssonina clayae* Hopkins 1949 *Ann. Mag. Nat. Hist.*, (12), 2 : 32.
353. **Squatarola squatarola squatarola** (Linnaeus) : CHARADRIIDAE (2102. Western Gray Plover).
1. *Actornithophilus flavipes* (Giebel) 1874 *Insecta Epizoa*, 276.
 2. *Luniceps incoenis* (Kellogg et Chapman) 1899 *Occ. Pap. Calif. Acad. Sci.*, 6 : 81, pl. 6 fig. 5.
 3. *Quadriceps hospes* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 371.
 4. *Saemundssonina naumanni* (Giebel) 1874 *Insecta Epizoa*, 100.

54. **Stercorarius parasiticus parasiticus** (Linnaeus) : STERCORARIIDAE
(2058. Richardson's Skua).
 1. *Austromenopon circinatum* (Piaget) 1890 *Tijdschr. Ent.*, 33 :
249, pl. 10 fig. 4.
 2. *Quadriceps normifer* (Grube) 1851 *Middendorff's Sibir Reise*,
2 : 478, pl. 31 fig. 8.
 3. *Saemundssonina cephalus* (Denny) *Mon. Anopl. Brit.*, 44, 81,
pl. 2, fig. 8.
355. **Stercorarius pomarinus pomarinus** (Temminck) : STERCORARIIDAE
(2059. Pomatorhine Skua).
 1. *Austromenopon circinatum* (Piaget) 1890 *Tijdschr. Ent.*, 33 :
249, pl. 10 fig. 4.
 2. *Austromenopon fuscofasciatum* (Piaget) 1880 *Pediculines*, 492,
pl. 40 fig. 9.
 3. *Actornithophilus brachycephalus* (Giebel) 1874 *Insecta*
Epizoa, 278.
 4. *Quadriceps stellaepolaris* Timmermann 1952 *Ann. Mag. Nat.*
Hist., (12), 5 : 1037.
 5. *Saemundssonina euryrhyncha* (Giebel) 1874 *Insecta Epizoa*, 112.
356. **Sterna albifrons albifrons** Vroeg : STERNIDAE (2087. Little Tern).
 1. *Comatomenopon elongatum* Uchida 1920 *Annot. Zool. Jap.*,
9 : 649, figs. 1-3.
 2. *Quadriceps nychthemerus* (Burmeister) 1838 *Handbuch Ent.*,
2 : 428.
 3. *Saemundssonina melanocephalus* (Burmeister) 1838 *Handbuch*
Ent., 2 : 426.
357. **Sterna albifrons sinensis** (Gmelin) : STERNIDAE (2088. White-shafted
Turnlet).
 1. *Comatomenopon elongatum* Uchida 1920 *Annot. Zool. Jap.*,
9 : 649, figs. 1-3.
358. **Sterna anaetheta anaetheta** Scopoli : STERNIDAE (2093. Philippine
Brown-winged Tern).
 1. *Quadriceps legatus* Timmermann 1952 *Zool. Ann.*, 148 : 77,
figs. 4-5.
 2. *Saemundssonina meridiana* Timmermann 1950 *Parasitological*
News (1), 1 ; fig. 1.
359. **Sterna aurantia** J. C. Gray : STERNIDAE (2080. Indian River Tern).
 1. *Saemundssonina hopkinsi* Clay 1949 *Amer. Mus. Novit.*, no.
1409 : 18, figs. 10, 13, 15, 21.
360. **Sterna dougallii korustes** (Humes) : STERNIDAE (2086. Eastern Rosy
Tern).
 1. *Quadriceps giebeli* (Eichler) 1951 *Bonner Zool. Beitrage*, 2:128.

361. **Sterna fuscata infuscata** (Lichtenstein) : STERNIDAE (2096. Indian Sooty Tern).
1. *Quadriceps birostris* (Giebel) 1874 *Insecta Epizoa* 174.
2. *Quadriceps* sp.
362. **Sterna hirundo hirundo** Linnaeus : STERNIDAE (2083. Common Tern).
1. *Austromenopon pachypus* (Piaget) 1888 *Tijdschr. Ent.*, 31 : 161, pl. 4 fig. 4.
2. *Quadriceps sellatus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 428.
3. *Saemundssonina sterna* (Linnaeus) 1758 *Syst. Nat. ed.* 10 : 612.
363. **Thalasseus bergii cristata** (Stephens) : STERNIDAE (2078. Chinese Large-crested Tern).
1. *Actornithophilus crassipes* (Piaget) 1880. *Pediculines* 566, pl. 47 fig. 6.
364. **Thalasseus bergii velox** Cretzsch : STERNIDAE (2075. Red Sea Large Crested Tern).
1. *Actornithophilus crassipes* (Piaget) 1880 *Pediculines*, 566, pl. 47 fig. 6.
365. **Thalasseus sandvicensis sandvicensis** (Letham) : STERNIDAE (2074, Sandwich Tern).
1. *Actornithophilus piceus* (Denny) 1842 *Mon. Anopl. Brit.*, 198, 212, pl. 18 fig. 4.
2. *Austromenopon minor* (Piaget) 1880 *Pediculines*. (*Ann. Mag. Nat. Hist.*, (10), 20 : 24).
3. *Quadriceps longicollis* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 19.
4. *Saemundssonina laticaudata* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 12 ;
366. **Tringa erythropus** (Pallas) : SCOLOPACIDAE (2149. Spotted Red-Shank).
1. *Actornithophilus affinis* (Nitzsch) 1874 *Insecta Epizoa.*, 276.
2. *Quadriceps furvus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 427.
367. **Tringa glareola** Linnaeus : SCOLOPACIDAE (2146. Wood Sandpiper).
1. *Saemundssonina cordiceps* (Giebel) 1874 *Insecta Epizoa*, 103.
368. **Tringa nebularia** (Gunnerus) : SCOLOPACIDAE (2150. Green Shank).
1. *Quadriceps similis* (Giebel) 1866 *Z. ges. NatWiss.*, 28 : 374.

369. **Tringa ochropus** Linnaeus : SCOLOPACIDAE (2143. Green Sandpiper).
 1. *Actornithophilus lyallpurensis* Ansari 1955 *Proc. VII Pak. Sci. Confr., Agric.* 55.
 2. *Austromenopon sohni* Ansari 1955 *Proc. VII Pak. Sci. Confr., Agric.* 56.
 3. *Quadriceps ochropi* (Denny) 1842 *Mon. Anopl. Brit.*, 52, 134 pl. 11 fig. 12.

370. **Tringa totanus totanus** (Linnaeus) : SCOLOPACIDAE (2147. Red Shank).
 1. *Actornithophilus totani* (Schrank) 1803 *Fauna Boica* 191.
 2. *Quadriceps conformis* (Blagovestchensky) 1940 *Mag. Parasit, Leningr.*, 8 : 56, 84, fig. 14.

371. **Vanellus vanellus** (Linnaeus) : CHARADRIIDAE.
 1. *Actornithophilus svobodyae* Balat 1953 *Zool. Ent. Listy*, 2 : 100, 101, 105, fig. 4.
 2. *Luniceps bicolor* (Piaget) 1880 *Pediculines* 175, pl. 14 fig. 9.
 3. *Quadriceps junceus* (Scopoli) 1763 *Ent. Carniolica*, 384.
 4. *Saemundssonina temporalis* (Giebel) 1874 *Insecta Epizoa*, 102.

XI. STEGANOPODES

372. **Anhinga melanogaster** Pennant : PHALOCROCORACIDAE (2183. Indian Snake Bird).
 1. *Pectinopygus acutofasciatus* (Piaget) 1880 *Pediculines*, 172, pl. 14 fig. 5.

373. **Fregata minor aldabrensis** Mathews : FREGATIDAE (2192. Western Lesser Frigate Bird).
 1. *Eidmanniella intermissa* (Harrison) 1916 *Parasitology*, 9 : 39.
 2. *Pectinopygus gracillicornis* (Piaget) 1880 *Pediculines* : 309, pl. 25, fig. 6.

374. **Pelecanus crispus** Bruch : PELECANIDAE (2178. Dalmatian Pelican).
 1. *Pectinopygus bifasciatus* (Piaget) 1880 *Pediculines*, 342, pl. 28 fig. 1.

375. **Pelecanus onocrotalus onocrotalus** Linnaeus : PELECANIDAE (2176. Western Rosy Pelican).
 1. *Colpocephalum eucarenum* Burmeister 1838 *Handbuch Ent.*, 2 : 439.
 2. *Piagetiella titan* (Piaget) 1880 *Pediculines* 503, pl. 40 fig. 7.
 3. *Pectinopygus forficulatus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 386.

376. **Pelecanus onocrotalus roseus** (Gmelin) : PELICANIDAE (2177. Eastern Rosy Pelican).
1. *Colpocephalum eucarenum* Burmeister 1838 *Handbuch Ent.*, 2 : 439.
 2. *Piagetiella subtitan* (Bedford) 1931 *Parasitology* 23 : 236-242, figs. 1b, 2b, 3b, 4b, 5b, 6b.
 3. *Pectinopygus forficulatus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 386.
377. **Phaethon lepturus lepturus** Daudin : PHAETHONIDAE (2190. White Tropic Bird).
1. *Austromenopon miloni* (Seguy) 1949 *Mem. Inst. Sci. Madagascar*, 3A, 165, figs. 1-2.
 2. *Saemundssonina upoluensis* (Rudow) 1870 *Z. ges. NatWiss.*, 35 : 455.
378. **Phaethon rubricauda rubricauda** Boddaert : PHAETHONIDAE (2189. Red-tailed Tropic Bird).
1. *Saemundssonina hexagona* (Giebel) 1874 *Insecta Epizoa*, 116.
379. **Phalacrocorax carbo sinensis** Shaw et Nodder : PHALACROCORACIDAE (2180. Indian Large Cormorant).
1. *Eidmanniella brevipalpis* (Piaget) 1880 *Pediculines* 498, pl. 40, fig. 5.
 2. *Pectinopygus gyricornis* (Denny) 1842 *Mon. Anopl. Brit.*, 58, 167, pl. 15 fig. 1.
380. **Sula dactylatra melanops** (Heuglin) : SULIDAE (2186. Red Sea Gannet).
1. *Pectinopygus jamaicensis* Thompson 1948 *Ann. Mag. Nat. Hist.*, (11), 14 : 348, figs. 1-8.
381. **Sula leucogaster plotus** (Forster) : SULIDAE (2184. Brown Gannet).
1. *Pectinopygus annulatus* (Piaget) 1880 *Pediculines*, 340, pl. 27, fig. 10.
 2. *Pectinopygus garbei* (Pessoa et Guimaraes) 1935 *Rev. Biol. Hyg. S. Paulo*, 6 : 109, figs. 6-11.
 3. *Pectinopygus sulae* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 43.
382. **Sula sula rubripes** (Gould) : SULIDAE (2185. Australian Red-legged Gannet).
1. *Pectinopygus helleri* (Kellogg et Kuwana) 1902 *Proc. Wash. Acad. Sci.*, 4 : 479, pl. 30, fig. 3.
 2. *Pectinopygus potens* (Kellogg et Kuwana) 1902 *Proc. Wash. Acad. Sci.*, 4 : 477, pl. 30, fig. 1.

XII. TUBINARES

383. **Daption capensis** (Linnaeus) : PROCELLARIIDAE (2201. Cape Petrel).
 1. *Ancistrona procellariae* Westwood 1874 *Thesaurus Entomologicus Oxoniensis*, 197, pl. 37 fig. 4.
 2. *Procellariophaga daptionis* Eichler 1949 *Rev. Brasil. Biol.*, 9 : 344. figs. 21-23.
 3. *Naubates testaceus* (Taschenberg) 1882 *Nova Acta Leop-Carol.*, 44 : 135, pl. 5 fig. 3.
 4. *Pseudonirmus guriti* (Taschenberg) 1882 *Nova Acta Leop-Carol.*, 44 : 151, pl. 5 fig. 6.
384. **Oceanites oceanicus oceanicus** (Kuhl) : PROCELLARIIDAE (2194. Wilson's Stormy Petrel).
 1. *Philoceanus robertsi* (Clay) 1940 *Brit. Graham Land Exped.*, 1934-37, 1 : 313, figs. 9c, 10a, 11b.
385. **Puffinus pacificus hamiltoni** Mathews : PROCELLARIIDAE (2196. Wedge-tailed Shear Water).
 1. *Longimenopon puffinus* Thompson 1948 *Occ. Pap. Bishop. Mus. Honolulu*, 19 : 197, figs. 1a-1d.

XIII. HERODIONES

386. **Anastomus oscitans** (Boddaert) : CICONIIDAE (2215. Open-bill).
 1. *Colpocephalum occipitale* Nitzsch 1866 *Z. ges. NatWiss.*, 28 : 394.
 2. *Ardeicola lepidus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 383.
 3. *Neophiloaterus completus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 361.
387. **Ardea cinerea cinerea** Linnaeus : ARDEIDAE (2217. Common Gray Heron).
 1. *Ciconiphilus decimfasciatus* (Boisduval et Lacordaire) 1835 *Fauna Ent. Environs Paris*, 12.
 2. *Ardeicola ardeae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
388. **Ardea purpurea minillensis** Meyer : ARDEIDAE (2216. Eastern Purple Heron).
 1. *Ardeicola leucoproctus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 384.
389. **Ardeola grayii** (Sykes) (ARDEIDAE (2229. Common Indian Pond Heron).
 1. *Ardeiphilus mirzai* (Qadri) 1935 *Z. Parasitenk.*, 8 : 232. fig. 5.

390. **Botaurus stellaris stellaris** (Linnaeus) : ARDEIDAE (2240. Bittern).
 1. *Ardeiphilus trochioxus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 438.
 2. *Ardeicola stellaris* (Denny) 1842 *Mon. Anopl. Brit.*, 59, 178, pl. 15 fig. 3.
391. **Bubulcus ibis coromandus** (Boddaert) : ARDEIDAE (2226. Cattle Egret).
 1. *Ciconiphilus doriabagla* (Ansari) 1951 *Proc. Nat. Inst. Sci. India*, 17 : 154, fig. 11.
 2. *Ardeicola gaibagla* Ansari 1947 *Proc. Nat. Inst. Sci. India*, 13 256, fig. 1.
392. **Ciconia ciconia ciconia** (Linnaeus) : CICONIIDAE (2207. White Stork).
 1. *Ciconiphilus quadripustulatus* (Burmeister) 1838 *Handbuch Ent.*, 2 : 438.
 2. *Colpocephalum zebra* Burmeister 1838 *Handbuch Ent.*, 2 : 438.
 3. *Ardeicola ciconiae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
 4. *Neophilopecterus incompletus* (Denny) 1842 *Mon. Anopl. Brit.* 47, 105, pl. 6 fig. 5.
393. **Ciconia nigra** (Linnaeus) : CICONIIDAE (2209, Black Stork).
 1. *Colpocephalum ferrisi* Bedford 1930 *Rep. Vet. Res. S. Africa* 16 : 159, fig. 5.
 2. *Ardeicola maculatus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 383.
 3. *Neophilopecterus tricolor* (Burmeister) 1838 *Handbuch Ent.*, 2 : 424.
394. **Demiegretta sacra sacra** (Gmelin) : ARDEIDAE (2227. Eastern Reef Heron.)
 1. *Ardeicola pallidus* (Piaget) 1880 *Pediculines* 312. (nec. Giebel 1866).
395. **Dissoura episcopa episcopa** (Boddaert) : CICONIIDAE (2210. White-necked Stork).
 1. *Colpocephalum uchidi* (Qadri) 1936 *Z. Parasitenk.*, 8 : 641, figs. 2-3.
 2. *Ardeicola castaneus* (Piaget) 1885 *Pediculines Supplement*, 62.
 3. *Neophilopecterus episcopi* (Kellogg) 1910 *Wiss. Ergebn. Schwed Zool. Exped. Kilimandjaro*. 3 : 44; pl. 77 fig. 2.
396. **Egretta alba alba** (Linnaeus) : ARDEIDAE (2223. Large Egret).
 1. *Ardeicola albulus* Eichler 1948 *Vogel der Heimat*. no. 6 : 107, figs. 2-3.

397. **Egretta gazetta gazetta** (Linnaeus) : ARDEIDAE (2225. Little Egret),
 1. *Ciconiphilus boisduvali* (Eichler) 1937 *Sitz. ges. naturf., Fr. Berl.*, 96.
 2. *Ardeicola expallidus* Blagoveshtchensky 1940 *Mag. Parasit. Leningr.*, 8 : 69, 88, fig. 21.
398. **Ibis leucocephalus leucocephalus** (Pennant) : CICONIIDAE (2214. Painted Stork).
 1. *Ardeicola tantali* (J. C. Fabricius) 1798 *Ent. Syst. Suppl.*, 571.
399. **Ixobrychus minutus minutus** (Linnaeus) : ARDEIDAE (2236. Little Bittern).
 1. *Ardeiphagus sulcatns* (Piaget) 1888 *Tijdschr. Ent.*, 31 : 149, pl. 3 fig. 2.
400. **Leptoptilos dubius** (Gmelin) : CICONIIDAE (2212. Adjutant).
 1. *Ciconiphilus temporalis* (Piaget) 1880 *Pediculines*, 487, pl. 39 fig. 6.
401. **Leptoptilos javanicus** (Horsfield) : CICONIIDAE (2213. Smaller Adjutant).
 1. *Colpocephalum marabu* (Eichler) 1947 *Ark. Zool.* 39A. no. 2 : 15, fig. 28.
402. **Nycticorax N. nycticorax** (Linnaeus) : ARDEIDAE (2233. Night Heron).
 1. *Ciconiphilus nyctardis* (Denny) 1842 *Mon. Anopl. Brit.*, 199, 215, pl. 20 fig. 9.
 2. *Ardeicola goisagi* Uchida 1953 *Iconographia Insectorum Japonicorum, Tokyo*, 109. fig. 269.
403. **Platalea leucorodia major** (Temminck et Schlegel) : PLATALEIDAE (2202. Indian Spoon-bill).
 1. *Austromenopon atrofulvum* (Piaget) 1880 *Pediculines*, 483, pl. 39 fig. 2.
 2. *Eucolpocephalum femorale* (Piaget) 1880 *Pediculines* 484, pl. 39 fig. 8.
 3. *Ardeicola plataleae* (Linnaeus) 1758 *Syst. Nat.*, ed. 10 : 613.
 4. *Ibidoecus plataleae* (Denny) 1842 *Mon. Anopl. Brit.*, 46, 100, pl. 4 fig. 9.
 5. *Ibidoecus robustus* Qadri 1935 *Z. Parasitenk.*, 8 : 235 fig. 7.
404. **Plegadis falcinellus falcinellus** (Linnaeus) : PLEGADIDAE (2206. Glossy Ibis).
 1. *Ciconiphilus blagoweschenskii* (Dubinin) 1938 *Trav. Reserve Etat Astrakhan*, 2 : 182, fig.
 2. *Colpocephalum leptopygos* Nitzsch 1874 *Insecta Epizoa*, 273.
 3. *Plegadiphilus plegadis* (Dubinin) 1938 *Trav. Reserve Etat Astrakhan*, 2 : 178, fig.
 4. *Ardeicola raphidius* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 384.
 5. *Ibidoecus bisignatus* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 362.
 6. *Ibidoecus robustus* Qadri 1935 *Z. Parasitenk.*, 8 : 235, fig. 7,

405. **Threskiornis melanocephalus melanocephalus** (Latham) :
PLEGADIDAE (2203. White Ibis).
1. *Ibidoecus clausus* (Giebel) 1874 *Insecta Epizoa*, 107.
2. *Ibidoecus robustus* Qadri 1935 *Z. Parasitenk.*, 8 : 235, fig. 7.
406. **Xenorhynchus asiaticus asiaticus** (Latham) : CICONIIDAE (2211.
Black-necked Stork).
1. *Neophilopterus horridus* (Giebel) 1876 *Z. ges. NatWiss.*,
47 : 249.

XIV. PHOENICOPTERI

407. **Phoenicopterus ruber antiquorum** (Temminck) : (2241, Flamingo).
1. *Colpocephalum heterosoma* (Piaget) 1880 *Pediculines*, 572, pl. 48,
figs. 3-4.
2. *Colpocephalum salimalii* Clay 1951 *Ann. Mag. nat. Hist.* (12),
4 : 1162, figs. 14-15, pl. 20, figs. 3, 5.
3. *Trinoton femoratum* (Piaget) 1880 *Pediculines*, 593, pl. 49, fig. 4.
4. *Anaticola candidus* (Rudow) 1869 *Beitr. Kenntn. Malloph.*, 39.
5. *Anaticola phoenicopteri* (Coinde) 1859 *Bull. Soc. Nat. Mosc.*,
32 : 426.
6. *Anatoecus pygaspis* (Nitzsch) 1866 *Z. ges. NatWiss.*, 28 : 361.

(To be continued)

T
Ka
tov
me
cap
of
Qa
in
oni
bu
exc
W
car
reg
sur
Th
per
or
un
the

tag

of