

# Handbook of AUSTRALIAN, NEW ZEALAND & ANTARCTIC BIRDS

## Volume 1 Ratites to Ducks

Part A Ratites to Petrels

Part B Australian Pelican to Ducks

S. Marchant and P.J. Higgins (Co-ordinators)

|                |                     |
|----------------|---------------------|
| S.J. Ambrose   | S.T. Garnett        |
| M. Considine   | M. Hewish           |
| S.J. Cowling   | R.M. O'Brien        |
| P.J. Curry     | J.M. Peter          |
| D.W. Eades     | D.E. Peters (Dec'd) |
| K. Fitzherbert | D.I. Rogers         |
| P.J. Fullagar  | G.F. van Tets       |

*Colour illustrations by J.N. Davies*

Melbourne , 1990  
Oxford University Press  
Oxford Auckland New York

**OXFORD UNIVERSITY PRESS AUSTRALIA**

Oxford New York Toronto  
Delhi Bombay Calcutta Madras Karachi  
Petaling Jaya Singapore Hong Kong Tokyo  
Nairobi Dar es Salaam Cape Town  
Melbourne Auckland

and associated companies in  
Berlin Ibadan

**OXFORD** is a trade mark of Oxford University Press

© RAOU 1990  
First published 1990

This book is copyright. Apart from any fair dealing for the purposes of private study, research, criticism or review as permitted under the Copyright Act, no part may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without prior written permission. Inquiries to be made to Oxford University Press.

**Copying for educational purposes**

Where copies of part or the whole of the book are made under section 53B or section 53D of the Act, the law requires that records of such copying be kept. In such cases the copyright owner is entitled to claim payment.

National Library of Australia  
Cataloguing-in-Publication data:

**Handbook of Australian, New Zealand and Antarctic birds.**  
**Volume 1, Ratites to ducks.**

Includes index.  
ISBN 0 19 553068 3 (set of v. 1).  
ISBN 0 19 553261 9 (v. 1, pt. 1).  
ISBN 0 19 553262 7 (v. 1, pt. 2).  
ISBN 0 19 553244 9 (complete set).

1. Birds — Australia. 2. Birds — New Zealand. 3. Birds — Antarctic regions. I. Marchant, S. (Stephen), 1912-. . . . II. Higgins, P. J. (Peter Jeffrey), 1959- .

598.299

Edited by Mary Sharp

Designed by Derrick I. Stone Design

Typeset by Abb-typesetting Pty Ltd, Collingwood, Victoria

Separations by Scanagraphix Pty Ltd, Melbourne

Printed by Impact Printing, Melbourne

Published by Oxford University Press,  
253 Normanby Road, South Melbourne, Australia

# APPENDIX I

## ECTOPARASITES OF AUSTRALIAN, NEW ZEALAND AND ANTARCTIC BIRDS

M.D. Murray\*, R.L. Palma\*\* and R.L.C. Pilgrim†

### INTRODUCTION

The ectoparasites considered are those that may be seen when a bird is handled. Consequently, only lice, fleas, louse-flies and ticks are listed, not flying insects such as midges, black flies or mosquitoes. In future checklists mites may be given. Only published data have been accepted (excluding records considered to be stragglers or contaminants) as it was felt that much of the material in collections requires to be re-examined to avoid a perpetuation of errors. Only those hosts are listed on which or in association with which ectoparasites have been found; absence of a host from the list means ignorance. The nomenclature of hosts follows that of the Handbook and, in the main, subspecies are not given. However, it must be emphasized that subspecies of hosts are important as usually they differ in distribution, and ectoparasites, such as fleas and ticks, have distinct geographical distributions of their own related to the conditions that favour the survival off the host of the several stages of their life-cycles. Even lice, which live permanently on their hosts, may differ between subspecies of their hosts. The subspecies of hosts are given, therefore, where they are considered to be relevant and informative.

It is fortunate that the lice of the birds of NZ and the birds of the Southern Ocean have been well studied in recent years by Palma & Pilgrim (1982-88). Examination of the checklist will reveal the extensive fauna on NZ birds; the apparent cleanliness of Aust. birds simply indicates an appalling lack of data. A more critical examination of the NZ birds will reveal anomalies that indicate that even there more collecting is required.

#### LICE (Phthiraptera)

There are four sub-orders of lice within the Phthiraptera and two of these, Amblycera and Ischnocera, are found on birds. They are biologically quite different. Amblyceran lice are usually active and have more varied diets: species of *Piagetiella* feed within the gular pouches of pelicans and cormorants (Marshall 1981); *Colpocephalum turbinatum* lives inside the quills of primary feathers of the wings of the Feral Pigeon *Columba livia* and can be predatory on moulting lice and the eggs of lice and mites (Nelson 1971); and other species may feed on blood or feathers. Ischnoceran lice feed on feathers and avoid preening by their host through morphological adaptations. Those on wings and tail, which are usually elongated and narrow, lie between the rami of the feather whereas those in down feathers may be broadened and flattened. There is often one species of louse of each sub-order on each species of bird, and the genera of these lice usually differ between avian orders (Table 1).

Often, in compact groups such as albatrosses and storm-petrels, different hosts may be infested with the same species of lice, as judged by current morphological interpretations. The sophisticated techniques of protein and DNA analyses

and interbreeding experiments have not yet been attempted. In many genera of lice different species occur on each host and not infrequently on host subspecies, as may be seen for kiwis. In large families of birds, such as Procellariidae and Anatidae, many genera of lice are found whereas few are associated with smaller families. Within this great range of host-louse associations some are quite unexpected. *Austrogoniodes* is a genus found on penguins but one species lives on the Musk Duck *Biziura lobata* (Clay 1971a). Another example, outside the scope of the Handbook, is from the amblyceran family Boopiidae which is confined to Aust. marsupials with two exceptions; one species is also found on the domestic dog and another, *Therodoxus oweni* Clay, 1971, is solely found on *Casuarius casuarius sclateri* in PNG (Clay 1971b).

#### FLEAS (Siphonaptera)

The fleas of seabirds of the regions covered in the Handbook fall into three families (Dunnet 1964; Dunnet & Mardon 1974; Smit 1979). The family Rhopalopsyllidae is widely distributed on burrowing rodents in South America, but *Parapsyllus* are confined to birds, mostly seabirds; Pygiopsyllidae is predominantly found on mammals with a representation in Africa and South America, but *Notiopsylla* spp are confined to seabirds of Aust.-NZ and Subantarctic Zone; Ceratophyllidae, which is well represented on South American birds, is present as a single species, *Glaciopsyllus antarcticus*, the only flea found in Antarctica. The whole life-cycle of this flea takes place on the body of the host (Bell et al. 1988) whereas the immature stages of bird-fleas are usually found in the nest of their host.

All the fleas listed are found in Aust., NZ and the subantarctic islands with the exception of *Parapsyllus taylori*, which occurs round the s. coast of Aust.; *P. cardini*, which is found in NZ and on Macquarie I. and *G. antarcticus*, which is confined to Antarctica. In flea-taxonomy the triple nomenclature is common, and reflects further separation within these species whose hosts live in a vast area of widely isolated breeding islands.

#### LOUSE-FLIES (Hippoboscidae: Diptera)

Louse-flies are associated with Diomedeidae, Procellariidae, Phaethontidae, Fregatidae and Sulidae in pantropical Indian and Pacific Oceans, and with Phalacrocoracidae there and elsewhere. Records from Ciconiidae, Platialeidae, Ardeidae,

\* 17 Ashmore Ave., Pymble, New South Wales, Australia 2073

\*\* National Museum of New Zealand, P.O.Box 467, Wellington, New Zealand

†Department of Zoology, University of Canterbury, Christchurch 1, New Zealand

TABLE 1  
Genera of lice associated with families of birds

| Orders and families of birds<br>(and some genera) | Sub-orders and genera of lice                        |   |
|---|--|---|
|   | Amblycera  | Ischnocera  |
| <b>Struthioniformes</b>                           |  |   |
| Dromaiidae  |  | <i>Dahlemhornia</i>   |
| Struthionidae                                     |  | <i>Stuthiolipeurus</i>                                      |
| <b>Apterygiformes</b>                             |  | <b>Apterygon, Rallicola</b>                                 |
| Apterygidiae                                      | ←  |   |
| <b>Podicipediformes</b>                           |  |   |
| Podicipedidae                                     |  |   |
| <b>Sphenisciformes</b>                            |  |   |
| Spheniscidae                                      |  | <i>Aquanirmus</i>   |
| <b>Procellariiformes</b>                          |  |   |
| Diomedidae  | <i>Austromenopon</i>                                 | <i>Austrogoniodes, Nesiotinus</i>                           |
| Procellariidae                                    |  |   |
| Macronectes                                       | <i>Austromenopon</i>                                 | <i>Docophoroides, Episbates, Harrisoniella, Paraclisis,</i> |
| Fulmarus  | <i>Ancistrona, Austromenopon</i>                     | <i>Perineus, Saemundsonnia</i>                              |
| Thalassoica, Daption,                             | <i>Ancistrona, Austromenopon</i>                     | <i>Docophoroides, Paraclisis, Perineus, Saemundsonnia</i>   |
| Pagodroma   |  | <i>Perineus, Saemundsonnia</i>                              |
| Pterodroma  | <i>Ancistrona, Austromenopon, Longimenopon</i>       | <i>Pseudonirmus, Saemundsonnia</i>                          |
| Halobaena   | <i>Ancistrona, Austromenopon, Longimenopon</i>       | <i>Bedfordiella, Halipeurus, Naubates, Saemundsonnia,</i>   |
| Pachyptila  | <i>Ancistrona, Austromenopon, Longimenopon</i>       | <i>Trabeculus</i>   |
| Procellaria                                       | <i>Ancistrona, Austromenopon</i>                     | <i>Naubates, Saemundsonnia</i>                              |
| Puffinus  | <i>Ancistrona, Austromenopon</i>                     | <i>Naubates, Saemundsonnia</i>                              |
| Oceanitidae                                       | <i>Ancistrona, Austromenopon, Longimenopon</i>       | <i>Naubates, Trabeculus</i>                                 |
| Pelecanoididae                                    | <i>Austromenopon</i>                                 | <i>Halipeurus, Naubates, Saemundsonnia, Trabeculus</i>      |
| <b>Pelecaniformes</b>                             |  | <i>Halipeurus, Philoceanus, Saemundsonnia</i>               |
| Pelecanidae                                       | <i>Colpocephalum, Piagetiella</i>                    | <i>Halipeurus, Pelmatocerandra</i>                          |
| Sulidae   | <i>Eidmanniella</i>                                  |   |
| Anhingidae  |  |   |
| Phalacrocoracidae                                 | <i>Eidmanniella, Piagetiella</i>                     | <i>Pectinopygus</i>   |
| Phaethontidae                                     | <i>Austromenopon</i>                                 | <i>Pectinopygus</i>   |
| <b>Ciconiiformes</b>                              |  | <i>Pectinopygus</i>   |
| Ardeidae  | <i>Ciconiphilus</i>                                  | <i>Pectinopygus</i>   |
| Ciconiidae  |  | <i>Saemundsonnia</i>  |
| Plataleidae                                       |  |   |
| <b>Anseriformes</b>                               |  |   |
| Anatidae  | <i>Colpocephalum, Eucolpocephalum, Plegadiphilus</i> | <i>Ardeicola</i>  |
|   | <i>Ciconiphilus, Holomenopon, Trinoton</i>           | <i>Neophilopterus</i>                                       |
|   |  | <i>Ardeicola, Ibidoeicus</i>                                |
|   |  | <i>Acidoproctus, Anaticola, Anatoecus, Austrogoniodes,</i>  |
|   |  | <i>Ornithobius, Saemundsonnia</i>                           |

and Anatidae are common. The few records reported reflect a lack of study of the fauna within the regions covered by the Handbook.

#### TICKS (Ixodoidea)

Both groups of ticks are present, the Argasidae (soft ticks) and the Ixodidae (hard ticks). Argasid ticks feed rapidly when they visit a host whereas ixodid ticks remain attached for several days to engorge and greatly increase in size. Eggs are laid off the host and develop on the ground or in the nest as does moulting to the next instar. The geographical distribution of ticks greatly influences the hosts they infest. The argasid ticks, *Argas* and *Ornithodoros*, are common in Aust. They are well adapted to survive prolonged periods, even many months, where the return of a host is not certain. *Ornithodoros capensis* is common throughout the islands and cays of the Great Barrier Reef where it waits beneath the sand for the return of boobies and terns. It has also been found on Spotted Shags *Phalacrocorax punctatus* in NZ. *Argas robertsi* can be found beneath the bark of *Melaleuca*s waiting the return of egrets. These ticks transmit several arboviruses, which can cause dis-

ease and mortality of birds.

Ixodid ticks usually require moist conditions for survival off the host. *Amblyomma loculosum* is a large tick of tropical seabirds and the *Ixodes* are found in the S. *Ixodes kohlsi* is commonly found on and in the nests of Little Penguins *Eudyptula minor* round the coast of Aust. and as far N as Port Stephens, NSW; *Ixodes eudyptidis* occurs in Tas. and round NZ where it is associated with a paralysis of chicks of Silver Gulls *Larus novaehollandiae scopulinus* and *L. auritus* and *L. jacksoni* have been found only in NZ. *Ixodes kerguelensis* is found on subantarctic islands, often in the burrows of petrels, and future studies may reveal more than the one species that is currently accepted (Wilson 1970). *Ixodes uriae* is circumpolar in both s. and n. hemispheres where it transmits several arboviruses to seabirds. Massive infestations have been seen on Royal Penguins *Eudyptes schlegeli* on Macquarie I. (Murray & Vestjens 1967).

#### ACKNOWLEDGEMENT

We are grateful to Dr D. Kemp, CSIRO, Long Pocket Laboratories, Indooroopilly, Qld, for help with the ticks.

## SELECTED BIBLIOGRAPHY

## LICE

- Clay, T. 1961. Bull. Br. Mus. nat. Hist. (Zool.) 11(2): 43-58.  
 Clay, T. 1964. Bull. Br. Orn. Club. 84: 14-16.  
 Clay, T. 1967. Antarct. Res. Ser. 10: 149-55.  
 Clay, T. 1971a. J. Aust. Entomol. Soc. 10: 293-8.  
 Clay, T. 1971b. Pac. Insects 13: 519-29.  
 Clay, T. 1973. Bull. Br. Mus. nat. Hist. (Zool.) 29: 201-23.  
 Clay, T., & G.H.E. Hopkins. 1955. Mitt. Hamb. zool. Mus. Inst. 53: 49-73.  
 Clay, T., & C. Moreby. 1967. Antarct. Res. Ser. 10: 149-55.  
 Clay, T., & C. Moreby. 1970. Pac. Insects Monogr. 23: 216-20.  
 Cummings, B.F. 1916. Proc. zool. Soc. Lond. 46: 643-93.  
 Edwards, R.L. 1961. J. Parasitol. 47: 125-57.  
 Hajela, K.P., & B.K. Tandan. 1967. Proc. R. Entomol. Soc. Lond. 36: 71-8.  
 Hajela, K.P., & B.K. Tandan. 1970. J. Proc. Linn. Soc. Lond., Zool. 49: 309-34.  
 Harrison, L. 1915. Parasitology 7: 383-407.  
 Hopkins, G.H.E., & T. Clay. 1952. A Check List of the Genera and Species of Mallophaga. Brit. Mus. nat. Hist.  
 Johnston, T.H., & L. Harrison. 1912. Proc. R. Soc. Qld 24: 18-22.  
 Kéler, S. 1960. Zool. Anz. 165: 448-62.  
 Kéler, S. 1960. Z. Parasitenkd 20: 207-316.  
 Kumar, P., & B.K. Tandan. 1966. Ann. Mag. nat. Hist. 13: 571-80.  
 Marshall, A.G. 1981. The Ecology of Ectoparasitic Insects.  
 Nelson, B.C. 1971. Nat. New Biol. 232: 255.  
 Palma, R.L., & R.L.C. Pilgrim. 1983. Narn. Mus. NZ Rec. 2(13): 145-50.  
 Palma, R.L., & R.L.C. Pilgrim. 1984. NZ J. Zool. 11: 145-66.  
 Palma, R.L., & R.L.C. Pilgrim. 1988. NZ J. Zool. 14: 563-86.  
 Paulian, P. 1953. Mem. Inst. Scienc. Madagascar, Ser. A, 8: 111-234.  
 Payne, M.R., & P.A. Prince. 1979. NZ J. Zool. 6: 299-318.  
 Pilgrim, R.L.C., & R.L. Palma. 1982. Notornis 29 (Suppl.).  
 Price, R.D. 1970. Can. Entomol. 102: 389-404.  
 Price, R.D. 1971. Ann. entomol. Soc. Am. 64: 633-46.  
 Price, R.D., & J.R. Beer. 1965. Can. Entomol. 97: 657-66.  
 Price, R.D., & J.R. Beer. 1965. Ann. entomol. Soc. Am. 58: 111-31.

Price, R.D., & T. Clay. 1972. Ann. entomol. Soc. Am. 65: 487-504.

- Timmermann, G. 1959. Zool. Anz. 162: 148-53.  
 Timmermann, G. 1962. Z. Parasitenkd 22: 133-47.  
 Timmermann, G. 1964. Mitt. Hamb. zool. Mus. Inst. Kosswig-Festschrift: 271-84.  
 Timmermann, G. 1965. Abh. Verh. Naturwiss-Ver. Hamb. 8: 1-249.  
 Timmermann, G. 1977. Bonn. zool. Beitr. 28: 135-40.

## FLEAS

- Bell, P.J., et al. 1988. Polar Biol. 8: 403-10.  
 Carrick, R., et al. (Eds) 1964. Biologie Antarctique.  
 Dunnet, G.K. 1964. Pp. 223-40. In: Carrick et al. 1964.  
 Dunnet, G.K., & D.K. Mardon. 1974. Aust. J. Zool. Suppl. ser. 30.  
 Mardon, D.K. 1981. An Illustrated Catalogue of the Rothschild Collection of Fleas (Siphonaptera) in the British Museum. Vol. VI. Brit. Mus. nat. Hist.  
 Pickard, J. (ed.) 1986. Antarctic Oasis.  
 Rounsevell, D.E., & P.A. Horne. 1986. In: Pickard 1986.  
 Smit, F.G.A.M. 1979. J. R. Soc. NZ 9: 143-232.  
 Smit, F.G.A.M. 1984. NZ J. Zool. 11: 13-16.  
 Smit, F.G.A.M. 1987. An Illustrated Catalogue of the Rothschild Collection of Fleas (Siphonaptera) in the British Museum. Vol. VII. Brit. Mus. nat. Hist.

## LOUSE-FLIES

- Maa, T.C. 1966. Pac. Insects Monogr. 10: 1-148.  
 Maa, T.C. 1969. Pac. Insects Monogr. 20: 1-312.

## TICKS

- Amerson, A.B. 1969. J. Med. Entomol. 5: 332-9.  
 Dumbleton, L.J. 1961. NZ J. Sci. 4: 760-9.  
 Dumbleton, L.J. 1963 Tuatara 11: 72-8.  
 Heath, A.C.G. 1977. Tuatara 23: 26-39.  
 Hoogstraal, H. 1976. J. Med. Entomol. 4: 37-41.  
 Hoogstraal, H., et al. 1975. J. Med. Entomol. 11: 513-24.  
 Keirans, J.E. 1984. U.S. Dep. Agric. Misc. Publ. 1438.  
 Murray, M.D., & W.J.M. Vestjens. 1967. Aust. J. Zool. 15: 715-25.  
 Roberts, F.H.S. 1970. Australian Ticks.  
 Wilson, N. 1970. Pac. Insects Monogr. 23: 78-88.

## CHECK LIST OF ECTOPARASITES

## (Emu — Ducks)

## Family DROMAIIDAE

## Dromaius novaehollandiae

Lice: *Dahlemhornia asymmetrica* (Burmeister, 1838)

## Family STRUTHIONIDAE

## Struthio camelus

Lice: *Struthiolipeurus struthionis* (Gervais, 1844)

## Family APTERYGIDAE

## Apteryx australis mantelli

Lice: *Apterygon mirum* Clay, 1961

*Rallicola (Aptericoloides) sp.*

Ticks: *Ixodes anatis* Chilton, 1904

## Apteryx australis australis

Lice: *Apterygon dumosum* Tandan, 1972

*Apterygon sp.*

*Rallicola (Aptericoloides) gadowi* Harrison, 1915

## Apteryx australis lawryi

Lice: *Apterygon dumosum* Tandan, 1972

*Rallicola (Aptericoloides) gadowi* Harrison, 1915

## Apteryx owenii

Lice: *Apterygon dumosum* Tandan, 1972  
*Rallicola (Aptericoloides) gadowi* Harrison, 1915  
*Rallicola (Aptericoloides) piligrimi* Clay, 1972

## Apteryx haastii

Lice: *Apterygon hintoni* Clay, 1966  
*Rallicola (Aptericoloides) gracilentus* Clay, 1953

## Family PODICIPEDIDAE

## Podiceps rufopectus

Lice: *Aquanirmus australis* Kettle, 1974

## Podiceps cristatus

Lice: *Aquanirmus sp.*

## Family SPHENISCIDAE

## Aptenodytes patagonicus

Lice: *Austrogonioides brevipes* (Giebel, 1876)

*Nesiotinus demersus* Kellogg, 1903

Ticks: *Ixodes uriae* White, 1852

## Aptenodytes forsteri

Lice: *Austrogonioides mawsoni* Harrison, 1937

**Pygoscelis papua**

Lice: *Austrogoniodes gressitti* Clay, 1967  
 Ticks: *Ixodes uriae* White, 1852

**Pygoscelis adeliae**

Lice: *Austrogoniodes antarcticus* Harrison, 1937  
 Ticks: *Ixodes uriae* White, 1852

**Pygoscelis antarctica**

Lice: *Austrogoniodes gressitti* Clay, 1967

**Eudyptes chrysocome**

Lice: *Austrogoniodes concii* (Kéler, 1952)  
*Austrogoniodes cristati* Kéler, 1952  
*Austrogoniodes hamiltoni*, 1937  
*Austrogoniodes macquariensis* Harrison, 1937

Fleas: *Parapsyllus heardi* de Meillon, 1952  
*Parapsyllus longicornis* (Enderlein, 1901)  
*Parapsyllus magellanicus magellanicus* Jordan, 1938

Ticks: *Ixodes uriae* White, 1852

**Eudyptes pachyrhynchus**

Lice: *Austrogoniodes concii* (Kéler, 1952)  
*Austrogoniodes cristati* Kéler, 1952

**Eudyptes robustus**

Lice: *Austrogoniodes concii* (Kéler, 1952)  
*Austrogoniodes cristati* Kéler, 1952

Ticks: *Ixodes uriae* White, 1852

**Eudyptes sclateri**

Lice: *Austrogoniodes concii* (Kéler, 1952)  
*Austrogoniodes cristati* Kéler, 1952  
*Austrogoniodes struthaeus* Harrison, 1915

**Eudyptes chrysolophus**

Lice: *Austrogoniodes cristati* Kéler, 1952  
*Austrogoniodes bicornutus* (Kéler, 1954)  
*Austrogoniodes macquariensis* Harrison, 1937  
*Austrogoniodes keleri* Clay, 1967  
*Austrogoniodes* sp.

Fleas: *Parapsyllus heardi* de Meillon, 1952

Ticks: *Ixodes uriae* White, 1852

**Eudyptes schlegeli**

Lice: *Austrogoniodes cristati* Kéler, 1952  
*Austrogoniodes hamiltoni* Harrison, 1937  
*Austrogoniodes macquariensis* Harrison, 1937

Ticks: *Ixodes uriae* White, 1852

**Megadyptes antipodes**

Lice: *Austrogoniodes concii* (Kéler, 1952)  
*Austrogoniodes* sp.

Fleas: *Parapsyllus longicornis* (Enderlein, 1901)

**Eudyptula minor**

Lice: *Austrogoniodes waterstoni* (Cummings, 1914)

Fleas: *Parapsyllus australiacus* Rothschild 1909  
*Parapsyllus jacksoni* Smit, 1965

*Parapsyllus longicornis* (Enderlein, 1901)

Ticks: *Ixodes eudyptidis* Maskell, 1885

*Ixodes kohlsi* Arthur, 1955

*Ixodes uriae* White, 1852

*Ornithodoros capensis* Neumann, 1901

**Family DIOMEDEIDAE****Diomedea exulans**

Lice: *Austromenopon affine* (Piaget, 1890)  
*Docophoroides brevis* (Dufour, 1835)

**Episbates pederiformis**

*Harrisoniella hopkinsi* Eichler, 1952

*Paraclysis hyalina* (Neumann, 1911)

*Perineus concinnooides* Kéler, 1957

Fleas: *Parapsyllus magellanicus magellanicus* Jordan, 1938

Ticks: *Ixodes kerguelensis* André & Colas-Belcour, 1942

*Ixodes uriae* White

**Diomedea epomophora**

Lice: *Austromenopon affine* (Piaget, 1890)

*Docophoroides brevis* (Dufour, 1835)

*Episbates pederiformis* (Dufour, 1835)

*Harrisoniella hopkinsi* Eichler, 1952

*Paraclysis hyalina* (Neumann, 1911)

*Perineus concinnooides* Kéler, 1957

Fleas: *Parapsyllus longicornis* (Enderlein, 1901)

**Diomedea melanophrys melanophrys**

Lice: *Austromenopon navigans* (Kellogg, 1896)

*Docophoroides harrisoni* Waterston, 1917

*Docophoroides simplex* (Waterston, 1914)

*Harrisoniella ferox* (Giebel, 1867)

*Paraclysis diomedae* (J.C. Fabricius, 1775)

*Perineus circumfasciatus* Kéler, 1957

Ticks: *Ixodes uriae* White

**Diomedea melanophrys impavida**

Lice: *Austromenopon pinguis* (Kellogg, 1896)

*Docophoroides simplex* (Waterston, 1914)

*Harrisoniella ferox* (Giebel, 1867)

*Paraclysis diomedae* (J.C. Fabricius, 1775)

*Perineus circumfasciatus* Kéler, 1957

Fleas: *Notiopsylla kerguelensis kerguelensis* (Taschenberg, 1880)

*Parapsyllus longicornis* (Enderlein, 1901)

**Diomedea cauta**

Lice: *Austromenopon navigans* (Kellogg, 1896)

*Austromenopon pinguis* (Kellogg, 1896)

*Docophoroides harrisoni* Waterston, 1917

*Harrisoniella ferox* (Giebel, 1867)

*Paraclysis diomedae* (J.C. Fabricius, 1775)

*Perineus circumfasciatus* Kéler, 1957

Fleas: *Parapsyllus australiacus* Rothschild, 1909

*Parapsyllus magellanicus largifucus* Smit, 1984

Ticks: *Ixodes eudyptidis* Maskell, 1885

*Ixodes uriae* White, 1852

**Diomedea chrysostoma**

Lice: *Austromenopon navigans* (Kellogg, 1896)

*Austromenopon pinguis* (Kellogg, 1896)

*Docophoroides simplex* (Waterston, 1914)

*Paraclysis diomedae* (J.C. Fabricius, 1775)

*Perineus circumfasciatus* Kéler, 1957

*Saemundssonia* sp.

Fleas: *Notiopsylla kerguelensis kerguelensis* (Taschenberg, 1880)

*Parapsyllus longicornis* (Enderlein, 1901)

Ticks: *Ixodes uriae* White, 1852

**Diomedea chlororhynchos**

Lice: *Perineus circumfasciatus* Kéler, 1957

**Diomedea bulleri**

Lice: *Austromenopon bulleri* Price & Clay, 1972

|        |   |  |
|--------|---|--|
|        | <i>Austromenopon navigans</i> (Kellogg, 1896)                   | <i>Pagodroma nivea</i>   |
|        | <i>Austromenopon pinguis</i> (Kellogg, 1896)                    | Lice: <i>Ancistrona</i> sp.  |
|        | <i>Docophoroides harrisoni</i> Waterston, 1917                  | <i>Austromenopon brevifimbriatum</i> (Piaget, 1880)                      |
|        | <i>Harrisoniella ferox</i> (Giebel, 1867)                       | <i>Pseudonirmus charcoti</i> (Neumann, 1907)                             |
|        | <i>Paracopsis diomedaeae</i> (J.C. Fabricius, 1775)             | <i>Saemundssonia antarctica</i> (Wood, 1937)                             |
| Fleas: | <i>Perineus circumfasciatus</i> Kéler, 1957                     | Fleas: <i>Glaciopsyllus antarcticus</i> Smit & Dunnet, 1962              |
|        | <i>Notiopsylla peregrinus</i> Smit, 1979                        |  |
|        | <i>Parapsyllus longicornis</i> (Enderlein, 1901)                |  |
|        | <i>Parapsyllus lynnae lynnae</i> Smit, 1965                     |  |
|        | <b>Phoebetria fusca</b>   | <b>Pterodroma macroptera</b>   |
| Fleas: | <i>Notiopsylla kerguelensis kerguelensis</i> (Tachenberg, 1880) | Lice: <i>Ancistrona</i> sp.  |
|        |   | <i>Austromenopon popellus</i> (Piaget, 1890)                             |
|        | <b>Phoebetria palpebrata</b>                                    | <i>Halipeurus (Halipeurus) procellariae</i> (J.C. Fabricius, 1775)       |
| Lice:  | <i>Austromenopon pinguis</i> (Kellogg, 1896)                    | <i>Naubates heteroproctus</i> Harrison, 1937                             |
|        | <i>Docophoroides simplex</i> (Waterston, 1914)                  | <i>Trabeculus schillingi</i> Rudow, 1866                                 |
|        | <i>Paracopsis diomedaeae</i> (J.C. Fabricius, 1775)             | Fleas: <i>Parapsyllus heardi de Meillon, 1952</i>                        |
|        | <i>Perineus circumfasciatus</i> Kéler, 1957                     | <i>Parapsyllus jacksoni</i> Smit, 1965                                   |
|        | <i>Saemundssonia</i> sp.  |  |
| Fleas: | <i>Parapsyllus heardi de Meillon, 1952</i>                      | <b>Pterodroma lessonii</b>   |
|        | <i>Parapsyllus longicornis</i> (Enderlein, 1901)                | Lice: <i>Ancistrona</i> sp.  |
| Ticks: | <i>Ixodes uriae</i> White, 1852                                 | <i>Austromenopon popellus</i> (Piaget, 1890)                             |
|        |   | <i>Halipeurus (Halipeurus) procellariae</i> (J.C. Fabricius, 1775)       |
|        | <b>Family PROCELLARIIDAE</b>                                    | <i>Naubates</i> sp.  |
|        | <b>Macronectes giganteus</b>                                    | <i>Saemundssonia</i> sp.   |
| Lice:  | <i>Austromenopon ossifragae</i> (Eichler, 1949)                 | <i>Trabeculus schillingi</i> Rudow, 1866                                 |
|        | <i>Docophoroides murphyi</i> (Kellogg, 1914)                    | Fleas: <i>Parapsyllus cardinis</i> Dunnet, 1961                          |
|        | <i>Paracopsis obscura</i> (Rudow, 1869)                         | <i>Parapsyllus magellanicus</i> <i>magellanicus</i> Jordan, 1938         |
|        | <i>Paracopsis miriceps</i> (Kellogg & Kuwana, 1902)             | <i>Notiopsylla enciari</i> <i>enciari</i> Smit, 1957                     |
|        | <i>Perineus macronecti</i> Palma & Pilgrim, 1988                | <i>Notiopsylla kerguelensis</i> <i>kerguelensis</i> (Taschenberg, 1880)  |
|        | <i>Saemundssonia gaini</i> (Neumann, 1913)                      | Ticks: <i>Ixodes uriae</i> White, 1852                                   |
| Fleas: | <i>Parapsyllus cardinis</i> Dunnet, 1961                        | <b>Pterodroma solandri</b>   |
|        | <i>Parapsyllus heardi de Meillon, 1952</i>                      | Lice: <i>Naubates thieli</i> Timmermann, 1965                            |
| Ticks: | <i>Ixodes uriae</i> White, 1852                                 | Ticks: <i>Ixodes kerguelensis</i> André & Colas-Belcour, 1942            |
|        | <b>Macronectes halli</b>  | <b>Pterodroma magentae</b>   |
| Lice:  | <i>Austromenopon ossifragae</i> (Eichler, 1949)                 | Lice: <i>Ancistrona</i> sp.  |
|        | <i>Docophoroides murphyi</i> (Kellogg, 1914)                    | <i>Austromenopon popellus</i> (Piaget, 1890)                             |
|        | <i>Paracopsis obscura</i> (Rudow, 1869)                         | <i>Halipeurus (Halipeurus) procellariae</i> (J.C. Fabricius, 1775)       |
|        | <i>Perineus macronecti</i> Palma & Pilgrim, 1988                |  |
|        | <i>Saemundssonia gaini</i> (Neumann, 1913)                      |  |
| Fleas: | <i>Parapsyllus longicornis</i> (Enderlein, 1901)                | <b>Pterodroma neglecta</b>   |
| Ticks: | <i>Ixodes uriae</i> White, 1852                                 | Lice: <i>Austromenopon popellus</i> (Piaget, 1890)                       |
|        |   | <i>Halipeurus (Halipeurus) kermadecensis</i> (Johnston & Harrison, 1912) |
|        | <b>Fulmarus glacialis</b>                                       | <i>Longimenopon</i> sp.  |
| Lice:  | <i>Ancistrona</i> sp.   | <i>Trabeculus fuscoclypeatus</i> (Johnston & Harrison, 1912)             |
|        | <i>Austromenopon brevifimbriatum</i> (Piaget, 1880)             |  |
|        | <i>Perineus nigrolimbatus</i> (Giebel, 1874)                    |  |
|        | <i>Saemundssonia bicolor</i> (Rudow, 1870)                      |  |
| Fleas: | <i>Glaciopsyllus antarcticus</i> Smit & Dunnet, 1962            | <b>Pterodroma brevirostris</b>   |
|        |   | Lice: <i>Ancistrona</i> sp.  |
|        | <b>Thalassoica antarctica</b>                                   | <i>Austromenopon popellus</i> (Piaget, 1890)                             |
| Lice:  | <i>Ancistrona</i> sp.   | <i>Bedfordiella unica</i> Thompson, 1937                                 |
|        | <i>Austromenopon brevifimbriatum</i> (Piaget, 1880)             | <i>Saemundssonia pterodromae</i> Timmermann, 1959                        |
|        | <i>Pseudonirmus lugubris</i> (Taschenberg, 1882)                | Ticks: <i>Ixodes kerguelensis</i> André & Colas-Belcour, 1942            |
|        | <i>Saemundssonia antarctica</i> (Wood, 1937)                    |  |
|        | <b>Daption capense</b>  | <b>Pterodroma mollis</b>   |
| Lice:  | <i>Ancistrona</i> sp.   | Lice: <i>Austromenopon popellus</i> (Piaget, 1890)                       |
|        | <i>Austromenopon brevifimbriatum</i> (Piaget, 1880)             | <i>Halipeurus (Halipeurus) procellariae</i> (J.C. Fabricius, 1775)       |
|        | <i>Pseudonirmus gurlii</i> (Taschenberg, 1882)                  | <i>Trabeculus schillingi</i> Rudow, 1866                                 |
|        | <i>Saemundssonia stammeri</i> Timmermann, 1959                  | Ticks: <i>Ixodes kerguelensis</i> André & Colas-Belcour, 1942            |
| Fleas: | <i>Glaciopsyllus antarcticus</i> Smit & Dunnet, 1962            |  |
|        | <i>Parapsyllus longicornis</i> (Enderlein, 1901)                |  |
| Ticks: | <i>Ixodes uriae</i> White, 1852                                 |  |

- Pterodroma inexpectata**
- Lice: *Ancistrona* sp.  
*Austromenopon popellus* (Piaget, 1890)  
*Austrmenopon* sp.  
*Halipeurus (Halipeurus) consimilis* Timmermann, 1960  
*Longimenopon* sp.  
*Naubates pterodromi* Bedford, 1930  
*Trabeculus schillingi* Rudow, 1866
- Fleas: *Notiopsylla enciari enciari* Smit, 1957  
*Notiopsylla enciari regula* Smit, 1979  
*Parapsyllus lynnae lynnae* Smit, 1965  
*Parapsyllus magellanicus magellanicus* Jordan, 1938
- Pterodroma externa**
- Lice: *Austromenopon popellus* (Piaget, 1890)  
*Halipeurus (Halipeurus) kermadecensis* (Johnston & Harrison, 1912)  
*Trabeculus hexakon* (Waterston, 1914)
- Pterodroma cervicalis**
- Lice: *Ancistrona* sp.  
*Austromenopon popellus* (Piaget, 1890)  
*Halipeurus (Halipeurus) noctivagus* Timmermann, 1960  
*Trabeculus* sp.
- Pterodroma nigripennis**
- Lice: *Ancistrona* sp.  
*Austromenopon* sp.  
*Halipeurus (Halipeurus)* sp.  
*Longimenopon* sp.  
*Trabeculus hexakon* (Waterston, 1914)
- Pterodroma axillaris**
- Lice: *Halipeurus (Halipeurus) theresae* Timmermann, 1969  
*Trabeculus hexakon* (Waterston, 1914)
- Fleas: *Parapsyllus longicornis* (Enderlein, 1901)
- Pterodroma cookii**
- Lice: *Ancistrona* sp.  
*Halipeurus (Halipeurus) turtur* Edwards, 1961  
*Naubates damma* Timmermann, 1961  
*Trabeculus hexakon* (Waterston, 1914)
- Pterodroma longirostris**
- Lice: *Ancistrona* sp.  
*Halipeurus (Halipeurus) leucophryna* Timmermann, 1960  
*Longimenopon* sp.  
*Trabeculus hexakon* (Waterston, 1914)
- Pterodroma pycrofti**
- Lice: *Austromenopon popellus* (Piaget, 1890)  
*Halipeurus (Halipeurus) leucophryna* Timmermann, 1960  
*Longimenopon* sp.  
*Trabeculus hexakon* (Waterston, 1914)
- Pterodroma leucoptera**
- Lice: *Halipeurus (Halipeurus)* sp.  
*Naubates damma* Timmermann, 1961  
*Trabeculus hexakon* (Waterston, 1914)
- Halobaena caerulea**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963
- Longimenopon** sp.  
*Naubates clypeatus* (Giebel, 1874)  
*Saemundssonia pterodromae* Timmermann, 1959
- Fleas: *Parapsyllus heardi* de Meillon, 1952  
*Parapsyllus magellanicus magellanicus* Jordan, 1938
- Pachyptila vittata**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963  
*Longimenopon* sp.  
*Naubates prioni* (Enderlein, 1908)  
*Saemundssonia desolata* Timmermann, 1959
- Fleas: *Parapsyllus longicornis* (Enderlein, 1901)  
*Parapsyllus lynnae mariae* Smit, 1979  
*Parapsyllus nestoris antichthones* Smit, 1979
- Pachyptila salvini**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963  
*Longimenopon* sp.  
*Naubates prioni* (Enderlein, 1908)  
*Saemundssonia desolata* Timmermann, 1959
- Pachyptila desolata**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963  
*Longimenopon* sp.  
*Naubates prioni* (Enderlein, 1908)  
*Saemundssonia desolata* Timmermann, 1959
- Fleas: *Parapsyllus cardinis* Dunnet, 1961  
*Parapsyllus heardi* de Meillon, 1952  
*Notiopsylla kerguelensis kerguelensis* (Taschenberg, 1880)
- Ticks: *Ixodes kerguelensis* André & Colas-Belcour, 1942  
*Ixodes uriae* White, 1852
- Pachyptila belcheri**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963  
*Longimenopon* sp.  
*Naubates prioni* (Enderlein, 1908)  
*Saemundssonia desolata* Timmermann, 1959
- Fleas: *Parapsyllus magellanicus magellanicus* Jordan, 1938
- Pachyptila turtur**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963  
*Longimenopon* sp.  
*Naubates prioni* (Enderlein, 1908)  
*Saemundssonia desolata* Timmermann, 1959
- Fleas: *Notiopsylla enciari enciari* Smit, 1957  
*Notiopsylla enciari regula* Smit, 1979  
*Parapsyllus australiacus* Rothschild, 1909  
*Parapsyllus jacksoni* Smit, 1965  
*Parapsyllus magellanicus magellanicus* Jordan, 1938  
*Parapsyllus taylori* Jordan, 1942
- Ticks: *Ixodes auritulus zealandicus* Dumbleton, 1961
- Pachyptila crassirostris**
- Lice: *Ancistrona* sp.  
*Austromenopon stammeri* Timmermann, 1963  
*Longimenopon* sp.  
*Naubates prioni* (Enderlein, 1908)  
*Saemundssonia desolata* Timmermann, 1959
- Fleas: *Parapsyllus nestoris antichthones* Smit, 1979

**Procellaria aequinoctialis**Lice: *Ancistrona* sp.*Austromenopon popellus* (Piaget, 1890)*Naubates fuliginosus* (Taschenberg, 1882)*Trabeculus hexakon* (Waterston, 1914)Fleas: *Notiopsylla kerguelensis kerguelensis* (Taschenberg, 1880)*Notiopsylla enciari enciari* Smit, 1957*Parapsyllus cardinis* Dunnet, 1961Ticks: *Ixodes kerguelensis* André & Colas-Belcour, 1942**Procellaria westlandica**Lice: *Ancistrona* sp.*Austromenopon popellus* (Piaget, 1890)*Naubates fuliginosus* (Taschenberg, 1882)*Trabeculus hexakon* (Waterston, 1914)**Procellaria parkinsoni**Lice: *Austromenopon popellus* (Piaget, 1890)*Naubates fuliginosus* (Taschenberg, 1882)*Trabeculus hexakon* (Waterston, 1914)**Procellaria cinerea**Lice: *Ancistrona* sp.*Austromenopon popellus* (Piaget, 1890)*Naubates fuliginosus* (Taschenberg, 1882)*Trabeculus hexakon* (Waterston, 1914)Fleas: *Notiopsylla enciari enciari* Smit, 1957  
*Notiopsylla kerguelensis tenuata* Smit, 1979  
*Parapsyllus cardinis* Dunnet, 1961**Puffinus pacificus**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) mirabilis* Thompson, 1940*Naubates harrisoni* Bedford, 1930*Saemundssonia puellula* Timmermann, 1965*Trabeculus hexakon* (Waterston, 1914)Fleas: *Parapsyllus australiacus* Rothschild, 1909  
*Parapsyllus jacksoni* Smit, 1965  
*Parapsyllus taylori* Jordan, 1942Ticks: *Amblyomma loculosum* Neumann, 1907**Puffinus bulleri**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) thompsoni* Edwards, 1961*Naubates harrisoni* Bedford, 1930**Puffinus carneipes**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) gravis priapulus* Timmermann, 1961*Naubates harrisoni* Bedford, 1930*Saemundssonia* sp.*Trabeculus hexakon* (Waterston, 1914)Fleas: *Parapsyllus jacksoni* Smit, 1965Ticks: *Ixodes kerguelensis* André & Colas-Belcour, 1942**Puffinus griseus**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) diversus* (Kellogg, 1896)*Trabeculus hexakon* (Waterston, 1914)Fleas: *Notiopsylla enciari enciari* Smit, 1957*Notiopsylla enciari regula* Smit, 1979*Notiopsylla kerguelensis kerguelensis* (Taschenberg, 1880)*Notiopsylla peregrinus* Smit, 1979*Parapsyllus jacksoni* Smit, 1965*Parapsyllus lynnae lynnae* Smit, 1965Ticks: *Ixodes auritulus zealandicus* Dumbleton, 1961*Ixodes uriae* White, 1852**Puffinus tenuirostris**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) diversus* (Kellogg, 1896)*Trabeculus hexakon* (Waterston, 1914)Fleas: *Parapsyllus australiacus* Rothschild, 1909*Parapsyllus taylori* Jordan, 1942Ticks: *Ixodes kerguelensis* André & Colas-Belcour, 1942**Puffinus puffinus**Lice: *Halipeurus (Halipeurus) diversus* (Kellogg, 1896)*Trabeculus aviator* (Evans, 1912)**Puffinus gavia**Lice: *Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) spadix* Timmermann, 1961*Saemundssonia* sp.Fleas: *Parapsyllus jacksoni* Smit, 1965**Puffinus huttoni**Lice: *Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) spadix* Timmermann, 1961*Naubates harrisoni* Bedford, 1930*Trabeculus flemingi* Timmermann, 1959Fleas: *Notiopsylla corynetes* Smit, 1979*Parapsyllus lynnae alynnae* Smit, 1979**Puffinus assimilis tunneyi**Lice: *Halipeurus (Halipeurus) placodus* Edwards, 1961**Puffinus assimilis haurakiensis**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) mundae* Edwards, 1961*Trabeculus mirabilis* (Kellogg, 1896)**Puffinus assimilis elegans**Lice: *Halipeurus (Halipeurus) mundae* Edwards, 1961*Trabeculus mirabilis* (Kellogg, 1896)**Puffinus assimilis kermadecensis**Lice: *Ancistrona* sp.*Austromenopon paululum* (Kellogg & Chapman, 1899)*Halipeurus (Halipeurus) placodus* Edwards, 1961*Trabeculus mirabilis* (Kellogg, 1896)

## Family OCEANITIDAE

## Oceanites oceanicus

- Lice: *Halipeurus (Synnautes) pelagicus* (Denny, 1842)  
*Philoceanus robertsi* (Clay, 1940)  
*Saemundssonia ?marina* Timmermann, 1956

## Oceanites nereis

- Lice: *Philoceanus garrodiae* (Clay, 1940)  
*Saemundssonia nereis* Timmermann, 1956

## Pelagodroma marina

- Lice: *Austromenopon enigki* Timmermann, 1963  
*Halipeurus (Synnautes) pelagicus* (Denny, 1842)  
*Longimenopon* sp.

Fleas: *Saemundssonia marina* Timmermann, 1956

- Parapsyllus cardinis* Dunnet, 1961  
*Parapsyllus jacksoni* Smit, 1965  
*Parapsyllus lynnae mariae* Smit, 1979  
*Parapsyllus taylori* Jordan, 1942

## Pelagodroma marina albiclinus

- Lice: *Ancistrona* sp.  
*Halipeurus (Synnautes) pelagicus* (Denny, 1842)

## Fregetta tropica

- Lice: *Austromenopon* sp.  
*Halipeurus (Synnautes) pelagicus* (Denny, 1842)  
*Philoceanus fasciatus* (Carriker, 1958)  
*Saemundssonia* sp.

## Fregetta grallaria

- Lice: *Halipeurus (Synnautes) pelagicus* (Denny, 1842)

## Family PELECANOIDIDAE

## Pelecanoides georgicus

- Lice: *Austromenopon elliotti* Timmermann, 1954  
*Pelmatocerandra enderleini* Eichler, 1949  
 Ticks: *Ixodes kerguelensis* André & Colas-Belcour, 1942

## Pelecanoides urinatrix urinatrix

- Lice: *Austromenopon elliotti* Timmermann, 1954  
*Halipeurus (Halipeurus) falsus pacificus* Edwards, 1961  
 Fleas: *Pelmatocerandra setosa* (Giebel, 1876)  
 Ticks: *Parapsyllus jacksoni* Smit, 1965  
*Ixodes auritulus zealandicus* Dumbleton, 1961  
*Ixodes kerguelensis* André & Colas-Belcour, 1942

## Pelecanoides urinatrix chathamensis

- Lice: *Austromenopon elliotti* Timmermann, 1954  
*Halipeurus (Halipeurus) falsus pacificus* Edwards, 1961  
 Fleas: *Pelmatocerandra setosa* (Giebel, 1876)  
*Notiopsylla enciari X peregrinus*

## Pelecanoides urinatrix exsul

- Lice: *Austromenopon elliotti* Timmermann, 1954  
*Halipeurus (Halipeurus) falsus pacificus* Edwards, 1961  
 Fleas: *Pelmatocerandra setosa* (Giebel, 1876)  
 Ticks: *Notiopsylla kerguelensis kerguelensis* (Taschenberg, 1880)  
*Parapsyllus cardinis* Dunnet, 1961  
*Parapsyllus magellanicus magellanicus* Jordan, 1938

## Pelecanus conspicillatus

- Lice: *Colpocephalum eucarenum* Burmeister, 1838  
*Pectinopygus australis* Thompson, 1948  
*Piagetiella africana* (Bedford, 1931)

## Family SULIDAE

## Sula serra

- Lice: *Eidmanniella pustulosa* (Nitzsch, 1866)  
*Pectinopygus bassani* (O. Fabricius, 1780)  
 Ticks: *Ixodes eudyptidis* Maskell, 1885  
*Ixodes kohlsi* Arthur, 1955

## Sula sula

- Lice: *Pectinopygus sulae* (Rudow, 1869)  
 Ticks: *Amblyomma loculosum* Neumann, 1907

## Sula leucogaster

- Lice: *Eidmanniella albescens* (Piaget, 1880)  
*Pectinopygus garbei* (Pessôa & Guimarães, 1935)  
 Ticks: *Amblyomma loculosum* Neumann, 1907  
*Ornithodoros capensis* Neumann, 1907

## Sula dactylatra

- Lice: *Pectinopygus annulatus* (Piaget, 1880)  
 Ticks: *Amblyomma loculosum* Neumann, 1907  
*Ornithodoros capensis* Neumann, 1907

## Family ANHINGIDAE

## Anhinga melanogaster

- Lice: *Pectinopygus aquaticus* Clay, 1973

## Family PHALACROCORACIDAE

## Phalacrocorax carbo

- Lice: *Eidmanniella pellucida* (Rudow, 1869)  
*Pectinopygus gyricornis* (Denny, 1842)  
 Fleas: *Parapsyllus longicornis* (Enderlein, 1901)  
 Ticks: *Argas (Persiargas) robertsi* Hoogstraal, Kaiser & Kohls, 1968  
*Ixodes eudyptidis* Maskell, 1885

## Phalacrocorax varius

- Lice: *Eidmanniella pellucida* (Rudow, 1869)  
*Pectinopygus varius* Timmermann, 1964

## Phalacrocorax sulcirostris

- Lice: *Eidmanniella subtrotunda* (Piaget, 1880)  
*Pectinopygus setosus* (Piaget, 1880)

## Phalacrocorax punctatus

- Lice: *Eidmanniella pellucida* (Rudow, 1869)  
*Pectinopygus punctatus* Timmermann, 1964  
 Fleas: *Parapsyllus longicornis* (Enderlein, 1901)  
 Ticks: *Ixodes eudyptidis* Maskell, 1885  
*Ixodes jacksoni* Hoogstraal, 1967  
*Ixodes uriae* White, 1852  
*Ornithodoros capensis* Neumann, 1907

## Phalacrocorax featherstoni

- Lice: *Pectinopygus* sp.

## Phalacrocorax fuscescens

- Lice: *Pectinopygus kosswigi* Timmermann, 1964  
 Ticks: *Ixodes kohlsi* Arthur, 1955  
*Ixodes uriae* White, 1852

## Phalacrocorax bransfieldensis

- Lice: *Pectinopygus turbinatus* (Piaget, 1890)  
*Piagetiella caputincisa* Eichler, 1950

## Family PELECANIDAE

- Phalacrocorax purpurascens**  
Lice: *Pectinopygus turbinatus* (Piaget, 1890)  
Ticks: *Ixodes uriae* White, 1852
- Phalacrocorax carunculatus**  
Lice: *Pectinopygus* sp.
- Phalacrocorax chalconotus**  
Lice: *Eidmanniella pellucida* (Rudow, 1869)  
*Pectinopygus* sp.  
Fleas: *Parapsyllus magellanicus magellanicus* Jordan, 1938
- Phalacrocorax onslowi**  
Lice: *Pectinopygus* sp.
- Phalacrocorax campbelli**  
Lice: *Pectinopygus carunculatus* Timmermann, 1964
- Phalacrocorax colensoi**  
Lice: *Pectinopygus carunculatus* Timmermann, 1964  
Fleas: *Parapsyllus magellanicus magellanicus* Jordan, 1938
- Phalacrocorax ranfurlyi**  
Lice: *Pectinopygus* sp.
- Phalacrocorax melanoleucus melanoleucus**  
Lice: *Pectinopygus dispar* (Piaget, 1880)
- Phalacrocorax melanoleucus brevirostris**  
Lice: *Eidmanniella subrotunda* (Piaget, 1880)  
*Pectinopygus dispar* (Piaget, 1880)
- Family FREGATIDAE**  
**Fregata minor**  
Ticks: *Amblyomma loculosum* Neumann, 1907
- Fregata ariel**  
Ticks: *Amblyomma loculosum* Neumann, 1907
- Family PHAETHONTIDAE**  
**Phaethon rubricauda**  
Lice: *Austromenopon becki* (Kellogg, 1906)  
*Saemundssonia hexagona* (Giebel, 1874)
- Phaethon lepturus**  
Lice: *Saemundssonia upoluensis* (Rudow, 1870)
- Family ARDEIDAE**  
**Ardea sumatrana**  
Louse-flies: *Icosta (Ardmoeaca) ardea ardea* (Macquart), 1835
- Ardea novaehollandiae**  
Lice: *Ardeicola pilgrimi* Tandan, 1972  
*Ciconophilus decimfasciatus* (Boisduval & Lacordaire, 1835)
- Ardea picata**  
Ticks: *Argas (Persiargas) robertsi* Hoogstraal, Kaiser & Kohls, 1968
- Ardea ibis**  
Lice: *Ciconophilus decimfasciatus* (Boisduval & Lacordaire, 1835)  
Ticks: *Argas (Persiargas) robertsi* Hoogstraal, Kaiser & Kohls, 1968
- Ardea alba**  
Lice: *Ardeicola expallidus* Blagoveshtchensky, 1940  
*Ciconophilus decimfasciatus* (Boisduval & Lacordaire, 1835)
- Ticks: *Argas (Persiargas) robertsi* Hoogstraal, Kaiser & Kohls, 1968
- Ardea garzetta**  
Lice: *Ardeicola expallidus* Blagoveshtchensky, 1940  
*Ciconophilus decimfasciatus* (Boisduval & Lacordaire, 1835)
- Ardea sacra**  
Lice: *Ciconophilus decimfasciatus* (Boisduval & Lacordaire, 1835)
- Louse-flies: *Icosta (Ardmoeaca) ardea ardea* (Macquart, 1835)
- Ixobrychus minutus**  
Louse-flies: *Ornithoica beccariina* Rondani, 1878
- Botaurus poiciloptilus**  
Lice: *Ardeicola stellaris* (Denny, 1842)  
*Ciconophilus decimfasciatus* (Boisduval & Lacordaire, 1835)
- Family CICONIIDAE**  
**Ephippiorhynchus asiaticus**  
Lice: *Neophiloapterus horridus* (Giebel, 1876)
- Louse-flies: *Icosta (Ardmoeaca) sp.*
- Family PLATALEIDAE**  
**Plegadis falcinellus**  
Lice: *Ardeicola raphidius* (Nitzch, 1866)  
*Colpocephalum leptopygos* Nitzch, 1866  
*Ibidocetus bisignatus* (Nitzch, 1866)  
*Plegadiphilus plegadis* (Dubinin, 1938)
- Threskiornis molucca**  
Lice: *Ardeicola ibis* (LeSouef & Bullen, 1902)  
*Ibidocetus dianae* Tandan, 1958  
*Plegadiphilus threskiornis* Bedford, 1939
- Ticks: *Argas (Persiargas) robertsi* Hoogstraal, Kaiser & Kohls, 1968
- Threskiornis spinicollis**  
Lice: *Ardeicola australis* Hajela & Tandan, 1967  
*Colpocephalum spinicollis* Price & Beer, 1965  
*Ibidocetus australis* Kumar & Tandan, 1966
- Platalea regia**  
Lice: *Ardeicola plataleae* (Linnaeus, 1758)  
*Eucolpocephalum femorale* (Piaget, 1880)  
*Ibidocetus plataleae* (Denny, 1842)
- Platalea flavipes**  
Lice: *Ardeicola harrisoni* Hajela & Tandan, 1970  
*Ibidocetus flavus* Cummings, 1916
- Family ANSERANATIDAE**  
**Anseranas semipalmata**  
Lice: *Acidoproctus hilli* (Harrison, 1915)  
*Holomenopon goliath* Clay, 1961
- Family ANATIDAE**  
**Dendrocygna eytoni**  
Lice: *Acidoproctus emersoni* Timmermann, 1962  
*Holomenopon leucoxanthum* (Burmeister, 1838)  
*Trinoton fluviatile* Clay, 1963

**Dendrocygna arcuata**

Lice: *Acidoproctus emersoni* Timmermann, 1962  
*Holomenopon leucoxanthum* (Burmeister, 1838)  
*Trinoton laveryi* Clay, 1963

**Biziura lobata**

Lice: *Austrogoniodes metoecus* Clay, 1971

**Cygnus olor**

Lice: *Anatoecus icterodes oloris* Zlotorzycka, 1970  
*Ornithobius bucephalus* (Giebel, 1874)

**Cygnus atratus**

Lice: *Anaticola megaceros* (Johnston & Harrison, 1912)  
*Anatoecus dentatus magnicornutus* Zlotorzycka, 1970  
*Anatoecus icterodes oloris* Zlotorzycka, 1970  
*Anatoecus* sp.  
*Ciconiphilus pectiniventris* (Harrison, 1916)  
*Holomenopon leucoxanthum* (Burmeister, 1838)  
*Ornithobius fuscus* Le Souëf, 1902  
*Trinoton nigrum* Le Souëf, 1902

**Branta canadensis**

Lice: *Ciconiphilus pectiniventris* (Harrison, 1916)  
*Holomenopon leucoxanthum* (Burmeister, 1838)  
*Ornithobius goniopleurus* Denny, 1842  
*Trinoton querquedulae* (Linnaeus, 1758)

**Cereopsis novaehollandiae**

Lice: *Anaticola australis* (Rudow, 1869)  
*Anatoecus clayae* (Kéler, 1960)

**Tadorna variegata**

Lice: *Anaticola magnificus* Ansari, 1955  
*Anatoecus dentatus* (Scopoli, 1763)  
*Anatoecus icterodes* (Nitzsch, 1818)  
*Holomenopon tadornae* (Gervais, 1844)  
*Trinoton querquedulae* (Linnaeus, 1758)

**Tadorna radjah**

Lice: *Holomenopon leucoxanthum* (Burmeister, 1838)

**Chenonetta jubata**

Lice: *Holomenopon setigerum* (Blagoveshtchensky, 1948)

**Malacorhynchus membranaceus**

Lice: *Saemundssonia minitrans* Timmermann, 1977

**Hymenolaimus malacorhynchos**

Lice: *Acidoproctus gottwaldhirschi* Eichler, 1958  
*Anatoecus icterodes* (Nitzsch, 1818)

**Anas gracilis**

Lice: *Anaticola crassicornis* (Scopoli, 1763)  
*Anatoecus dentatus* (Scopoli, 1763)  
*Anatoecus icterodes* (Nitzsch, 1818)  
*Trinoton querquedulae* (Linnaeus, 1758)

Ticks: *Ornithodoros macmillani* Hoogstraal & Kohls, 1966

**Anas chlorotis**

Lice: *Anaticola* sp.  
*Anatoecus icterodes* (Nitzsch, 1818)

**Anas aucklandica**

Lice: *Holomenopon leucoxanthum* (Burmeister, 1838)

**Anas platyrhynchos**

Lice: *Anaticola crassicornis* (Scopoli, 1763)  
*Anatoecus dentatus* (Scopoli, 1763)  
*Anatoecus icterodes* (Nitzsch, 1818)  
*Holomenopon leucoxanthum* (Burmeister, 1838)  
*Trinoton querquedulae* (Linnaeus, 1758)

**Anas superciliosa**

Lice: *Anaticola crassicornis* (Scopoli, 1763)  
*Anatoecus dentatus* (Scopoli, 1763)  
*Anatoecus icterodes* (Nitzsch, 1818)  
*Holomenopon leucoxanthum* (Burmeister, 1838)  
*Trinoton querquedulae* (Linnaeus, 1758)

**Anas rhynchos**

Lice: *Anaticola crassicornis* (Scopoli, 1763)  
*Anatoecus icterodes* (Nitzsch, 1818)  
*Holomenopon* sp.  
*Trinoton querquedulae* (Linnaeus, 1758)

**Aythya australis**

Lice: *Anaticola crassicornis* (Scopoli, 1763)  
*Holomenopon leucoxanthum* (Burmeister, 1838)

**Aythya novaeseelandiae**

Lice: *Anaticola crassicornis* (Scopoli, 1763)  
*Anatoecus icterodes* (Nitzsch, 1818)  
*Holomenopon* sp.  
*Trinoton querquedulae* (Linnaeus, 1758)